ECON 6090 *Microeconomics I Notes*

Gabe Sekeres & Omar Andújar

Fall 2024

Contents

8 TA [Sections](#page-142-0) 143

Introduction

We are creating this set of unified notes for ECON 6090: Microeconomics I, as taught at Cornell University in the Fall 2024 semester. Due to unforeseen departmental circumstances, this course was taught by six different [professors](https://adamharris.phd/) (David [Easley,](https://easley.economics.cornell.edu/) Philipp [Kircher](https://philippkircher.com/), Adam Harris, Larry [Blume](https://sites.santafe.edu/~leb/), Levon [Barseghyan](https://barseghyan.economics.cornell.edu/), and Marco [Battaglini\)](https://www.mbattaglini.com/). This structure necessarily created some confusion in notation and material, so these notes function as my attempt to create a universe of the material we learned.

We rely heavily on the notes created from Prof. Easley's course, which were originally compiled by Julien [Manuel](https://julienneves.com/) Neves and subsequently updated by [Ruqing](https://ruqing-xu.github.io/) Xu and Patrick [Ferguson,](https://economics.cornell.edu/patrick-ferguson) as well as the excellent TA Sections curated by [Yuxuan](https://economics.cornell.edu/yuxuan-ma) Ma and Feiyu [Wang](https://dyson.cornell.edu/programs/graduate/graduate-student-directory/). We additionally rely on notes and slides provided by Prof. Harris, slides provided by Prof. Blume, slides from Ted [O'Donoghue](https://blogs.cornell.edu/odonoghue/) provided by Prof. Barseghyan, and notes provided by Prof. Battaglini. These notes are supplemented with the canonical [Microeconomic](https://global.oup.com/academic/product/microeconomic-theory-9780195073409?cc=us&lang=en&) Theory textbook by Andreu [Mas-Colell,](https://www.upf.edu/web/andreu-mas-colell) Michael [Whinston](https://mitsloan.mit.edu/faculty/directory/michael-whinston)[,](https://www.semanticscholar.org/paper/Utility-theory-for-decision-making-Fishburn/905a24a912171436e0abd3b5f1fdcb963e6f852f) and Jerry [Green](https://www.hbs.edu/faculty/Pages/profile.aspx?facId=6466) (hereafter, MWG); Utility Theory for Decision Making by Peter [Fishbur](https://en.wikipedia.org/wiki/Peter_C._Fishburn)[n;](https://store.doverpublications.com/products/9780486477664) a classic analysis textbook, Foundations of Mathematical Analysis by Richard [Johnsonbaugh](https://condor.depaul.edu/~rjohnson/) and W.E. Pfaff[enberger](https://www.mathgenealogy.org/id.php?id=12494); and the excellent Mathematics notes provided by [Takuma](https://www.takumahabu.com/Economics) Habu. All mistakes are our own.

We occasionally make reference to the Stanford ECON 202 notes, created by [Jonathan](https://www.gsb.stanford.edu/faculty-research/faculty/jonathan-levin) Levin, Ilya [Segal,](https://web.stanford.edu/~isegal/) Paul [Milgrom,](https://milgrom.people.stanford.edu/) and Ravi [Jagadeesan.](https://sites.google.com/site/ravijagadeesan/) This will mainly be if there exists intuition that we believe is helpful.

Thanks to our cohort for helping with this project, especially Robert Betancourt, and Addie Sutton.

Notation. A large part of this project is an attempt to unify the notation used by our separate professors. We default to the notation used in the Easley notes, then to MWG, and then use our own judgement. New definitions will have a word highlighted in *blue*, and certain (named) theorems will be denoted in *red*.

Structure. The course (and these notes) are organized as follows. Prof. Easley taught an introduction to choice theory, Section [1](#page-3-0). Prof. Kircher taught consumer theory, Section [2.](#page-13-0) Prof. Harris taught producer theory, and some concepts of market failures, Section [3](#page-21-0). Prof. Blume introduced the theory of choice under uncertainty, Section [4](#page-30-0), and Prof. Barseghyan continued with theoretical applications for uncertainty and expected utility maximization, Section [5](#page-39-0). Prof. Battaglini taught on information theory, Section [6.](#page-46-0) We also include here exercises with solutions, divided into the various sections and sources. This is Section [7.](#page-58-0)

1 Choice (Easley)

1.1 Preference Theory

Assumption 1.1. Let *X* be a finite set of objects.

Definition. Define \succsim , a *preference relation* on *X*, as $x \succsim y \iff x$ is *at least as good as y*, for $x, y \in X$. \succsim is a binary relation.

Definition. *x* is *strictly* preferred to *y*, denoted as $x \succ y$, if $x \succsim y$ and $y \not\subset x$.

Definition. *x* is *indifferent* to *y*, denoted as $x \sim y$, if $x \succeq y$ and $y \succeq x$.

Definition. A preference relation \sum is *complete* if $\forall x, y \in X$, either $x \sum y, y \sum x$, or both. **Definition.** A preference relation \succsim is *transitive* if, $\forall x, y, z \in X$ where $x \succsim y$ and $y \succsim z$, $x \succeq z$.

Definition. A preference relation \sum is *rational* if it is complete and transitive.

Remark. Prof. Easley takes some issues with this definition. The main issue is that there is an English word 'rational' that has absolutely nothing to do with it. Hereafter, always read rational as 'complete and transitive'.

Remark. These are all of the abstract concepts in choice theory! From here, we will apply them, and see what we can get.

Definition. (Informal) Define a *choice structure* C^* over subsets $B \subseteq X$ as $C^*(B, \geq) :=$ $\{x \in B : x \succsim y \ \forall \ y \in B\}.$

Remark. Some direct implications:

- (i) If $x \in C^*(B, \succcurlyeq)$ and $y \in C^*(B, \succcurlyeq)$, then $x \sim y$.
- (ii) Suppose that $x \in B$, $x \notin C^*(B, \Sigma)$, and $C^*(B, \Sigma) \neq \emptyset$. Then there exists $y \in B$ such that $y \succ x$.

We will now formalize the above.

Definition. Let the *power set* of *X*, denoted $\mathcal{P}(X)$, be the set of all subsets of *X*. Note that since *X* is finite, $\mathcal{P}(X)$ is finite.

Definition. (Formal) A correspondence $C^* : \mathcal{P}(X) \rightrightarrows X$ is a *choice correspondence* for some (not necessarily complete; not necessarily transitive) preference relation \gtrsim if $C^*(B) \subseteq B$ for all $B \subseteq X$.

Remark. This definition is from the Stanford notes $-I$ find it more intuitive than defining it the other way, but it requires divorcing the choice structure from the preference relation. Some intuition that's helpful for me: Easley's definition starts with the preference relation and then defines the choice correspondence, while Segal's definition starts with the choice correspondence and then applies it to a preference relation. They will (as we will see below) often be equivalent, but it's a subtle distinction. I will denote an arbitrary choice correspondence by $C^*(\cdot)$ and one connected with a preference relation \succsim by $C^*(\cdot,\succsim)$. **Proposition 1.1.** *If* \succsim *is a rational preference relation on X, then*

$$
C^* : \mathcal{P}(X) \setminus \varnothing \to \mathcal{P}(X) \setminus \varnothing
$$

In words, the associated choice correspondence to a rational preference relation is nonempty for nonempty inputs.

Remark. The Easley notes define power sets slightly differently. This is unnecessary and (I feel) less intuitive.

Proof. Proof by induction on $n = |B|$. Suppose $|B| = 1$, so $B = \{x\}$ for some $x \in X$. Then by completeness, $x \succeq x$, and $C^*(B, \succeq) = \{x\} \in \mathcal{P}(X) \setminus \emptyset$. Suppose next that for any *Y* where $|Y| = n$, $C^*(Y, \Sigma)$ is nonempty. Take some arbitrary *B*, where $|B| = n + 1$. Define $B' := B \setminus \{x\}$, and let *x'* be an element of $C^*(B', \succeq)$, which is nonempty by the inductive hypothesis. By completeness, either $x \succ x'$, $x' \succ x$, or $x \sim x'$. Case by case, we would have that $C^*(B, \Sigma) \in \{\{x\}, C^*(B', \Sigma), C^*(B', \Sigma) \cup \{x\}\} \subseteq \mathcal{P}(X)$, by transitivity. \Box Definition. C^* satisfies *Sen's* α , also known as *independence* of *irrelevant alternatives*, if

 $x \in A \subseteq B$ and $x \in C^*(B, \succsim)$ implies that $x \in C^*(A, \succsim)$.

Remark. The classical example of a preference relation that violates Sen's α is 'choosing the second-cheapest wine.' It should be fairly clear to see why this violates Sen's α . Is it a rational preference relation?

Proposition 1.2. *If* \succsim *is a rational preference relation, then* $C^*(\cdot, \succsim)$ *satisfies Sen's* α *.*

Proof. The result is trivially true if *A* = *B*. Suppose that *A* ⊂ *B*. Let $x \in C^*(B, \succcurlyeq)$. Then $x \succcurlyeq y$ for all $y \in B$. In particular, if $y \in A \subseteq B$, then $x \succcurlyeq y$. Thus, $x \in C^*(A, \succcurlyeq)$. *x* \geq *y* for all *y* ∈ *B*. In particular, if *y* ∈ *A* ⊆ *B*, then *x* \succeq *y*. Thus, *x* ∈ *C*^{*}(*A*, \succeq). **Definition.** C^* satisfies *Sen's* β , also known as *expansion consistency*, if $x, y \in C^*(A, \geq),$ $A \subseteq B$, and $y \in C^*(B, \geq)$ implies that $x \in C^*(B, \geq)$.

Remark. I couldn't find a classical example violating Sen's β , but a simple one is as follows: assume that the waiter offers you French or Italian wine. You are indifferent between them, but then they remember that they also have California wine. You say 'in that case, I'll have the French wine'. Again, this directly violate's Sen's β , but is it rational? Why or why not? **Proposition 1.3.** *If* \succsim *is a rational preference relation, then* $C^*(\cdot, \succsim)$ *satisfies Sen's* β *.*

Proof. Let $x, y \in C^*(A, \Sigma)$, $A \subseteq B$, and $y \in C^*(B, \Sigma)$. Since $x \in C^*(A, \Sigma)$, we have $x \succsim y$ since $y \in A$. Since $y \in C^*(B, \Sigma)$, we have $y \Sigma z$ for all $z \in B$. By transitivity, $x \Sigma y$ and $y \gtrsim z$ implies that $x \gtrsim z$ for all $z \in B$, so $x \in C^*(B, \gtrsim)$. \mathbf{I}

Definition. C^* satisfies *Houthaker's* weak *axiom* of *revealed preference* (often called either *HWARP* or *HARP*) if for all $A, B \in \mathcal{P}(X)$ if $x, y \in A \cap B$, $x \in C^*(A, \Sigma)$ and $y \in C^*(B, \Sigma)$, then $x \in C^*(B, \succsim)$ and $y \in C^*(A, \succsim).$

Proposition 1.4. C^* : $\mathcal{P} \rightrightarrows X$ *satisfies Sen's* α *and* β *if and only if it satisfies Houthaker's weak axiom of revealed preference.*

Proof.

- (i) $(\alpha + \beta \Longrightarrow HWARP)$ Suppose $x, y \in A \cap B \subseteq \mathcal{P}(X), x \in C^*(A, \Sigma)$, and $y \in C^*(B, \Sigma)$. By Sen's α , both *x* and *y* are in $C^*(A \cap B, \Sigma)$. Then by Sen's β , $x \in C^*(B, \Sigma)$ and $y \in C^*(A, \succsim).$
- (ii) (HWARP \implies β) Say $x, y \in C^*(A, \Sigma)$, $A \subseteq B$ and $y \in C^*(B, \Sigma)$. Because $A = A \cap B$, $x, y \in C^*(A \cap B, \Sigma)$. Applying HWARP, we have that $x \in C^*(B, \Sigma)$.

(iii) (HWARP $\implies \alpha$) Say $x \in A \subseteq B$ and $x \in C^*(B, \succsim)$. Suppose $x \notin C^*(A, \succsim)$. Then by Proposition [1.1](#page-3-2), there exists $y \in C^*(A, \Sigma)$. Note that $x, y \in A = A \cap B$, $x \in C^*(B, \Sigma)$ and $y \in C^*(A, \Sigma)$. By HWARP, $x \in C^*(A, \Sigma)$, which is a contradiction.

 \Box

Proposition 1.5. *The following are equivalent for* $C^*(\cdot, \xi)$ *, where* $C^*: \mathcal{P}(X) \to \mathcal{P}(X)$

- $(i) \succeq$ *is rational*
- *(ii)* C^* *satisfies Sen's* α *and* β
- (iii) C^* *satisfies* $HWARP$

Proof. (ii) and (iii) are equivalent by Proposition [1.4.](#page-4-0) (i) \implies (ii) is given by Propositions [1.2](#page-4-1) and 1.3. Finally, (iii) \implies (i) is given below, in the proof of Proposition 1.6. and [1.3.](#page-4-2) Finally, (iii) \implies (i) is given below, in the proof of Proposition [1.6.](#page-5-1)

1.2 Observed Choice

Recall the formal definition of choice correspondences above. We will now add some more structure to that definition.

Definition. For \mathcal{B} a collection of subsets of *X*, (\mathcal{B}, C) is called a *choice structure* if $C(B) \subseteq B$ and $C(B) = \emptyset \Longleftrightarrow B = \emptyset$ for all $B \in \mathcal{B}$.

Definition. The choice structure (*B, C*) satisfies the *weak axiom of revealed preference* (*WARP*) if for all $A, B \in \mathcal{B}$ where *x* and *y* are in both *A* and *B*, $x \in C(A)$, and $y \in C(B)$, then $x \in C(B)$ and $y \in C(A)$.^{[1](#page-5-2)}

Remark. When $\mathcal{B} = \mathcal{P}(X)$, WARP is the same as HWARP.

Definition. Given a choice structure (B, C) , the *revealed preference relation* \succsim^* is defined such that $x \succeq^* y$ if $\exists B \in \mathcal{B}$ such that $x, y \in B$ and $x \in C(B)$.

Proposition 1.6. *Suppose that X is finite* and $\mathcal{B} = \mathcal{P}(X)$ *. If* (\mathcal{B}, C) *satisfies WARP then the* revealed preference relation that it induces, \sum^* is rational and $C(B) = C^*(B, \sum^*)$ for all $B \in \mathcal{B}$ *.*

Proof. If $\mathcal{B} = \mathcal{P}(X)$ and (\mathcal{B}, C) is a choice structure, then $C(Y)$ is defined as nonempty for every $Y = \{x, y\} \subseteq X$. This implies that $x \succsim^* y$ or $y \succsim^* x$ for all $x, y \in X$, so \succsim^* is complete.

Suppose $x \succeq^* y$ and $y \succeq^* z$. Then there exists $A \subseteq X$ containing x and y such that $x \in C(A)$; and $B \subseteq X$ containing *y* and *z* such that $y \in C(B)$. Moreover, $\{x, y, z\} \subseteq B$ and $C({x, y, z})$ is nonempty. Suppose $y \in C({x, y, z})$. Then by WARP, $x \in C({x, y, z})$. Suppose $z \in C({x, y, z})$. Then again by WARP, $y \in C({x, y, z})$ and thus $x \in C({x, y, z})$. In any case, $x \in C({x, y, z})$ implies that $x \succsim^* z$, so \succsim^* is transitive.

¹Note the difference in wording from before – we cannot have as a condition that $x, y \in A \cap B$ as $A \cap B$ is not necessarily in *B*.

Let *x* be an element of $C^*(B, \succeq^*)$. Then $x \succeq^* y \forall y \in B$. Since $C(B)$ is nonempty, we have that $z \in C(B)$ for some *z*. By $x \succsim^* z$, there exists $A \in \mathcal{B}$ such that $x, z \in A$ and $x \in C(A)$. Therefore by WARP, $x \in C(B)$. Conversely, suppose $x \in C(B)$. Then $x \succeq^{*} y$ for all $y \in B$, and so $x \in C^*(B, \succeq^*)$. $\mathbf{1}$

Remark. A stronger version of Proposition [1.6](#page-5-1) exists, though we do not present the proof here:

Proposition 1.7. Suppose that X is finite and for all $Y \subseteq X$ where $|Y| \leq 3$, $Y \in \mathcal{B}$. If (B, C) *satisfies WARP then the revealed preference relation that it induces,* \geq^* *is rational and* $C(B) = C^*(B, \succeq^*)$ *for all* $B \in \mathcal{B}$ *.*

Remark. This does not hold for anything less strong than 3. Consider the following counterexample: Suppose $X = \{x, y, z, w\}$ and $\mathcal{B} = \{\{x, y\}, \{y, z\}, \{z, w\}, \{w, x\}\}\$. Let C be defined by:

$$
C({x, y}) = {x, y} ; C({y, z}) = {y, z} ; C({z, w}) = {z, w} ; C({w, z}) = {x}
$$

Because no pair of elements of *X* are both in two elements of *B*, WARP is vacuously satisfied. But neither $x \succsim^* z$ or $z \succsim^* x$, so \succsim^* is incomplete. We can also show that it is intransitive (how?). Moreover, if we extend *C* to the family of all two-element subsets of *X*, such that everything except for $\{w, x\}$ is mapped to itself (and $C(\{w, z\}) = \{x\}, \succeq^{\star}$ is complete but remains intransitive.

1.3 Incomplete Preferences

Definition. ≻ is a *strict partial order* if (i) for any $x, y \in X$, if $x \succ y$, then $y \not\vdash x$, and (ii) \succ is transitive.

Remark. Note that we are explicitly not defining \sim as $x \sim y$ if $x \not\vdash y$ and $y \not\vdash x$. The two elements could be incomparable, we do not assume completeness here.

Proposition 1.8. *Define choice by*

$$
C^\star(A,\succ)\coloneqq\{x\in A:\ \forall\ y\in A,y\not\succ x\}
$$

 $where \succ is a strict partial order. Then C satisfies Sen's \alpha but not Sen's \beta.$

Proof.

- (i) Suppose $x \in A \subseteq B$ and $x \in C(B, \succ)$. Then there does not exist $y \in B$ such that *y* ≻ *x*. It follows that no such *y* exists in *A* ⊆ *B* either, so $x \in C(A, \succ)$.
- (ii) Suppose that $x, y \in C(A, \succ)$, $A \subseteq B$, $y \in C(B, \succ)$, and there is some $z \succ x$ in *B* such that *y* and *z* are incomparable. Then the hypotheses of Sen's β are satisfied, but $x \notin C(B, \succ).$

 \Box

1.4 WARP and the Slutsky Matrix

We will make the following assumptions throughout:

Assumption 1.2. We have (i) *L* commodities, $x := (x_1, \ldots, x_L) \in \mathbb{R}^L_+$; (ii) prices $p :=$ $(p_1,\ldots,p_L)\in\mathbb{R}^L_{++}$; (iii) wealth $w>0$; and (iv) budget set $B_{p,w}:=\{x\in\mathbb{R}^L_+:p\cdot x\leq w\}.$ Definition. We define the *Walrasian demand function* (also sometimes called the *Marshallian demand function*) by $x : \mathbb{R}^L_{++} \times \mathbb{R}_{++} \to \mathbb{R}^L_{+}$, where $x(p, w)$ is the consumer's choice at prices *p* and wealth *w*. Note that (*p,w*) may not uniquely specify a value. In that case, we have the *Walrasian (Marshallian)* demand correspondence, $X : \mathbb{R}_{++}^L \times \mathbb{R}_{++} \Rightarrow \mathbb{R}_{+}^L$. Assumption 1.3. We will almost always make the following assumptions on *x*:

(i) $x(p, w)$ is homogeneous of degree 0, meaning that

 $x(\alpha p, \alpha w) = x(p, w)$ for all $(p, w) \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}$ and $\alpha > 0$

(ii) $x(p, w)$ satisfies Walras' Law: $p \cdot x(p, w) = w$ for all $(p, w) \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}$

Proposition 1.9. Let $\mathcal{B}^W := \{B_{p,w} : (p,w) \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}\}$ and $C_x(B_{p,w}) := \{x(p,w)\},\$ and let x be homogeneous of degree 0 and satisfy Walras' Law. Then (\mathcal{B}^W, C_x) is a choice *structure.*

Proof. We want to show that $C_x(B_{p,w})$ is a uniquely-defined nonempty subset of $B_{p,w}$ for all $B_{p,w} \in \mathcal{B}^W$. That $C_x(B_{p,w})$ is nonempty follows from the definition of *x* as a function (or correspondence). Homogeneity of degree 0 implies that for $B_{p,w} = B_{\alpha p,\alpha w}$, $C_x(B_{p,w}) =$ $C_x(B_{\alpha p,\alpha w})$. Walras' Law implies that $C_x(B_{p,w}) \subseteq B_{p,w}$. \Box

Definition. In the context of consumer choice, $x(p, w)$ satisfies the *weak axiom* of *revealed preferences* (*WARP*) if the following holds: If $(p, w), (p', w') \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}$ are such that $p' \cdot x(p, w) \leq w'$ and $x(p', w') \neq x(p, w)$, then $p \cdot x(p', w') > w$.

Remark. Basically, if the consumer ever chooses *x*′ when *x* is available, then there's no way that both *x* and *x*′ could be available and *x* would be chosen.

Definition. A *Slutsky compensated price change* is a price change from *p* to *p*′ accompanied by a change in wealth from *w* to *w*′ that makes the old bundle just affordable. That is, such that $p' \cdot x(p, w) = w'$.

Proposition 1.10. (Law of Compensated Demand) *Suppose that consumer demand x*(*p,w*) *is homogeneous of degree 0 and satisfies Walras' Law. Then x*(*p,w*) *satisfies WARP if and* only if for any compensated price change from (p, w) to $(p', w') := (p', p' \cdot x(p, w))$ we have

$$
(p' - p) \cdot (x(p', w') - x(p, w)) \le 0
$$

with strict inequality if $x(p', w') \neq x(p, w)$ *.*

Proof. By WARP, $p \cdot x(p', w') \geq p \cdot x(p, w) = w$, with strict inequality if and only if $x(p, w) \neq x(p', w')$. By Walras' Law, we have that $p' \cdot x(p', w') = p' \cdot x(p, w) = w'$. Subtracting, we get

$$
(p-p') \cdot x(p',w') \ge (p-p') \cdot x(p,w) \Longrightarrow (p'-p) \cdot (x(p',w') - x(p,w)) \le 0
$$

Conversely, say that $(p' - p) \cdot (x(p', w') - x(p, w)) \leq 0$. Then we have that

$$
p' \cdot x(p', w') - p' \cdot x(p, w) - p \cdot (x(p', w') - x(p, w)) \le 0 \Longrightarrow p \cdot x(p', w') > w
$$

since $p' \cdot x(p', w') < p' \cdot x(p, w)$. The case of strict inequality is analogous. **Proposition 1.11.** Let $x : \mathbb{R}_+^L \times \mathbb{R}_+ \to \mathbb{R}_+^L$ be continuously differentiable. Then

$$
\frac{\partial x_j(p,w)}{\partial p_j} + x_j(p,w) \frac{\partial x_j(p,w)}{\partial w} \le 0
$$

Proof. Assume that *p* changes solely in p_j , by $\Delta p_j > 0$, and let Δw be the compensating change in wealth, as above. Let $\Delta x := x(p', w') - x(p, w)$. Then by the Law of Compensated Demand, we have that

$$
\Delta p_j(x_j(p', w') - x_j(p, w)) \le 0 \Longrightarrow \frac{x_j(p', w') - x_j(p, w)}{\Delta p_j} \le 0
$$

Adding and subtracting $x_j(p', w)$, this becomes

$$
\frac{x_j(p', w) - x_j(p, w)}{\delta p_j} + \frac{x_j(p', w') - x_j(p', w)}{\Delta p_j} \le 0
$$

Using the fact that $\Delta w = \Delta p_j x_j(p, w)$, we get that

$$
\frac{x_j(p', w) - x_j(p, w)}{\delta p_j} + x_j(p, w) \frac{x_j(p', w') - x_j(p', w)}{\Delta w} \le 0
$$

Taking the limit as $\Delta p_j \searrow 0$, which implies that $\Delta w \searrow 0$ and $p' \to p$, and using the fact that x is continuously differentiable, this becomes

$$
\frac{\partial x_j(p,w)}{\partial p_j} + x_j(p,w) \frac{\partial x_j(p,w)}{\partial w} \le 0
$$

Definition. The *Slutsky matrix* is the matrix of the partials defined above:

$$
S(p, w) := D_p x(p, w) + D_w x(p, w) x(p, w)^T
$$

=
$$
\begin{bmatrix} \frac{\partial x_1}{\partial p_1} + x_1 \frac{\partial x_1}{\partial w} & \cdots & \frac{\partial x_1}{\partial p_L} + x_L \frac{\partial x_1}{\partial w} \\ \vdots & & \vdots \\ \frac{\partial x_L}{\partial p_1} + x_1 \frac{\partial x_L}{\partial w} & \cdots & \frac{\partial x_L}{\partial p_L} + x_L \frac{\partial x_L}{\partial w} \end{bmatrix}
$$

Proposition 1.12. *S*(*p,w*) *is negative semi-definite.*

Proof. Let $dp \coloneqq (dp_1, \ldots, dp_L)$ be an arbitrary element of \mathbb{R}^L . Then for all *i*, we have that

$$
dx_i = \frac{\partial x_i}{\partial p_1} dp_1 + \dots + \frac{\partial x_i}{\partial p_L} dp_L + \frac{\partial x_i}{\partial w} x_1(p, w) dp_1 + \dots + \frac{\partial x_i}{\partial w} x_L(p, w) dp_L
$$

$$
\implies dx = (D_p x(p, w) + D_w x(p, w) x(p, w)^T) dp
$$

By WARP, $dp \cdot dx \leq 0$, meaning that

$$
dp^{T}(D_{p}x(p,w) + D_{w}x(p,w)x(p,w)^{T})dp \le 0
$$

Thus, $S(p, w)$ is negative semi-definite, since dp is arbitrary.

 \Box

 \Box

 \Box

1.5 Consumer Choice from \succsim

Assumption 1.4. As before, let $X \coloneqq \mathbb{R}^L_+$.

Definition. A *utility function* representing \succeq on *X* is a function $u : X \to \mathbb{R}$ such that for all $x, y \in X$:

$$
x \succsim y \iff u(x) \ge u(y)
$$

Proposition 1.13. *If* $u : X \to \mathbb{R}$ *represents* \succeq *on X and* $f : \mathbb{R} \to \mathbb{R}$ *is strictly increasing, then* $f \circ u$ *represents* \succsim .

Proof.

$$
x \succsim y \iff u(x) \ge u(y) \iff (f \circ u)(x) \ge (f \circ u)(y)
$$

Remark. Lexicographic preferences, defined on \mathbb{R}^2 by

$$
(x_1, x_2) \succsim (y_1, y_2) \Longleftrightarrow x_1 > y_1
$$
 or $x_1 = y_1$ and $x_2 \ge y_2$

are rational but cannot be represented by a utility function. Why is that? Definition. The following mathematical concepts will be useful to us:

- (i) The *upper contour set*, $R(x) := \{y \in X : y \succsim x\}$, is the set of all bundles that are at least as good as *x*. Denote its complement by $P^{-1}(x)$.
- (ii) The *lower* contour set, $R^{-1}(x) := \{y \in X : x \succsim y\}$, is the set of all bundles that *x* is at least as good as. Denote its complement by $P(x)$.

Definition. The preference relation \geq on *X* is *continuous* if $R(x)$ and $R^{-1}(x)$ are closed subsets of *X* for all $x \in X$.

Remark. Lexicographic preferences are not continuous. Can you show why?

Proposition 1.14. (Debreu's Theorem) *Suppose a preference relation* \succsim *on X is rational* and *continuous.* Then there is a *continuous utility* function representing \gtrsim .

Proof. (Sketch) We will sketch this proof assuming that \gtrsim satisfy strong monotonicity (defined below), which is not necessary but makes the proof easier. Choose any $x \in X$. By strong monotonicity, $x \succeq 0$. Let $e = (1, 1)$. By strong monotonicity, $\exists \alpha \in \mathbb{R}_+$ such that $\alpha e \succ x$. By strong monotonicity, $\exists \alpha : X \to \mathbb{R}_+$ such that $\alpha(x)e \sim x \ \forall x \in X$.

We claim that $\alpha(\cdot)$ represents \succsim . First, suppose that $\alpha(x) \geq \alpha(y)$. Then $\alpha(x)e \succsim \alpha(y)e$ by strict monotonicity, and by transitivity we have that $x \sim \alpha(x)e \succsim \alpha(y)e \sim y \Longrightarrow x \succsim y$. Conversely, assume that $x \succeq y$. Then $\alpha(x)e \sim x \succeq y \sim \alpha(y)e$, so $\alpha(x)e \succeq \alpha(y)e$ by transitivity, and $\alpha(x) \geq \alpha(y)$ by strict monotonicity.

Definition. The preference relation \succsim is *monotone* if for all $x, y \in X$, $x \geq y \Longrightarrow x \succsim y$. It is *strictly monotone* if $x \geq y$ and $x \neq y$ implies that $x \succ y$. Note that the latter implies the former.

Definition. The preference relation \succsim is *locally non-satiated* if for every $x \in X$ and for every $\varepsilon > 0$, there exists $y \in X$ such that $||x - y|| \leq \varepsilon$ and $y \succ x$. Note that strict monotonicity implies local non-satiation.

 \Box

Remark. We assumed earlier that $X = \mathbb{R}^L_+$. This concept can be extended to any metric space, replacing the norm with the space's distance function.

Definition. The preference relation \succsim on *X* is *convex* if for all $x, y, z \in X$ and all $\alpha \in [0, 1]$, $y \gtrsim x$ and $z \gtrsim x$ implies that $\alpha y + (1 - \alpha)z \gtrsim x$.

It is *strictly convex* if for all $x, y, z \in X$ and all $\alpha \in (0, 1), y \neq z, y \succsim x$, and $z \succsim x$ imply that $\alpha y + (1 - \alpha)z \succ x$.

Remark. Preferences are convex if and only if $R(x)$ is convex for every $x \in X$. Can you prove this?

Definition. The function $u: X \to \mathbb{R}$ is *quasiconcave* if for all $x, y \in X$ and any $\alpha \in [0, 1]$,

$$
u(\alpha x + (1 - \alpha)y) \ge \min\{u(x), u(y)\}\
$$

The function $u: X \to \mathbb{R}$ is *concave* if for all $x, y \in X$ and any $\alpha \in [0, 1]$,

$$
u(\alpha x + (1 - \alpha)y) \ge \alpha u(x) + (1 - \alpha)u(y)
$$

Strict quasiconcavity and strict concavity are defined analogously, restricting α to $(0,1)$, requiring that $x \neq y$, and replacing weak inequalities with strict ones.

Proposition 1.15. *u representing* \geq *is quasiconcave if and only if* \geq *is convex.*

Proof. Assuming quasiconcavity, $y, z \geq z \implies u(y), u(z) \geq u(x)$ implies that $u(\alpha y + (1 \alpha(x)$ \geq min $\{u(y), u(z)\}\geq u(x)$. Conversely, suppose WLOG that $y \succeq z$. Note also that *z* \ge *z*. Thus by convexity of preferences, $\alpha y + (1 - \alpha)z \ge z$, meaning that $u(\alpha y + (1 - \alpha)z) \ge u(z) = \min\{u(y), u(z)\}\.$ $u(z) = \min\{u(y), u(z)\}.$

1.6 Consumer Optimization

Definition. The *consumer's problem* is the optimization problem

$$
\max_{x \in \mathbb{R}_+^L} u(x) \text{ s.t. } p \cdot x \leq w
$$

Proposition 1.16. (Properties of Walrasian Demand Correspondence) *Let u be a continuous utility function representing* \gtrsim *on* \mathbb{R}^L_+ *.*

- *(i) If* $p \in \mathbb{R}^L_{++}$ *and* $w \in \mathbb{R}_{++}$ *, then there exists an* $x^* \in \mathbb{R}^L_{++}$ *that solves the consumer's problem*
- *(ii)* If $\lambda > 0$, then x^* also solves the consumer's problem for λp and λw *(homogeneity of degree 0)*
- *(iii)* If in addition \succsim *is locally non-satiated, then Walras' Law holds, meaning that* $p \cdot x^* = w$
- *(iv)* If in addition \geq *is strictly convex (equiv. u strictly concave)* then x^* *is unique and the Walrasian demand function* $x : \mathbb{R}_{++}^L \times \mathbb{R}_{++} \to \mathbb{R}_{+}^L$ *is well-defined and continuous.*

Proof.

- (i) $B_{p,w}$ is nonempty and compact and *u* is continuous, so conclusion follows from the Extreme Value Theorem.
- (ii) Observe that $p \cdot x \leq w \iff \lambda p \cdot x \leq \lambda w$, so the constraint set is the same in both problems.
- (iii) Suppose not: $p \cdot x^* < w$. Choose $\varepsilon > 0$ such that $p \cdot y < w$ for all $y \in B_{\varepsilon}(x^*)$. By local non-satiation, there exists $y \in B_\varepsilon(x^*)$ such that $y \succ x^*$. This is a contradiction.
- (iv) Suppose not: let \hat{x} be a distinct solution. Fix $\alpha \in (0,1)$. By strict convexity of preferences, $\alpha \hat{x} + (1 - \alpha)x^* \succ x^*$. By convexity of the budget set, $\alpha \hat{x} + (1 - \alpha)x^*$ is affordable, contradicting that x^* is a global maximum. Continuity of x is annoying but proven elsewhere.

Proposition 1.17. (Necessary Conditions) *Suppose that*

- (*i*) The consumer's preferences on \mathbb{R}^L_+ can be represented by a twice continuously differen*tiable utility function u.*
- *(ii) The preferences are strictly monotone.*
- *(iii)* $p \gg 0$ *and* $w \gg 0$.

If x^* *is* an *interior solution to the consumer's problem* (i.e. $x^* \gg 0$), *then*

$$
MRS_{ij}(x^*) \coloneqq \frac{\frac{\partial u(x^*)}{\partial x_i}}{\frac{\partial u(x^*)}{\partial x_j}} = \frac{p_i}{p_j}
$$

Proof. Strict monotonicity implies that $p \cdot x^* = w$ and $\frac{\partial u(x^*)}{\partial x_j} > 0$. We know that x^* solves the consumer's problem, and the constraint qualification holds. By the Karush-Kuhn-Tucker Theorem, there exists $\lambda > 0$ such that $\nabla u(x^*) = \lambda p$. Conclusion follows. \Box

Proposition 1.18. (Sufficient Conditions) *Suppose in addition to hypotheses (i) to (iii) of Proposition [1.17,](#page-11-0) we have*

 $(iv) \succeq$ *are strictly convex.*

If x^* satisfies $x^* \gg 0$ and $p \cdot x^* = w$, and there exists $\lambda > 0$ such that $\nabla u(x^*) = \lambda p$, then x^* *is the unique solution to the consumer's problem.*

Proof. Omitted, but covered in detail in Part 6: Static Optimization of Tak's lecture notes. \Box

Some Math Remarks. These last few sections make a number of extremely strong assumptions on the shape and size of *X*. These assumptions are largely not necessary, and

 \Box

can trivially be relaxed as far as assuming that *X* is a metric space. They can be relaxed significantly further than that, with difficulty. If you are interested in what that entails, I can happily talk for hours about it. If you're not a masochist, you can ignore this entire note and assume we are in non-negative Euclidean space always. - Gabe

2 Consumer Theory (Kircher)

2.1 Utility Maximization

Remark. We will carry forward the assumptions on model structure (Assumptions [1.2](#page-7-1)) made above. We will also generally carry forward Assumptions [1.3,](#page-7-2) but not as strongly. **Definition.** The *indirect utility function*, $V : \mathbb{R}_{++}^L \times \mathbb{R}_{++} \to \mathbb{R}$ is defined by

$$
V(p, w) \coloneqq \max_{x \in \mathbb{R}_+^L} u(x) \text{ s.t. } p \cdot x \leq w
$$

Remark. If $x(p, w)$ is a solution to the consumer's problem, then $V(p, w) = u(x(p, w))$. Essentially, if the consumer solves the problem taking into account the constraints, then the value function is their attained utility $-$ it's how much they get.

Assumption 2.1. We assume here that \geq are locally non-satiated, that *u* is continuous, and that $p \gg 0$ and $w > 0$.

Proposition 2.1. *V has the following properties:*

- *(i) Continuous*
- *(ii) Nonincreasing in* p_i *for* $i \in \{1, \ldots, L\}$
- *(iii) Strictly increasing in w*
- *(iv) Quasiconvex, meaning that* $\{(p, w) : V(p, w) \leq k\}$ *is a convex set* $\forall k \in \mathbb{R}$
- *(v) Homogeneous of degree 0*

Proof.

- (i) In the case where the solution x is unique, $V = u \circ x$. We assumed continuity of u above, and continuity of *x* follows from Proposition [1.16,](#page-10-1) as long as *u* is continuous. A full proof, when x is a correspondence, is omitted but follows from Berge's Theorem.
- (ii) Fix *i* and suppose that $p'_i \geq p_i$. Then $B_{p',w} \subseteq B_{p,w}$, so $V(p',w) \leq V(p,w)$.
- (iii) Suppose $w' > w$. Then $p \cdot x(p, w) < w'$, and by local non-satiation there exists $x' \succ x$ such that $p \cdot x' < w'$. Thus, $V(p, w') \ge u(x') > u(x(p, w)) = V(p, w)$.
- (iv) Fix some $\alpha \in [0,1]$ and some $(p, w), (p', w') \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}$, and suppose that

$$
x \in B(\alpha p + (1 - \alpha)p', \alpha w + (1 - \alpha)w')
$$

Then we have that

$$
\alpha(p \cdot x - w) + (1 - \alpha)(p' \cdot x - w') \le 0 \Longrightarrow x \in B_{p,w} \cup B_{p',w'}
$$

Meaning that

$$
B(\alpha p + (1 - \alpha)p', \alpha w + (1 - \alpha)w') \subseteq B_{p,w} \cup B_{p',w'}
$$

Which implies that

$$
V(\alpha p + (1 - \alpha)p', \alpha w + (1 - \alpha)w') \le \max\{V(p, w), V(p', w')\}
$$

 \Box

So *V* is quasiconvex.

(v) This follows directly from *x* being homogeneous of degree 0 (Proposition [1.16](#page-10-1)).

Proposition 2.2. *If u and x are continuously di*ff*erentiable, then V is continuously di*ff*erentiable and*

$$
\frac{\partial V}{\partial w} = \lambda
$$

where λ *is the Lagrange multiplier in* $\mathcal{L}(\lambda, x) = u(x) + \lambda(w - p \cdot x)$ *.*

Proof. This follows directly from the Envelope Theorem (see Tak's notes for a rigorous definition):

$$
\frac{\partial V}{\partial w} = \frac{\partial u}{\partial w} + \lambda
$$

and since *u* is not a function of *w*, the result follows. A more direct proof could also use the chain rule:

$$
\frac{\partial V}{\partial w} = \sum_{i=1}^{L} \frac{\partial u}{\partial x_i} \frac{\partial x_i}{\partial w} = \lambda \sum_{i=1}^{L} p_i \frac{\partial x_i}{\partial w} = \lambda
$$

where the last equality uses Walras' Law, differentiating both sides with respect to *w*. \Box Remark. We now have some economic intuition for the Lagrange multiplier: it is the marginal utility attained from relaxing the budget constraint by one unit, or the increase in utility from providing the consumer with one more unit of wealth.

2.2 Expenditure Minimization

Definition. The *expenditure minimization problem* is the optimization problem

$$
\min_{x \in \mathbb{R}_+^L} p \cdot x \text{ s.t. } u(x) \ge \bar{u}
$$

Remark. \bar{u} is an arbitrary utility level, set as a precondition of the problem. Later, we will see that we usually set \bar{u} as the attained value from the utility maximization problem, but that's actually not necessary for everything here to hold.

Definition. The associated value function, called the *expenditure function*, is defined by

$$
e(p, \bar{u}) \coloneqq \min_{x \in \mathbb{R}_+^L} p \cdot x \text{ s.t. } u(x) \ge \bar{u}
$$

Definition. The *Hicksian demand correspondence*, $H : \mathbb{R}_{++}^L \times \mathbb{R} \rightrightarrows \mathbb{R}_+^L$ gives solutions to the expenditure minimization problem:

$$
H(p, \bar{u}) \coloneqq \operatorname*{argmin}_{x \in \mathbb{R}_+^L} p \cdot x \text{ s.t. } u(x) \ge \bar{u}
$$

If $H(p, \bar{u})$ is singleton-valued for all p and \bar{u} , then we have the *Hicksian demand function* $h: \mathbb{R}_{++}^L \times \mathbb{R} \to \mathbb{R}_{+}^L$, defined analogously.

Proposition 2.3. (Properties of Hicksian Demand Correspondence) *Assume that preferences are continuous. Then:*

- (i) If $u(0) \leq \bar{u} \leq \sup_{x \in \mathbb{R}^L_+} u(x)$, where the right hand side is possibly infinite, then there *exists* $x^* \in \mathbb{R}^L_+$ *that solves the expenditure minimization problem.*
- *(ii)* If $\lambda > 0$, then this x^* also solves the consumer's problem for λp and λw *(homogeneity*) *of degree 0).*
- *(iii)* If x^* solves the expenditure minimization problem, then $u(x^*) = \bar{u}$.
- *(iv)* If in addition, \sum *is strictly convex then* x^* *is unique and the Hicksian demand function* $h: \mathbb{R}_{++}^L \times \mathbb{R} \to \mathbb{R}_{+}^L$ *is well-defined and continuous.*

Proof.

- (i) By the continuity of *u* and the Intermediate Value Theorem, there exists $x^0 \in \mathbb{R}^L_+$ such that $u(x^0) = \bar{u}$. We can then restrict the constraint set without changing the solution to $\{x \in \mathbb{R}^L_+ : u(x) \ge \overline{u} \text{ and } p \cdot x \le p \cdot x^0\}$. This set is nonempty and compact, so conclusion follows from the Extreme Value Theorem.
- (ii) This follows directly from the fact that $p \cdot x^* \geq p \cdot x \iff \lambda p \cdot x^* \geq \lambda p \cdot x$.
- (iii) Suppose FSOC that $u(x^*) > \bar{u}$. Then by continuity there exists $x \neq x^*$ such that $x \leq x^*$ and $\bar{u} \leq u(x) < u(x^*)$. Since $p \in \mathbb{R}^L_{++}$, this implies that *x* is in the constraint set and attains a lower cost than x^* , contradicting the fact that x^* is a global minimum.
- (iv) Suppose FSOC that there exist x_1^* and x_2^* both (distinct) global optima, implying that $p \cdot x_1^* = p \cdot x_2^*$. By linearity, this means that taking some $\alpha \in (0,1)$, we have that $p \cdot (\alpha x_1^* + (1 - \alpha)x_2^*) = p \cdot x_1^*$, but by strict convexity we have that $u(\alpha x_1^* + (1 - \alpha)x_2^*)$ $u(x_1^{\star}) \geq \bar{u}$, contradicting (iii). Continuity and existence follow from Berge's Theorem.

Proposition 2.4. (Properties of *e*)

- *(i) Continuous*
- *(ii) Nondecreasing in* p_i *for* $i \in \{1, \ldots, L\}$
- *(iii) Strictly increasing in* \bar{u}
- *(iv) Homogeneous of degree 1 in p*

 \Box

(v) Concave in p

Proof.

- (i) Follows directly from Berge's Theorem
- (ii) Let $p' \geq p$ and $x' \in H(p', \bar{u})$. Then $e(p', \bar{u}) = p' \cdot x' \geq p \cdot x' = e(p, \bar{u})$
- (iii) Same as the proof of (iv) in Proposition [2.3](#page-15-0) above.
- (iv) Follows directly from *H* being homogeneous of degree 0

(v) Let
$$
p'' \coloneqq \alpha p + (1 - \alpha)p'
$$
 for some $\alpha \in [0, 1]$, $p, p' \in \mathbb{R}^L_{++}$, and $x'' \in H(p'', \bar{u})$. Then

$$
e(p'', \bar{u}) = p'' \cdot x'' = \alpha p \cdot x'' + (1 - \alpha)p' \cdot x'' \ge \alpha e(p, \bar{u}) + (1 - \alpha)e(p', \bar{u})
$$

 \Box

2.3 Welfare

Remark. We will carry Assumptions [2.1](#page-13-2) through this section.

Remark. Consider a change in price and income from (p^0, w^0) to (p^1, w^1) . We want to know what effect this has on the consumer's welfare. It might be useful to compare $V(p^0, w^0)$ to $V(p¹, w¹)$, but *V* is dependent on the choice of *u*, which is unique only up to positive affine transformation.

Remark. Note that for fixed p' , $e(p', V(p, w))$ is a valid indirect utility function, as it is strictly increasing in V . Moreover, it is invariant under positive affine transformation of u , meaning that if V and V' are indirect utility functions derived from utility functions u and *u*^{\prime} representing the same preference relation, then $e(p', V(p, w)) = e(p', V'(p, w))$.

Definition. A *money metric indirect utility function* is an indirect utility function of the form $e(p', V(p, w))$ for some fixed p' .

Remark. Which p' should we choose? Henceforth, we consider only a change in prices, fixing wealth at *w*. Let prices change from p^0 to p^1 . Let $u^0 := V(p^0, w)$ and $u^1 := V(p^1, w)$. Definition. The *compensating variation* is the amount of money *CV* such that the consumer is indifferent between having *w* at the old prices and having $w - CV$ at the new prices. Formally,

$$
CV(p^{0}, p^{1}, w) := e(p^{1}, u^{1}) - e(p^{1}, u^{0}) = w - e(p^{1}, u^{0})
$$

Definition. The *equivalent variation* is the amount of money *EV* such that the consumer is indifferent between having *w* at the new prices and $w + EV$ at the old prices

$$
EV(p^{0}, p^{1}, w) \coloneqq e(p^{0}, u^{1}) - e(p^{0}, u^{0}) = e(p^{0}, u^{1}) - w
$$

Remark. Note that each are positive when the price changes make the consumer better off and negative when the price changes make the consumer worse off.

Remark. It can be somewhat difficult to wrap your head around the difference between compensating and equivalent variation. Consider the following example: The government is considering implementing a price floor on wheat, and the relevant consumer likes to bake bread. The government wants the consumer to be indifferent between the price floor being implemented or not, and there are two ways to do that. First, they could implement the price floor and then give the consumer money so that they can purchase the same amount of wheat as before. That's compensating variation – the consumer is *compensated* for the price change occurring. They could also choose not to implement the price floor, but instead tax the consumer so that they can buy as much wheat under the non-price-floor prices as if the price floor was actually enacted. In both cases, the consumer is indifferent between the price floor being implemented or not (or, indifferent under very strong assumptions on preferences. This is a toy example), but the mechanism is different.

Proposition 2.5. *Suppose the price of only one good changes. WLOG, let that good have index 1. Then*

$$
EV(p^{0}, p^{1}, w) = \int_{p_1^1}^{p_1^0} h_1(p_1, p_{-1}, u^1) dp_1
$$

and

$$
CV(p^{0}, p^{1}, w) = \int_{p_{1}^{1}}^{p_{1}^{0}} h_{1}(p_{1}, p_{-1}, u^{1}) dp_{1}
$$

Proof. We assume that h_1 is well-defined and integrable with respect to p_1 (this can be proven, but we assume it for simplicity). Then we have that

$$
EV(p^{0}, p^{1}, w) = e(p^{0}, u^{1}) - e(p^{0}, u^{0}) = \int_{p_{1}^{1}}^{p_{1}^{0}} h_{1}(p_{1}, p_{-1}, u^{1}) dp_{1}
$$

$$
CV(p^{0}, p^{1}, w) = e(p^{1}, u^{1}) - e(p^{1}, u^{0}) = \int_{p_{1}^{1}}^{p_{1}^{0}} h_{1}(p_{1}, p_{-1}, u^{1}) dp_{1}
$$

 \Box

Remark. p_{-1} is how we denote 'all elements of p except for p_1 '. This will often be x_{-i} compared to *xⁱ* or similar.

2.4 Duality (Additional)

Remark. Prof. Kircher didn't directly go over this, and I didn't find the way the TAs presented it particularly intuitive. Here, I will present a few results (without proof) and explain, as best I can, the intuition behind the relationships between profit maximization. These results are discussed more in depth in Section [3](#page-21-0), but it's more intuitive to think of them here.

These results are drawn from the Easley notes, the Stanford ECON 202 notes, and specifically Ellie [Tyger's](https://www.ellietyger.com/) excellent TA sections.

In general, the topline result we will be working with is the following: **Proposition 2.6.** Assume \geq *is continuous and locally non-satiated. Then*

- (i) $H(p, V(p, w)) = X(p, w)$
- (iii) $X(p, e(p, \bar{u})) = H(p, \bar{u})$
- $(iii) e(p, V(p, w)) = w$

$$
(iv) V(p, e(p, \bar{u})) = \bar{u}
$$

With some additional assumptions, we can get even stronger results:

Proposition 2.7. (Shephard's Lemma) *In addition to assuming continuity and local nonsatiation,* assume that \gtrsim are strictly convex and that e is continuously differentiable. Then *for* $p \gg 0$ *and for all* $i \in \{1, ..., L\}$,

$$
h_i(p,\bar{u}) = \frac{\partial e(p,\bar{u})}{\partial p_i}
$$

Proposition 2.8. (Roy's Identity) *In addition to assuming continuity and local non-satiation,* assume that \gtrsim are strictly convex and that e and V are continuously differentiable. Then for $p \gg 0$ *and for all* $i \in \{1, ..., L\}$,

$$
x_i(p, w) = -\frac{\frac{\partial V(p, w)}{\partial p_i}}{\frac{\partial V(p, w)}{\partial w}}
$$

Proposition 2.9. (The Slutsky Equation) *Suppose that e and V are twice continuously differentiable. Fix p and w*, *and let* $u^* := V(p, w)$ *. Then*

$$
\frac{\partial x_i(p, w)}{\partial p_j} = \underbrace{\frac{\partial h_i(p, u^*)}{\partial p_j}}_{\text{Total Effect}} - \underbrace{x_j(p, w)}_{\text{Income Effect}} \frac{\partial x_i(p, w)}{\partial w}
$$

We can think of the properties of the utility maximization and expenditure minimization problem by comparing the effects of different, equivalent assumptions, in Table [2.4.](#page-18-0)

Assumptions	Properties of UMP	Properties of EMP
u represents continuous preferences, feasible set is non-empty	$X(p, w) \neq \emptyset$ for $p \gg 0, w > 0$	$H(p,\bar{u})\neq\varnothing$ for all $p \gg 0, \bar{u} \geq u(0)$
u represents convex preferences	$X(p, w)$ is convex-valued	$H(p, \bar{u})$ is convex-valued
u represents strictly convex and continuous preferences	$X(p, w)$ is single-valued for $p \gg 0$	$H(p, \bar{u})$ is single-valued
	$V(p, w)$ and $x(p, w)$ are homogeneous of deg 0	$e(p, \bar{u})$ is homogeneous of deg 1 in p, $H(p, \bar{u})$ is homogeneous of deg 0 in p
	$V(p, w)$ is nondecreasing in p and nondecreasing in w	$e(p, \bar{u})$ is nondecreasing in p and \bar{u}
UMP: locally non-satiated		
\succeq on $X = \mathbb{R}^L_+$	$p \cdot x = w$ for $x \in X(p, w)$	$u(x) = \bar{u}$ for all
EMP: u represents	(Walras's Law)	$x \in H(p, \bar{u}), w \geq u(0)$
continuous \succ		
UMP: locally non-satiated		
\succeq on $X = \mathbb{R}^L_+$	$V(p, w)$ is strictly	$e(p, \bar{u})$ is strictly increasing
EMP: u represents	increasing in w	in \bar{u} for $p \gg 0, \bar{u} \geq u(0)$
continuous \succ		

Table 1: Properties of Utility Maximization and Expenditure Minimization Problems

We can also examine the technical assumptions and which of the theorems we can obtain from them, in Table [2.4.](#page-19-0)

Technical	$e(p,\bar{u})=p\cdot H(p,\bar{u})$	$H(p,\bar{u})$ continuously	None
Assumption	differentiable	differentiable in p	
			Compensated
			Consumer Surplus
		Slutsky Matrix	Formula: For all
First Order	Shephard's Lemma:	Properties: $D_pH(p,u)$	smooth $\rho : [0,1] \to \mathbb{R}^L_+$
Condition	$\nabla_p e(p, \bar{u}) = H(p, \bar{u})$	is symmetric and	where $\rho(0) = p$ and
		$D_pH(p,u)p=0$	$\rho(1) = p',$
			$e(p', \bar{u}) - e(p, \bar{u}) =$
			$\int_0^1 H(\rho(t),\bar{u})\rho'(t)dt$
Second Order		Slutsky Matrix:	Law of Compensated
Condition	Concavity: $e(p, \bar{u})$ is	$D_pH(p, u)$ is negative	Demand: $(p'-p)$.
	concave	semidefinite	$(H(p',\bar{u})-H(p,\bar{u}))\leq 0$

Table 2: Technical Assumptions and Results

The most important thing to remember is the relationships between these separate objects, which are illustrated in Figure [1](#page-20-0).

Figure 1: Relationships Between UMP and EMP

3 Producer Theory (Harris)

3.1 Classical Producer Theory

3.1.1 Setup

We will always assume the following:

Assumption 3.1. There are L commodities, with a production plan $y \in \mathbb{R}^L$. A net input is an element *i* such that $y_i < 0$, and a net output is an element *j* such that $y_j > 0$. We have a production possibilities set $Y \subseteq \mathbb{R}^L$, and we assume that prices $p \geq 0$ that are unaffected by the activity of the firm.

We will also often assume, for simplicity (and in order to work with functions rather than correspondences):

Assumption 3.2. *Y* is nonempty, closed, and (strictly) convex, and (the *free disposal property*) if $y \in Y$ and $y' \leq y$, then $y' \in Y$.

Definition. A production plan $y \in Y$ is *efficient* if there does not exist $y' \in Y$ such that $y' \geq y$ and $y'_i > y_i$ for some *i*.

In the case of a single output, we partition *y* into output $q \in \mathbb{R}_+$ and inputs $z \in \mathbb{R}_+^{L-1}$. This allows us to define the following:

Definition. The *production function* $f: \mathbb{R}^{L-1}_+ \to \mathbb{R}_+$ is defined by

$$
f(x) = \max q \text{ s.t. } (q, -z) \in Y
$$

Definition. The *input requirement set*

$$
V(q) := \{ z \in \mathbb{R}_+^{L-1} : (q, -z) \in Y \}
$$

gives all of the input vectors that can be used to produce an output *q*. Definition. The *isoquant*

$$
Q(q) := \{ z \in \mathbb{R}^{L-1} : z \in V(q) \text{ and } z \notin V(q') \text{ for any } q' > q \}
$$

gives all the input vectors that can be used to produce at most *q* units of output.

3.1.2 Cost Minimization

We will make the following assumptions through this section:

Assumption 3.3. There are $L-1$ inputs *z*, and one output $q = f(z)$. The production function *f* is twice continuously differentiable, and inputs have price $w \in \mathbb{R}^{L-1}_+$

Remark. If any input has price zero, the firm will obviously not consider it in its decision making.

Definition. The firm's *cost minimization problem* is

$$
\min_{z \in \mathbb{R}^{L-1}_+} w \cdot z \text{ s.t. } f(z) = q
$$

The associated value function is called the *cost function*

$$
C(w, q) \coloneqq \min_{z \in \mathbb{R}_+^{L-1}} w \cdot z \text{ s.t. } f(z) = q
$$

Proposition 3.1. (Properties of the Cost Function)

- *(i) C is homogeneous of degree 1 in w*
- *(ii) C is concave in w*
- *(iii) If we assume free disposal, C is nondecreasing in q*
- *(iv) If f is homogeneous of degree k in z*, *C is homogeneous of degree* $\frac{1}{k}$ *in q*

Proof.

- (i) Increasing *w* by $\alpha > 0$ is a monotonic transformation and does not affect the choice of *z*, but it does increase $w \cdot z$ by a factor of α .
- (ii) Fix $w, w' \in \mathbb{R}^{L-1}_+$, and suppose $C(w, q) = w \cdot z$ and $C(w', q) = w' \cdot z'$. Take $\alpha \in [0, 1]$ and let $w'' = \alpha w + (1 - \alpha)w'$. Then for z'' a cost minimizer at w'' , we have that

$$
C(w'', q) = w'' \cdot z'' = \alpha w \cdot z'' + (1 - \alpha)w' \cdot z''
$$

We also know that $w \cdot z'' \ge C(w, q)$ and $w' \cdot z'' \ge C(w', q)$, so we have that $C(w'', q) \ge C(w', q)$ $\alpha C(w, q) + (1 - \alpha)C(w', q).$

- (iii) Suppose that $q' > q$. By free disposal, q can be produced using the same input vector used to produce *q*′ .
- (iv) Homogeneity of degree *k* of *f* implies that

$$
f(z) = q \Longleftrightarrow \frac{1}{q}f(z) = 1 \Longleftrightarrow f\left(\frac{z}{q^{1/k}}\right) = 1
$$

Thus, we get that

$$
C(w, q) = \min_{z} w \cdot z \text{ s.t. } f\left(\frac{z}{q^{1/k}}\right) = 1
$$

$$
= q^{1/k} \min_{z} w \cdot \frac{z}{q^{1/k}} \text{ s.t. } f\left(\frac{z}{q^{1/k}}\right) = 1
$$

$$
= q^{1/k} C(w, 1)
$$

3.1.3 Homogeneous Functions (a brief aside)

Definition. A function $f: X \subseteq \mathbb{R}^n \to \mathbb{R}$ is *homogeneous* of *degree k* if

$$
f(\alpha x) = \alpha^k f(x) \,\forall \,\alpha > 0, x \in X
$$

where *k* is a non-negative integer.

Proposition 3.2. *If a function f is homogeneous of degree k, then any of its partial derivatives* are *homogeneous of degree* $k - 1$

Proof. Let $f_i = \frac{\partial f}{\partial x_i}$. We have that

$$
f(\alpha x) = \alpha^k f(x) \Longrightarrow \alpha f_i(\alpha x) = \alpha^k f_i(x) \Longrightarrow f_i(\alpha x) = \alpha^{k-1} f_i(x)
$$

Proposition 3.3. (Euler's Formula) *If f is homogeneous of degree k and di*ff*erentiable, then at any x*

$$
\sum_{i=1}^{n} \frac{\partial f(x)}{\partial x_i} x_i = k f(x)
$$

Proof. Differentiating with respect to α and evaluating at $\alpha = 1$, we get that

$$
f(\alpha x) = \alpha^k f(x) \Longrightarrow \sum_{i=1}^n f_i(\alpha x) x_i = k \alpha^{k-1} f(x) \Longrightarrow \sum_{i=1}^n f_i(x) x_i = k f(x)
$$

Proposition 3.4. *If the production function f is homogeneous of degree k, then*

$$
\text{MRTS}_{ij}(z) := \frac{\frac{\partial f(z)}{\partial z_i}}{\frac{\partial f(z)}{\partial z_j}} = \frac{\frac{\partial f(\alpha z)}{\partial z_i}}{\frac{\partial f(\alpha z)}{\partial z_j}} =: \text{MRTS}_{ij}(\alpha z)
$$

Proof.

$$
\frac{f_i(\alpha z)}{f_j(\alpha z)} = \frac{\alpha^{k-1} f_i(z)}{\alpha^{k-1} f_j(z)} = \frac{f_i(z)}{f_j(z)}
$$

 \Box

 \Box

 \Box

3.1.4 Profit Maximization

Definition. The firm's *profit maximization problem* is

$$
\max_{y} p \cdot y \text{ s.t. } y \in Y
$$

The associated value function is called the *profit function*:

$$
\pi(p) \coloneqq \max_y p \cdot y \text{ s.t. } y \in Y
$$

Remark. In the single output case, this becomes

$$
\pi(p, w) \coloneqq \max_{y} p f(z) - w \cdot z
$$

Henceforth, we consider only the single output case. Remark. Note that profit maximization implies cost minimization. Proposition 3.5. (Properties of the Profit Function)

- *(i) Homogeneous of degree 1*
- *(ii) Nondecreasing in p*
- *(iii) Nonincreasing in w*
- *(iv) Convex in* (*p,w*)
- *(v) Continuous*

Proof.

- (i) $\max_z \alpha(pf(z) w \cdot z) = \alpha \max_z p f(z) w \cdot z$
- (ii) $p' \geq p \Longrightarrow p'f(z) \geq pf(z) \forall z$
- (iii) $w' \geq w \Longrightarrow w' \cdot z \geq w \cdot z$
- (iv) Let $(p'', w'') := \alpha(p, w) + (1 \alpha)(p', w')$ and let z, z', z'' be the solution to the profit maximization problem with the corresponding output prices and input price vectors. Then by definition

$$
\pi(p, w) = pf(z) - w \cdot z \ge pf(z'') - w \cdot z''
$$

$$
\pi(p', w') = p'f(z) - w' \cdot z \ge p'f(z'') - w' \cdot z''
$$

which implies that

$$
\alpha \pi(p, w) + (1 - \alpha) \pi(p', w') \ge \alpha (pf(z'') - w \cdot z'') + (1 - \alpha) (p'f(z'') - w' \cdot z'')
$$

= $(\alpha p + (1 - \alpha)p')f(z'') - (\alpha w + (1 - \alpha)w') \cdot z''$
= $\pi(p'', w'')$

 \Box

(v) Follows from Berge's Theorem

Remark. π being convex in (p, w) implies that π is convex in p and w individually. Definition. The *unconditional input demand function*

$$
x(p, w) \coloneqq \operatorname*{argmax}_{z \in \mathbb{R}^{L-1}_+} pf(z) - w \cdot z
$$

is the solution to the profit maximization problem. The *output supply function*

$$
q(p, w) \coloneqq f(x(p, w))
$$

is the output level where the profit is being maximized. **Proposition 3.6.** (Hotelling's Lemma) *If* π *is differentiable, then for* $(p, w) \in \mathbb{R}^L_{++}$,

$$
q(p, w) = \frac{\partial \pi(p, w)}{\partial p}
$$

$$
x_j(p, w) = -\frac{\partial \pi(p, w)}{\partial w_j}
$$

Proof. (Sketch) Apply the Envelope Theorem, and note that $x(p, w)$ is the profit maximizing bundle and $q(p, w)$ is the production function evaluated at that bundle. \Box Remark. This condition can be relaxed from differentiability to the unconditional input demand function and output supply function being well-defined functions. Definition. The *conditional input demand function*

$$
z(w, q) := \operatorname*{argmin}_{z \in \mathbb{R}_+^{L-1}} w \cdot z \text{ s.t. } f(z) = q
$$

is the solution to the cost minimization problem.

Proposition 3.7. (Shephard's Lemma) *If C is differentiable, then for* $w \in \mathbb{R}_{++}^{L-1}$,

$$
z_i(w, q) = \frac{\partial C(w, q)}{\partial w_i}
$$

Proof. (Sketch) Similarly, apply the Envelope Theorem to the cost minimization problem. \Box

Proposition 3.8. *Suppose the profit function is twice continuously di*ff*erentiable. Then:*

$$
(i) \frac{\partial q(p,w)}{\partial p_i} \ge 0
$$

\n
$$
(ii) \frac{\partial x_j(p,w)}{\partial w_j} \le 0
$$

\n
$$
(iii) \frac{\partial x_j(p,w)}{\partial w_i} = \frac{\partial x_i(p,w)}{\partial w_j}
$$

Proof. Note that the profit function being twice continuously differentiable and convex implies that its Hessian is positive semdefinite. Conclusion follows from applying Hotelling's Lemma \Box

Proposition 3.9. *Suppose the cost function is twice continuously di*ff*erentiable. Then:*

$$
(i) \frac{\partial z_i(w,q)}{\partial w_i} \le 0
$$

$$
(ii) \frac{\partial z_j(w,q)}{\partial w_i} = \frac{\partial z_i(w,q)}{\partial w_j}
$$

$$
(iii) \frac{\partial z_i(w,q)}{\partial q} = \frac{\partial MC(w,q)}{\partial w_i} = \begin{cases} > 0 & \text{Normal Input} \\ < 0 & \text{Interior Input} \end{cases}
$$

Proof. (i) follows from *C* being concave in *w*. (ii) and (iii) follow from the symmetry of second derivatives of *C*. \Box

3.1.5 Comparative Statics

Remark. For a full treatment, including a few producer theory examples, see Tak's notes on Comparative Statics.

Assumption 3.4. Two inputs (x_1, x_2) , one output $q = f(x)$. $f \in C^2$ and the Hessian H_f is negative definite. $f(0, x_2) = f(x_1, 0) = 0$, so both inputs are necessary. Inada conditions on x_1, x_2 , output price $p > 0$, input prices $w \gg 0$.

Consider the profit maximization problem

$$
\max_{x \in \mathbb{R}^2_{++}} pf(x) - wx
$$

Exercise. Prove that $\partial x_1(p, w) / \partial w_1 < 0$. Taking FOC, we get

$$
pf_1(x) - w_1 = 0
$$
 and $pf_2(x) - w_2 = 0$

We have that the Hessian of x , H_x , is

$$
H_x = p \begin{bmatrix} f_{11} & f_{12} \\ f_{21} & f_{22} \end{bmatrix} = pH_f
$$

Since H_f is negative definite, this matrix is invertible. By the Implicit Function Theorem, FOCs implicitly define $x(p, w) = (x_1(p, w), x_2(p, w))$, and we can rewrite them as

$$
pf_1(x(p, w)) - w_1 = 0 \quad \text{and} \quad pf_2(x(p, w)) - w_2 = 0
$$

Taking derivatives with respect to w_1 , we get

$$
pf_{11}\frac{\partial x_1}{\partial w_1} + pf_{12}\frac{\partial x_2}{\partial w_1} = 1
$$

$$
pf_{21}\frac{\partial x_1}{\partial w_1} + pf_{22}\frac{\partial x_2}{\partial w_1} = 0
$$

$$
\begin{bmatrix} f_{11} & f_{12} \end{bmatrix} \begin{bmatrix} \frac{\partial x_1}{\partial w_1} & \frac{\partial x_2}{\partial w_1} \end{bmatrix} = 0
$$

which gives us

$$
p \begin{bmatrix} f_{11} & f_{12} \\ f_{21} & f_{22} \end{bmatrix} \begin{bmatrix} \partial x_1 / \partial w_1 \\ \partial x_2 / \partial w_1 \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}
$$

We get that

$$
\begin{bmatrix}\n\partial x_1 / \partial w_1 \\
\partial x_2 / \partial w_1\n\end{bmatrix} = \frac{1}{p} \frac{1}{f_{11} f_{22} - f_{12} f_{21}} \begin{bmatrix} f_{22} & -f_{12} \\ -f_{21} & f_{11} \end{bmatrix} \begin{bmatrix} 1 \\ 0 \end{bmatrix}
$$
\n
$$
= \frac{1}{p} \frac{1}{f_{11} f_{22} - f_{12} f_{21}} \begin{bmatrix} f_{22} \\ -f_{21} \end{bmatrix}
$$

Note that $f_{11}f_{22}-f_{12}f_{21} > 0$, because H_f is negative definite, and that $f_{22} < 0$, which means that $\frac{\partial x_1}{\partial w_1} < 0$.

Question. Why is it worth studying cost minimization and profit maximization separately? There are some settings where profit maximization might be unreasonable:

- Dynamics. For example, if there is learning by doing, this gives a firm incentives to choose $q > q(p, w)$ today in order to decrease tomorrow's costs
- *•* Managerial utility maximization. If a larger firm gives more prestige, might have $q > q(p, w)$

3.2 Non-Price-Taking Firms

In our assumptions, we said that firms were unaffected by the firm's activity. This leads to the simple problem we've been working in:

$$
\max_{z \in \mathbb{R}^{L-1}} pf(z) - wz
$$

If their output has market power, then we have

$$
\max_{z \in \mathbb{R}^{L-1}} p(f(z))f(z) - wz
$$

And we assume that $p'(q) < 0 \ \forall \ q$. They could also have input market power:

$$
\max_{z \in \mathbb{R}^{L-1}} pf(z) - w(z)z
$$

where we assume that $\frac{\partial w_i(z)}{\partial z_i} > 0$ and $\frac{\partial w_i(z)}{\partial z_j} = 0 \ \forall \ i \neq j$.

These problems imply that:

We have that profit maximization implies cost minimization in each world, with slight differences. We have that with no market power,

$$
\pi(p, w) \equiv \max_{z \in \mathbb{R}^{L-1}} pf(z) - w \cdot z
$$

\n
$$
= \max_{q} \left[\max_{z \in \mathbb{R}^{L-1}} pq - w \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p \cdot q - \left[\min_{z \in \mathbb{R}^{L-1}} w \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p \cdot q - C(w, q)
$$

With output market power, this becomes

$$
\pi(p, w) \equiv \max_{z \in \mathbb{R}^{L-1}} p(f(z))f(z) - w \cdot z
$$

\n
$$
= \max_{q} \left[\max_{z \in \mathbb{R}^{L-1}} p(q)q - w \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p(q) \cdot q - \left[\min_{z \in \mathbb{R}^{L-1}} w \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p(q) \cdot q - C(w, q)
$$

With input market power, we have

$$
\pi(p, w) \equiv \max_{z \in \mathbb{R}^{L-1}} pf(z) - w(z) \cdot z
$$

\n
$$
= \max_{q} \left[\max_{z \in \mathbb{R}^{L-1}} pq - w(z) \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p \cdot q - \left[\min_{z \in \mathbb{R}^{L-1}} w(z) \cdot z \text{ s.t. } f(z) = q \right]
$$

\n
$$
= \max_{q} p \cdot q - C(q)
$$

Under perfect competition, there is no profit – the FOCs imply that

$$
p = \frac{\partial}{\partial q} C(w, q) \text{ i.e. , price is marginal cost}
$$

With output market power, we have that

$$
p(q^m) + p'(q^m)q^m = \frac{\partial}{\partial q}C(w, q^m)
$$

which implies that

$$
p(q^m) = \frac{\partial}{\partial q}C(w, q^m) - \underbrace{p'(q^m)}_{\leq 0}q^m > \frac{\partial}{\partial q}C(w, q^m)
$$

so there is positive profit. This with quantity choice. We can equivalently look at the price choice problem. We have

$$
\max_{p} pD(p) - c(w, D(p)) \Longrightarrow [p^m D'(p^m) + D(p^m)] = \frac{\partial}{\partial q} C(w, D(p^m)) D'(p^m)
$$

which implies that

$$
p^{m} - \frac{\partial}{\partial q}C(w, q^{m}) = -\frac{D(p^{m})}{D'(p^{m})}
$$

$$
p^{m} = \left(\frac{\varepsilon}{1+\varepsilon}\right)\frac{\partial}{\partial q}C(w, D(p^{m}))
$$

where ε is the negative inverse of the Lerner index.

With input market power (supposing for simplicity that there is only one input), we have

$$
\max_{z} pf(z) - w(z)z
$$

Since $w(z)$ is increasing, we can write its inverse $z(w)$, and get

$$
\max_{w} p f(z(w)) - wz(w)
$$

and the FOC get us

$$
pf'(z(w))z'(w) = z'(w)w + z(w)
$$

\n
$$
p\frac{f'(z(w))}{w} = \frac{z(w)}{z'(w)w} + 1
$$

\n
$$
p\frac{f'(z(w))}{w} = \frac{1}{\varepsilon_{z,w}} + 1 = \frac{1 + \varepsilon_{z,w}}{\varepsilon_{z,w}}
$$

\n
$$
w = \left(\frac{\varepsilon_{z,w}}{1 + \varepsilon_{z,w}}\right)pf'(z(w)) < pf'(z(w))
$$

where $\varepsilon_{z,w}$ is the elasticity of input supply.

4 Uncertainty Theory (Blume)

n.b. Prof. Blume did not prove any of the results presented here. It clearly matters more that one understands the intuition rather than the exact proof structure. Proof sketches are added wherever possible. I have relied on [Fishburn](https://www.semanticscholar.org/paper/Utility-theory-for-decision-making-Fishburn/905a24a912171436e0abd3b5f1fdcb963e6f852f) (1970) for these proof sketches.

4.1 Models of Preferences

Remark. There are three main [preference](https://psycnet.apa.org/record/1947-03159-000) models that we will consider here: von Neumann and Morgenstern (1947), where the objects of choice are probability distributions on outcomes; [Savage](https://psycnet.apa.org/record/1955-00117-000) (1954), where the objects of choice are outcome-valued random variables (formally, functions from states of the world to [outcomes\);](https://pages.stern.nyu.edu/~dbackus/Exotic/1Ambiguity/AnscombeAumann%20AMS%2063.pdf) and Anscombe and Aumann (1963), where the objects of choice are functions from states of the world to probability distributions over outcomes.

Model. *von Neumann–Morgenstern* We have *X* a set of *outcomes* (or prizes) and *P* the set of probability distributions on *X*, called *lotteries*. For each $p \in P$, we define the *support* of *p* as

$$
supp p = \{x \in X : p(x) > 0\}
$$

A preference relation \geq on *P* has an *expected utility representation* if there is a real-valued function $u: X \to \mathbb{R}$ such that

$$
p \succsim q \Longleftrightarrow \sum_{x \in \text{supp } p} u(x)p(x) \geq \sum_{y \in \text{supp } q} u(y)q(y)
$$

Remark. In general, people are inconsistent on what they call *u*. Here, we refer to it as the *Bernoulli Utility Function*, following MWG. Prof. Blume also referred to it as the *payo*ff *function*.

Remark. In this model, whenever *X* is finite, indifference curves are linear in probabilities. See Figure [2,](#page-30-2) where indifference curves are in red.

Figure 2: Indifference Curves Over Probability Distributions

Model. *Savage* We have *X* a set of outcomes, *S* a set of *states of the world*, and *F* the set of *Savage acts*, where $f \in F$ is a function $f : S \to X$. A preference relation \succsim on *F* has an expected utility representation if there is a probability distribution *p* on *S* and a real-valued function $u: X \to \mathbb{R}$ such that

$$
f \gtrsim g \Longleftrightarrow \sum_{s \in S} u(f(s))p(s) \ge \sum_{s \in S} u(g(s))p(s)
$$

Model. *Anscombe–Aumann* We have *X* a set of outcomes, *S* a set of states of the world, *P* the set of probability distributions on *X*, and *A* the set of *Anscombe–Aumann Acts*, where $a \in A$ is a function $a : S \to P$. A preference relation \succeq on A has an expected utility representation if there is a probability distribution *p* on *S* and a real-valued function $u: X \to \mathbb{R}$ such that

$$
a \succsim b \Longleftrightarrow \sum_{s \in S} \sum_{x \in X} u(x) (a(s)(x)) p(s) \ge \sum_{s \in S} \sum_{x \in X} u(x) (b(s)(x)) p(s)
$$

4.2 von Neumann–Morgenstern

We first introduce a famous paradox:

Example. *The St. Petersburg Paradox* A fair coin is tossed until tails appears. How much would you pay for a lottery ticket that paid off 2*ⁿ* dollars if the first tails appears on the *n*th flip? The expected value of this lottery is

$$
EV = \frac{1}{2} \cdot 2 + \frac{1}{4} \cdot 4 + \dots = 1 + 1 + \dots = \infty
$$

However, clearly it's not reasonable to pay a massive amount of money for this lottery ticket. Why is this happening? There are a few explanations, and we'll go through them in this section.

We make the following assumptions on preferences: Assumption 4.1. (referred to as the 'Finite *X* Axioms' by Prof. Blume)

- $(i) \approx$ is complete and transitive
- (ii) (Independence) For all $0 < \alpha \leq 1$ and all $r \in P$,

$$
p \succsim q \iff \alpha p + (1 - \alpha)r \succsim \alpha 1 + (1 - \alpha)r
$$

(iii) (Archimedean) If $p \succ q \succ r$, then there exists $\alpha, \beta \in (0, 1)$ such that

$$
\alpha p + (1 - \alpha)r \succ q \succ \beta p + (1 - \beta)r
$$

Theorem 4.1. (von-Neumann–Morgenstern Theorem) If \gtrsim satisfies Assumptions [4.1,](#page-31-1) then \sum *has* an expected utility representation; there is a function $u: X \to \mathbb{R}$ such that

$$
p \succsim q \iff \sum_{x \in X} u(x)p(x) \ge \sum_{x \in X} u(x)q(x)
$$

Furthermore, if $v: X \to \mathbb{R}$ *is another expected utility representation, then there are constants* $\alpha > 0$ *and* β *such that* $v(x) \equiv \alpha u(x) + \beta$.

Proof. (Very rough sketch) We will define the distance between two lotteries *p* and *q* as a function over a subset of a convex cone in an arbitrary metric space, which exists due to the fact that *X* is finite. This is mathematically tricky, but actually much easier in low-dimensional Euclidean space. You can imagine what's happening by considering the positive-positive quadrant of \mathbb{R}^2 , which is a convex cone. From there, the assumptions give us that the cone is convex and compact, and the relationship we are looking for follows directly from the Extreme Value Theorem, considering the roots of the distance function. The second conclusion follows directly from the fact that affine transformations preserve convexity and extrema. \Box

Definition. A *simple lottery* is $p := (p_1 : x_1, p_2 : x_2, \ldots, p_K : x_K)$, where x_1, \ldots, x_K are outcomes in \mathbb{R} and p_1, \ldots, p_K are probabilities. Let $\mathcal L$ denote the set of simple lotteries, and let $u: X \to \mathbb{R}$ and $U(p) = \sum_{k} u(x_k)p_k$. Formally, this is the expectation of the random variable $u(x)$, itself a function of the random variable *x*, where $x \sim p$.

Question. How do we see that this is linear in lotteries? How do we mix lotteries?

For lotteries with common support, mixing is just the convex combination of the probabilities. But what happens when lotteries have different supports?

Example. Consider $p := (p_1 : x_1, p_2 : x_2)$ and $q := (q_1 : y_1, q_2 : y_2, q_3 : y_3)$. We can say that

$$
p \oplus_{\alpha} q = (\alpha p_1 : x_1, \alpha p_2 : x_2, (1 - \alpha) q_1 : y_1, (1 - \alpha) q_2 : y_2, (1 - \alpha) q_3 : y_3)
$$

Remark. This is *not* a convex combination! It combines objects of different sizes. However, expected utility is still linear:

$$
U(p \oplus_{\alpha} q) = \sum_{k=1}^{2} \alpha p_k u(x_k) + \sum_{k=1}^{3} (1 - \alpha) q_k u(y_k)
$$

= $\alpha \sum_{k=1}^{2} p_k u(x_k) + (1 - \alpha) \sum_{k=1}^{3} q_k u(y_k)$
= $\alpha U(p) + (1 - \alpha)U(q)$

Definition. (From [Herstein](https://www.jstor.org/stable/1905540) and Milnor (1953)) A *mixture space* is a set of objects Π, with typical elements π, ρ, μ, ν and a family of functions for $0 \leq \alpha \leq 1$, $\oplus_{\alpha} : \Pi \times \Pi \to \Pi$ such that

- (i) $\pi \oplus_1 \rho = \pi$
- (ii) $\pi \oplus_{\alpha} \rho = \rho \oplus_{1-\alpha} \pi$
- (iii) $(\pi \oplus_{\beta} \rho) \oplus_{\alpha} \rho = \pi \oplus_{\alpha\beta} \rho$

where $\beta \in [0, 1]$.

Some examples:

• Convex sets with the operation of convex combinations

- Simple probability distributions on convex sets
- *• S* and *X* are sets, and let *M* denote the set of functions from *S* to probability distributions on *X*. The \oplus_{α} are the (pointwise) convex combinations of these functions

We can update Assumptions [4.1](#page-31-1) with the mixture space definitions: Assumption 4.2. (i) remains the same. The others:

- (ii) (Independence) For all $0 < \alpha \le 1$ and all $r \in P$, $p \succsim q \implies p \oplus_\alpha r \succsim q \oplus_\alpha r$
- (iii) (Archimedean) If $p \succ q \succ r$, then there exist $\alpha, \beta \in (0, 1)$ such that $p \oplus_{\alpha} r \succ q \succ p \oplus_{\beta} r$

We can also update Theorem [4.1](#page-31-2) to generalize it:

Theorem [4.2](#page-33-0). If M is a mixture space and \geq satisfies Assumptions 4.2, then there ex*ists* a linear function $U : M \to \mathbb{R}$. Any other linear representation V *is* a positive affine *transformation of U.*

Some Criticisms. First, the Archimedean property seems quite odd. What happens if one outcome is infinitely preferred to another?

Example. Suppose that we have outcomes x, y, z occurring with probabilities ρ_x, ρ_y, ρ_z . Further assume that *x* is *infinitely better* than *y* and *z*. We have the following (lexicographic, so rational) preference relation: $(\rho_x, \rho_y, \rho_z) \succ (\rho'_x, \rho'_y, \rho'_z)$ if $\rho_x > \rho'_x$ or if $\rho_x = \rho'_x$ and $\rho_y > \rho'_y$. These preferences lead to a counterexample. Let $p = (1, 0, 0)$, $r = (0, 3/4, 1/4)$, and $r = (0, 1/4, 3/4)$. Then $p \succ q \succ r$. For all $\alpha \in (0, 1)$, however,

$$
\alpha p + (1 - \alpha)r = (\alpha, (1 - \alpha)/4, 3(1 - \alpha)/4) \succ q
$$

To fix this, we will often assume that *X* has no infinitely large or small elements.

Another criticism is independence. Are preferences linear in probabilities? The following is another famous paradox:

Example. *The Allais Paradox* (from Allais [\(1953\)\)](https://www.jstor.org/stable/1907921). Consider the following lotteries:

$$
A = \begin{cases} \$1M & p = 1 \\ \$5M & p = 0.10 \\ \$0 & p = 0.01 \end{cases}
$$

$$
C = \begin{cases} \$1M & p = 0.11 \\ \$0 & p = 0.89 \end{cases}
$$

$$
D = \begin{cases} \$5M & p = 0.10 \\ \$0 & p = 0.90 \end{cases}
$$

Most people prefer *A* to *B*, and prefer *D* to *C*. This violates the independence axiom.

This paradox can be resolved by strengthening the Archimedean assumption. This requires some topological considerations beyond this course, but admits an expected utility representation such that *u* is now bounded and continuous.

Remark. Thinking back to the St. Petersburg Paradox, we can now look at some solutions posed.

- 1. Bernoulli suggested that people tend to disregard small probabilities, rounding them to zero. This became, much later, the foundation of Prospect Theory.
- 2. Cramer suggested expected utility, the first time it was used! With some assumptions (mainly, that *u* must be bounded), this resolves the paradox

4.3 Subjective Probability

We tend to think of three regimes for where probability comes from:

- 1. *Frequentist*: Probabilities exist, and can in principle be measured by repeated experiments.
- 2. *Logical*: Probabilities are the weight that an event happens based on evidence. It essentially generalizes truth from *{*0*,* 1*}* to [0*,* 1]
- 3. *Bayesian*: Probability is the degree of belief people have that an event will occur

Before thinking deeply about subjective expected utility theory, we need some mathematical background. Here are presented some definitions and results, without proof.

Definition. Suppose that *S* is finite. Suppose that *S* is a collection of subsets of *S* such that (i) $\emptyset \in \mathcal{S}$, (ii) if $A \in \mathcal{S}$, then $A^c \in \mathcal{S}$, and (iii) if $A, B \in \mathcal{S}$, then $A \cap B \in \mathcal{S}$. \mathcal{S} is a *(Boolean) algebra* of *events*. When *S* is finite, we can take $S = 2^S$. When $S = \mathbb{R}$, we need to take more care.

Definition. A *probability* on *S* is a function $p : S \to [0, 1]$ such that (i) $p(S) = 1$ and (ii) if $A \cap B = \emptyset$, then $p(A \cup B) = p(A) + p(B)$.

Definition. A *qualitative probability* is a binary relation \subseteq on *S* such that

- (i) ⊑ is complete and transitive
- (ii) *S* ⊐ ∅
- (iii) for all $A \in \mathcal{S}, \varnothing \sqsubseteq A \sqsubseteq \mathcal{S}$

(iv) If $A, B, C \in \mathcal{S}$ and $A \cap C = B \cap C = \emptyset$, then $A \sqsubseteq B \Longleftrightarrow A \cap C \sqsubseteq B \cap C$

Definition. Let $A = \{A_1, \ldots, A_k\}$ and $B = \{B_1, \ldots, B_k\}$ be lists of events, allowing repetitions. The lists *A* and *B* are *balanced* if for each state $s \in S$, the number of events containing *s* in *A* equals that in *B*.

Assumption 4.3. We have the following:

- (i) \gtrsim on *S* is complete
- (ii) (Positivity) for all $A \in S$, $A \succsim \emptyset$
- (iii) (Non-triviality) $S \succ \emptyset$

(iv) (Finite Cancellation) For all pairs of balanced lists *A* and *B*, if for all $1 \leq j \leq k - 1$, $A_j \succeq B_j$, then $B_k \succeq A_k$.

Remark. Finite Cencellation implies transitivity.

Theorem [4.3](#page-34-1). \succsim *satisfies Assumptions* 4.3 *if* and *only if* there *is* a probability ρ *on S such that* $A \succeq B \Longleftrightarrow \rho(A) \geq \rho(B)$

4.4 The Savage Framework

Recall that we are now in the Savage framework, defined in Section [4.1](#page-30-1). First, some definitions:

Definition. For an act *h*, define $f \mid_A h$ as getting $f(s)$ for $s \in A$, otherwise getting $h(s)$. Let *xAy* denote the bet that pays off *x* on *A* and *y* otherwise.

Definition. We say that $f \succeq g$ given A, denoted $f \succeq_A g$, if f' and g' are actions such that f' agrees with f on B , g' agrees with g on B , and f' and g' agree with each other outside of *A*.

Definition. An event *A* is *null* if for all *f* and *g*, $f \succeq_A g$.

Definition. Sets are ordered $A \succeq B$ if there are outcomes $x \succ y$ such that $xAy \succeq xBy$.

Now, we get the Savage Axioms: Assumption 4.4. These are:

- $(i) \succeq$ is complete and transitive
- (ii) if $f \mid_A h \succ g \mid_A h$, then for all $k, f \mid_A k \succ g \mid_A k$
- (iii) For outcomes *x*, *y* and non-null *A*, $x \succsim A$ *y* if and only if $x \succsim y$
- (iv) For outcomes $x \succ y$ and $x' \succ y'$, and sets $A, B, xAy \succsim xBy$ if and only if $x'Ay' \succsim x'By'$
- (v) There exist outcomes $x \succ y$
- (vi) If $f \succ g$, then for any consequence x there is a partition of S such that on each S_i , $f |_{S_i} h \succ g$ and $f \succ g |_{S_i} h$
- (vii) If *f* and *g* are acts and *A* is an event such that $f(s) \succeq_A g$ for every $s \in A$, then $f \succeq_A g$; and if $f \succeq_A g(s)$ for every $s \in A$, then $f \succeq_B g$

Theorem 4.4. *The Savage Axioms (Assumptions [4.4](#page-35-1)) imply Bayes' Rule*

Proof. From the assumptions, $f \succ_A g$ if and only if for any act $h, f |_A h \succ g |_A h$. We have
that

$$
\mathbb{E}\left[u(f|_{A} h)\right] > \mathbb{E}\left[u(g|_{A} h)\right] \iff
$$
\n
$$
\int_{S} u(f|_{A} h(s))d\mu > \int_{S} u(f|_{A} g(s))d\mu \iff
$$
\n
$$
\int_{A} u(f(s))d\mu + \int_{A^{c}} u(h(s))d\mu > \int_{A} u(g(s))d\mu + \int_{A^{c}} u(h(s))d\mu \iff
$$
\n
$$
\int_{A} u(f(s))d\mu > \int_{A} u(g(s))d\mu
$$
\n
$$
\int_{A} u(f(s))d\mu/\mu(A) > \int_{A} u(g(s))d\mu/\mu(A)
$$
\n
$$
\mathbb{E}\left[u(f) | A\right] > \mathbb{E}\left[u(g) | A\right]
$$

 \Box

4.5 Anscombe–Aumann

Remark. Recall that we are now in the Anscombe–Aumann framework detailed in Sec-tion [4.1,](#page-30-0) meaning that an expected utility representation is a function $u: X \to \mathbb{R}$ and a probability distribution μ on S such that

$$
f \gtrsim g \Longleftrightarrow \sum_{S} \sum_{X} u(x) f(s)(x) \mu(s) \ge \sum_{S} \sum_{X} u(x) g(s)(x) \mu(s)
$$

To go towards an expected utility representation theorem, we need some further assumptions, beyond Assumptions [4.1](#page-31-0).

Assumption 4.5. In addition to Assumptions [4.1,](#page-31-0) we assume that

- (iv) (non-triviality) For some $f, g \in A, f \succ g$
- (v) (state independence) If for some $s \in S$, $a \in A$, and $p, q \in P$, $h \mid_{\{s\}^c} p \succ p \succ h \mid_{\{s\}^c} q$, then for all non-null states $t, h |_{\{s\}^c} p \succ h |_{\{s\}^c} q$

Theorem [4.5](#page-36-0). If \succsim *satisfies Assumptions* [4.1](#page-31-0) *and Assumptions* 4.5*, then there exists a function* $u: X \to \mathbb{R}$ *and a probability distribution* ρ *on S such that*

$$
f \gtrsim g \Longleftrightarrow \sum_{S} \sum_{X} u(x) f(s) (x) \rho(s) \ge \sum_{S} \sum_{X} u(x) g(s) (x) \rho(s)
$$

Proof. Complicated, and ommitted. Is in [Fishburn](https://www.semanticscholar.org/paper/Utility-theory-for-decision-making-Fishburn/905a24a912171436e0abd3b5f1fdcb963e6f852f) (1970).

 \Box

4.6 Beyond Expected Utility

Remark. There are some big issues with expected utility theory in general. Here, some of them are summarized and some possible solutions are presented.

Consider first a final famous paradox:

Example. *The Ellsberg Paradox* (from [Ellsberg](https://www.jstor.org/stable/1884324) (1961)) There is a single urn with three balls. One ball is red and the other two are either blue or green. One ball is drawn from the urn, and the bettor bets on its color. Winning bets pay \$100, losing bets pay nothing. Available bets are red, blue, not red, and not blue.

Typical laboratory preferences are inconsistent with probabilistic beliefs – both red and not red are preferred to blue and not blue. This is a major issue, with several proposed solutions over the years.

Example. Weighted EU. One idea is that individuals overweight small-probability events. Imagine a weighting function $w : [0,1] \to [0,1]$ with $w(p) > p$ for small p and $w(p) < p$ for large *p*. One issue: weighted expected utility will not respect FOSD.

Example. Rank-Dependent Expected Utility. Instead of weighing probabilities, apply probability weights to the CDF:

$$
U(p) = \sum_{n} w_n(p) u(x_n)
$$

where $x_1 \leq x_2 \leq \cdots \leq x_n$ and

$$
w_n(p) = q\left(\sum_{k=1}^n p_k\right) - q\left(\sum_{k=1}^{n-1} p_k\right)
$$

where $q : [0,1] \rightarrow [0,1]$ transforms probabilities and $q(0) = 0 = 1 - q(1)$. If q is strictly increasing, than \succsim respects FOSD.

Example. Maxmin EU. Ambiguity is the idea that individuals may be uncertain about what probability distribution they face. If, for example, you bet as if the worse case scenario were always the probability distribution for the current bet, the Ellsberg paradox would result.

Definition. *Choquet Expected Utility* is expected utility where the expectation is taken with respect to a non-additive probability, also called a *capacity*. Suppose *S* is finite and $S = 2^S$. A function $\mu : S \to [0,1]$ is a capacity if (i) $\mu(\emptyset) = 0$, $\mu(S) = 1$, and for all $A \subset B \in S$, $\mu(B) > \mu(A)$.

Assumption 4.6. We have the following assumptions for Choquet Expected Utility over Anscombe–Aumann acts:

- $(i) \succeq$ is complete and transitive
- (ii) An Archimedean axiom
- (iii) The independence axioms for all acts f , g , h which are comonotonic
- (iv) There are $f, g \in A$ such that $f \succ g$

(v) If for all $s \in S$, $f(s) \succ g(s)$, then $f \succ g$

Theorem [4.6](#page-37-0). *If* \succeq *on A satisfies Assumptions* 4.6, then there *is* a function $u: X \to \mathbb{R}$ *and a capacity µ on S such that*

$$
f \gtrsim g \Longleftrightarrow \int \sum_x u(x)f(s)(x)d\mu \ge \int \sum_x u(x)g(s)(x)d\mu
$$

Proof. Technical, ommitted.

Definition. A capacity μ is *convex* if for all $A, B \in \mathcal{S}$,

$$
\mu(A \cup B) - \mu(A) \ge \mu(B) - \mu(A \cap B)
$$

The *core* of a capacity μ is $C(\mu) := \{ \rho \in P : \rho(A) \geq \mu(A) \}$ Lemma 4.1. *Every convex capacity has a core.* **Example.** If $S = \{0, 1\}$ and $\mu(0) = \mu(1) = 0.3$, then

$$
C(\mu) = \{ \rho : 0.3 \le \rho(0) \le 0.7 \}
$$

Remark. If *P* is a convex set of probability distributions, then $\mu(A) = \inf_{\rho \in P} \rho(A)$ is a capacity

Definition. Let \succeq be a binary relation on *A*. Then \succeq is said to be *ambiguity-averse* (also called *uncertainty-averse*) if $f, g \succeq h$ and $\alpha \in [0, 1]$ implies that $\alpha f + (1 - \alpha)g \succeq h$

Theorem 4.7. *Suppose that* \succsim *satisfies Assumptions* [4.6.](#page-37-0) *Then the following are equivalent:*

- *1.* \succeq *is ambiguity-averse*
- *2. µ is convex*
- *3.* $\int f d\mu = \inf_{\rho \in C(\mu)} \int f d\rho$

Remark. This is a characterization of maxmin expected utility. Can you see how to obtain the Ellsberg Paradox from this characterization?

 \Box

5 Uncertainty Applications (Barseghyan)

Remark. In light of the previous section, this is a slightly odd object. In short, we left Prof. Blume's section with significantly less understanding of uncertainty than we wanted to have. Prof. Barseghyan attempted to correct this, but necessarily there was replication of material. I include the entirety of his material here, for completeness, but the most relevant new information are the examples.

Remark. Large thanks to Robert Betancourt, whose notes I extensively used in writing this section.

5.1 Basics of (Subjective) Expected Utility Theory

The most important part of expected utility theory is the concept of states.

Definition. A *state* (of the world) is essentially an event. However, we make some additional assumptions. States must be *payo*ff *relevant*, meaning that the realization of the state affects what the consumer gets, and states must be equipped with a probability $p \in \mathcal{P}$ such that $\sum_{i=1}^{N} p_i = 1, p_i > 0$ for payoff-relevant states $\{s_1, \ldots, s_N\}$.

Definition. The *expected value* of a lottery is the straightforward expectation. With finite payoffs, we have that

$$
EV = \sum_{i=1}^{N} p_i x_i
$$

Question. Say that the *EV* of some lottery is \$72. How much are you willing to pay for it? Specifically, how much you are willing to pay determines if you are risk averse.

First, note that we take forward the above Assumptions [4.1](#page-31-0), and reprint them here: **Assumption 5.1.** We say that \succsim over lotteries p and q is complete and transitive, continuous, and independent.

We also will assume throughout that *X* and the associated states are fixed. Definition. An *expected utility representation* is a function *u* such that

$$
p \succsim q \iff \sum_{i=1}^{m} p_i u(x_i) \geq \sum_{j=1}^{n} q_j u(x_j)
$$

When *u* is concave, we say that the consumer is *risk-averse*, and when it is convex we say that the consumer is *risk-loving*. *u* is shape restricted because of patterns we see in the data, and will often depend on wealth. We define an expected utility function *U* as

$$
U(p) = EU = \sum_{i=1}^{m} p_i u(x_i)
$$

5.2 Lotteries

Example. Comparing Lotteries. Assume that the lottery is the flip of a (not necessarily fair) coin, where if heads appears you attain 0, if tails appears you attain −*T*. The probability of heads is p_1 and the probability of tails is p_2 . We also have utility $u(x) = -\exp(-\gamma x)$. The amount you would be willing to pay for this lottery is the *x* at which

$$
-\exp(-\gamma x) = p_1(-\exp 0) + p_2(-\exp(\gamma T)) \equiv -(p_1 + (1 - p_1)\exp(\gamma T))
$$

Taking logs, we get that

$$
x = -\frac{1}{\gamma} \log (p_1 + (1 - p_1) \exp(\gamma T)) = CE
$$

Definition. The *certainty equivalent* is the amount of money in a degenerate (certain) lottery that would make that lottery equivalent to the lottery in question.

Remark. For a risk-averse expected utility maximizer, facing a lottery where they attain x_1 with probability $1/2$ and x_2 with probability $1/2$, their certainty equivalent is illustrated in Figure [3](#page-40-0).

Figure 3: Risk-Averse Certainty Equivalent

The certainty equivalent allows you to evaluate any lottery in the world of outcomes by which the lottery is realized – often, the dollar amount between certainty and lottery. For a risk-averse expected utility maximizer, if they have a continuous utility function, it will always be the case that by the Intermediate Value Theorem,

$$
u\left(\sum_{i=1}^{N} p_i x_i\right) \ge \sum_{i=1}^{n} p_i u(x_i) \Longrightarrow \exists x_{CE} \text{ s.t. } u(x_{CE}) = \sum_{i=1}^{n} p_i u(x_i)
$$

Remark. Note that in the continuous case, we have that

Expected Value =
$$
\int_{\mathbb{R}} x dF(x)
$$
 and Expected Utility = $\int_{\mathbb{R}} u(x) dF(x)$

5.3 Insurance

Example. Insurance. Let's assume that there are two possible losses, against which the decision maker can buy insurance. The losses are:

We have that the attained wealth in each scenario is:

Loss 1 :
$$
w - L_1 - q_1 \pi_1 - q_2 \pi_2 + \pi_1
$$

Loss 2 : $w - L_2 - q_1 \pi_1 - q_2 \pi_2 + \pi_2$
No Loss : $w - q_1 \pi_1 - q_2 \pi_2$

So we are solving the problem

$$
\max_{\pi_1, \pi_2} p_1 u(w - L_1 - q_1 \pi_1 - q_2 \pi_2 + \pi_1) + p_2 u(w - L_2 - q_1 \pi_1 - q_2 \pi_2 + \pi_2)
$$

$$
+ (1 - p_1 - p_2) u(w - q_1 \pi_1 - q_2 \pi_2)
$$

The first order conditions are

$$
0 = p_1(1 - q_1)u'(\cdot_1) + p_2(-q_1)u'(\cdot_2) + (1 - p_1 - p_2)(-q_1)u'(\cdot_3)
$$
\n
$$
(\pi_1)
$$

$$
0 = p_1(-q_2)u'(\cdot_1) + p_2(1-q_2)u'(\cdot_2) + (1-p_1-p_2)(-q_2)u'(\cdot_3) \tag{72}
$$

Combining, we get that

$$
\frac{p_1 u'(\cdot_1)}{p_2 u'(\cdot_2)} = \frac{q_1}{q_2}
$$

Remark. This result required assuming that we know all of *u*, *p*, and *w*. That's extremely strong.

5.4 Trees and Floods

Example. Trees. You are a farmer deciding where to plant a grape tree. You can choose either the left bank of a river, the right bank of a river, or on a mountain. We will denote the returns as:

Remark. If *L* and *R* are divisible and the convex combination of their returns dominate *M*, then *M* is useless.

Remark. Are the floods mutually exclusive? We need to answer this question.

We'll say that the consumer can invest total wealth of 1 into the various locations, denoted by x_{ℓ}, x_{r}, x_{m} . Our expected utility maximization problem is

$$
\max_{x_{\ell}+x_{r}+x_{m}\leq 1} \sum_{i\in\{\emptyset,\ell,r,\ell r\}} f_i u(w_i) \quad \text{where } w_{\emptyset}=x_m m
$$

Let's assume that the floods are independent. Then we have that

$$
\mathbb{P}\{\text{no flood}\} = (1 - f_{\ell})(1 - f_r) \qquad \Longrightarrow w = x_{\ell} \ell + x_r r + x_m m
$$

$$
\mathbb{P}\{\ell \text{ flood}\} = f_{\ell}(1 - f_r) \qquad \Longrightarrow w = x_r r + x_m m
$$

$$
\mathbb{P}\{r \text{ flood}\} = (1 - f_{\ell})f_r \qquad \Longrightarrow w = x_{\ell} \ell + x_m m
$$

$$
\mathbb{P}\{\ell r \text{ flood}\} = f_{\ell}f_r \qquad \Longrightarrow w = x_m m
$$

Suppose that preferences are CARA, so $u(x) = -\exp(-\gamma x)$ for some γ . Our maximization problem becomes

$$
\max_{x_{\ell}+x_{r}+x_{m}\leq 1} - (1-f_{\ell})(1-f_{r}) \exp(-\gamma(x_{\ell}\ell+x_{r}r+x_{m}m)) - f_{\ell}(1-f_{r}) \exp(-\gamma(x_{r}r+x_{m}m)) - (1-f_{\ell})f_{r} \exp(-\gamma(x_{\ell}\ell+x_{m}m)) - f_{\ell}f_{r} \exp(-\gamma x_{m}m)
$$

Note that since the utility function is increasing, the constraint will hold with equality. We can substitute, and the problem becomes

$$
-f_{\ell}[f_r \exp(-\gamma(1 - x_r - x_{\ell})m) + (1 - f_r) \exp(-\gamma(x_r r + (1 - x_r - x_{\ell})m))]
$$

$$
-(1 - f_{\ell})[(1 - f_r) \exp(-\gamma(x_{\ell} \ell + x_r r + (1 - x_r - x_{\ell})m)) + f_r \exp(-\gamma(x_{\ell} \ell + (1 - x_r - x_{\ell})m))]
$$

Note that this is multiplicatively separable into terms with x_{ℓ} and x_{r} . We can rewrite the problem as

$$
\[-f_{\ell}\exp(\gamma x_{\ell}m)-(1-f_{\ell})\exp(-\gamma x_{\ell}(\ell-m))\] \Big[f_r\exp(-\gamma (1-x_r)m)+(1-f_r)\exp(-\gamma (x_r r+(1-x_r)m))\Big]
$$

Remark. This is a fairly deep result. We can think of it as essentially, since the events are independent, ignoring whether or not the left (or right) bank will flood when considering the optimal amount to invest in the other bank. This result generalizes, and is extremely nice for the purposes of modeling. It means that we don't need to consider, for example, the probability that a random event in New York will happen or not when modeling something in California, as long as the two aren't dependent.

5.5 Miscellanea

Some Nice Intuition.

Definition. The *equity premium* is the gain in expected value a risky asset gives over a safe asset. This doesn't *need* to hold, but in a world where we generally think people are risk-averse, nobody would be interested in an asset that had both higher risk and less return than a safe asset.

Remark. If two events are (perfectly) correlated, then one of them is irrelevant. Prof. Barseghyan provided this intuition: If one event is whether the Kansas City Chiefs win and another is whether people drink in Kansas City, owning one implicitly means you own the other. Moreover, if someone benefits from one asset implicitly, they should bet against it to hedge. A Ford employee with stock options should, with their own money, invest in Tesla, if they assume it's a zero-sum game.

Some Definitions.

Definition. *Loss aversion* is a behavioral result where someone will refuse a single lottery but accept multiple independent draws of the lottery. This is intuitively rational, but doesn't actually make sense in expected utility theory.

Definition. *Prospect Theory* is another explanation for a behavioral result. Prof. Blume talked about it a bit, but think about it as reweighting probabilities before evaluating expected utility.

Some Formality. (From Stanford E202 Uncertainty Notes, by Ilya Segal and Ravi Jagadeesan)

Remark. I'm honestly not sure how much of this will be relevant, and I'm unsure if any of it is examinable. However, I appreciate rigor when it's available, so I figured I'd include this for completeness and as a reference if nothing else.

Definition. A decision maker is *(strictly) risk-averse* if for any non-degenerate lottery *F* with expected value E_F , the decision maker (strictly) prefers δ_{E_F} , the degenerate lottery that pays E_F with probability 1, to F .

Proposition 5.1. *A decision maker is risk-averse if and only if her Bernoulli utility function is concave.*

Definition. The *certainty equivalent* $c(F, u)$ is the amount of dollars such that

$$
u(c(F, u)) = \int u(x)dF(x)
$$

The *risk* premium of lottery F for decision maker *u* is the difference $\mathbb{E}_F[X] - c(F, u)$. Definition. For a twice-differentiable Bernoulli utility function *u*(*·*), the *Arrow-Pratt Coefficient of Absolute Risk Aversion* at *x* is $A(x) = -\frac{u''(x)}{u(x)}$ *u*(*x*)

Proposition 5.2. *The following are equivalent for decision makers u and v:*

(i) u is more risk averse than v

- *(ii) For every lottery F,* $c(F, u) \leq c(F, v)$
- *(iii) There exists* an *increasing concave function g such that* $u = g \circ v$
- *(iv)* $\frac{u'(x)}{v'(x)}$ *is nondecreasing in x*
- (*v*) For every *x*, $A(x, u) \ge A(x, v)$

(vi) Whenever u weakly prefers a lottery F to a certain outcome δ_x *, then v does as well* **Definition.** The Bernoulli utility function $u(\cdot)$ has *decreasing (constant, increasing) absolute risk aversion* if $A(x, u)$ is a decreasing (constant, increasing) function of x.

Definition. For a Bernoulli utility function $u(\cdot)$, the *coefficient* of *relative risk aversion* at x is $R(x, u) = -x \frac{u''(x)}{u'(x)} \equiv x A(x, u)$. *u* has *decreasing (constant, increasing) relative risk aversion* if $R(x, u)$ is a decreasing (constant, increasing) function of x.

Definition. The distribution *G first order stochastically dominates (FOSD)* the distribution *F* if for every nondecreasing function $u : \mathbb{R} \to \mathbb{R}$, $\int u(x) dG(x) \ge \int u(x) dF(x)$.

Proposition 5.3. *The distribution G first order stochastically dominates the distribution F if* and only if for every *x*, $G(x) \leq F(x)$.

Definition. Suppose that distributions *G* and *F* with common support have densities *g* and *f* respectively. We say that *G dominates F in the likelihood ratio order* if $\frac{g(x)}{f(x)}$ is nondecreasing in *x*.

Definition. *G conditionally first order stochastically dominates F* if the CDFs conditional on any (positive-measure Borel) set $A \subseteq \mathbb{R}$ satisfy $G(x | A) \leq F(x | A)$ for all x

Proposition 5.4. *G dominates F in the likelihood ratio order if and only if G conditionally first order stochastically dominates F.*

Definition. Consider two distributions *G* and *F* with the same mean. We say that *G second-order stochastically dominates (SOSD) F* if for every concave function $u : \mathbb{R} \to \mathbb{R}$, $\int u(x) dG(x) \ge \int u(x) dF(x)$.

Proposition 5.5. *Consider two distributions G and F with the same mean. G second order stochastically dominates F if and only if for every x,*

$$
\int_{-\infty}^{x} G(y) dy \le \int_{-\infty}^{x} F(y) dy
$$

Remark. From [Rothschild](https://www.sciencedirect.com/science/article/abs/pii/0022053170900384) and Stiglitz (1970), there's a really nice intuition for this. We can think of adding random, mean zero noise to a distribution. This is called a 'mean preserving spread' as the resulting distribution will have the same mean but will be more spread out. Any distribution first order stochastically dominates its mean preserving spreads. To see why, consider a lottery that pays \$2 or \$0 with probability 1*/*2 each. Now consider a lottery that pays \$3 or \$-1 with probability 1*/*2 each. The second is a mean-preserving spread of the first, but clearly a risk-averse person would prefer the first to the second. To prove this in general is a fairly straightforward application of Jensen's Inequality! It's fun.

Remark. Another equivalent definition of SOSD, without restricting *G* and *F* from having the same mean is that any von Neumann-Morgenstern decision maker with nondecreasing and (not necessarily strictly) concave Bernoulli utility prefers *G* to *F*. You can probably show fairly easily that this is equivalent to the definition in Proposition 5.5. However, can you explain why we no longer care about the means being equal? What would happen if the means were not equal?

Proposition 5.6. *If decision-maker u is less risk-averse than decision maker v, then u will optimally choose to take more risk than v for any CDF* $G(\cdot)$ *.*

6 Information Theory (Battaglini)

6.1 Asymmetric Information

Definition. We say that we have *complete information* if all agents know all of the relevant information. We say that information is *incomplete* otherwise. We have two types of incomplete information:

(i) *Symmetric incomplete information*: some variables are unknown, but no privileged information

(ii) *Asymmetric incomplete information*: some players have more information than others Remark. We have two broad categories of asymmetric information problems: (i) *adverse selection*, when the asymmetric information concerns the characteristics of the agents (think insurance, lending, selling, etc); and (ii) *moral hazard* when the information concerns the action of some character (think work relations, also insurance, also lending, etc).

Model. *(Lemons)* (from [Akerlof](https://www.jstor.org/stable/1879431) (1970)). Consider a labor market in which a worker produces θ units. θ has distribution $F(\theta)$ in $[\theta, \overline{\theta}]$, with $0 < \theta < \overline{\theta} < \infty$. Firms hire workers to produce the good and sell it in a competitive market at price $p = 1$. The number of workers is *N*, and firms are risk-neutral. Workers have a reservation value for their time $r(\theta)$, which can be thought of as unemployment insurance, or the value of going to school, or whatever. Employed workers receive a wage, which may or may not depend on θ .

Complete Information. In a competitive equilibrium with complete information, all workers with $r(\theta) < \theta$ are employed. $w(\theta) = \theta$ for all employed workers, and $w(\theta) < \theta$ for the unemployed. Note that this market outcome is Pareto optimal: it is not possible to make any worker strictly better off without making some agent strictly worse off. Aggregate surplus in this model is:

$$
W^* = \int_{\underline{\theta}}^{\overline{\theta}} N \left[\mathbb{1}_{\theta} \cdot \theta + (1 - \mathbb{1}_{\theta}) r(\theta) \right] dF(\theta)
$$

where $\mathbb{1}_{\theta} = 1$ if $r(\theta) < \theta$ and 0 otherwise.

Asymmetric Information. Since worker types are unobservable, there will only be one market here, with price *w*. Supply in this market is $\Theta(w) := \{\theta : r(\theta) < w\}$, so $S(w)$ $F(r^{-1}(w))$. For simplicity, let's assume that indifferent workers will choose to work. Demand is:

$$
D(w) = \begin{cases} 0 & \mathbb{E} \theta < w \\ [0, \infty] & \mathbb{E} \theta = w \\ \infty & \mathbb{E} \theta > w \end{cases}
$$

It is clear that $S(w) = D(w)$ only when $\mathbb{E} \theta = w$. At the same time, $\mathbb{E} \theta$ must be consistent with supply, so we must have that $w = \mathbb{E}[\theta : r(\theta) \leq w]$. This condition is called *rational expectations*.

Definition. Ina. competitive market model with unobservable worker's productivity, a *competitive equilibrium* is a wage rate w^* and a set of workers Θ^* such that

$$
\Theta^* = \{ \theta : r(w) \le w \} \quad \text{and} \quad w^* = \mathbb{E} \left[\theta : \theta \in \Theta^* \right]
$$

Remark. The rational expectation requirement is well-defined only if Θ^* is non-empty. If Θ^* is an empty set, we need to specify off-path beliefs, since the firms expect no supply of labor. For now, we have the following, which is as good as anything else:

Assumption 6.1. If $\Theta^* = \emptyset$, then $w^* = \mathbb{E} \theta$, the unconditional expectation.

Remark. In general, with imperfect information, a competitive equilibrium is Pareto inefficient.

Example. To see this point, assume $r(\theta) = r$ for some constant. The Pareto optimal allocation requires that all workers with $\theta > r$ to work, and all types with $\theta < r$ to not work. But this is impossibly in a competitive equilibrium: if $w > r$, everyone works, and if $w < r$, nobody works. If $w = r$, the types are indifferent, but there's no reason they should sort the way we want. The problem is that firms are unable to distinguish types, so there's no way to sort the workers.

Example. (Adverse Selection and Market Unraveling) We now consider the more realistic case where $r(\theta)$ is increasing in θ . For simplicity, we assume that $r(\theta) \leq \theta$ for all θ , so it is efficient to have full employment. Further, we assume that $r(\theta)$ is *strictly* increasing in θ . Now we have that $\mathbb{E}[\theta : r(\theta) \leq w]$ is continuous in *w*, as long as *F* has a density *f*, and is increasing in *w*.

Note some implications: (i) $\mathbb{E}[\theta : r(\theta) \le r(\underline{\theta})] = \underline{\theta} \ge r(\underline{\theta})$, and (ii) $\mathbb{E}[\theta : r(\theta) \le r(\overline{\theta})] = \mathbb{E} \theta <$ $\overline{\theta}$. Thus, we have Figure [4,](#page-47-0) where $\mathbb{E}[\theta : r(\theta) \leq w]$ is above the 45° line at $w = r(\theta)$, and below at $w = r(\theta)$.

Figure 4: Single Equilibrium

We must have at least one $w^* \in (\underline{\theta}, \overline{\theta})$ such that $w^* = \mathbb{E}[\theta : r(\theta) \leq w^*]$, by Kakutani's Fixed Point Theorem.

This characterization immediately shows that the equilibrium is inefficient. It would be optimal to have all types employed, but only types $\theta \leq r^{-1}(w^*) < \overline{\theta}$ are employed here. Remark. We may have multiple equilibria. See Figure [5](#page-48-0) for an illustration. If we have multiple equilibria, they can be Pareto ranked – recall that all profits are zero, but workers do better as w^* increases.

Figure 5: Multiple Equilibria

Remark. The classic point made by Akerlof is that the market may totally collapse. See the following example.

Example. Assume that $r(\theta) = \alpha \theta$ for some $\alpha < 1$, and that $\theta \sim U[0, 2]$. We have that

$$
\mathbb{E}[\theta : r(\theta) \le w] = \mathbb{E}[\theta : \alpha \theta \le w] = \mathbb{E}\left[\theta : \theta \le \frac{w}{\alpha}\right] = \frac{w}{2\alpha}
$$

In this case, when $\alpha > \frac{1}{2}$, the market collapses to zero. See Figure [6](#page-49-0).

Question. Could this be fixed with public intervention? A case is possible where there are multiple equilibria. In this case, the government could shift the equilibrium to the maximum equilibrium wage.

Could the government do better than that? If they could see the types, but that's implausible.

Definition. A *Constrained Pareto Optimum* is a Pareto Optimum achievable by a planner with no informational advantage.

Is there a constrained Pareto optimum that is better than the competitive equilibrium? The answer is no.

Example. The planner chooses w_e and w_u (employed and unemployed). Given this, all workers of type $\theta \leq \hat{\theta}$ will work, where $w_u + r(\hat{\theta}) = w_e$. So the government can only choose

Figure 6: Collapse In the Market for Lemons

 $\hat{\theta},\,w_e,\,\text{and}\,\,w_u$ such that the budget balance is satisfied:

$$
w_e F(\hat{\theta}) + w_u [1 - F(\hat{\theta})] \le \int \theta dF(\theta)
$$

Substituting, we get that

$$
w_u(\hat{\theta}) = \int \theta dF(\theta) - r(\hat{\theta})F(\hat{\theta})
$$

$$
w_e(\hat{\theta}) = \int \theta dF(\theta) - r(\hat{\theta})[1 - F(\hat{\theta})]
$$

meaning that

$$
w_u(\hat{\theta}) = F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\hat{\theta}) \right]
$$

$$
w_e(\hat{\theta}) = F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\hat{\theta}) \right] + r(\hat{\theta})
$$

Let θ^* be the highest type employed in the highest competitive equilibrium, so:

$$
r(\theta^{\star}) \mathop{\mathbb{E}}[\theta : \theta \le \theta^{\star}] = w^{\star}
$$

If the government selects $\hat{\theta} = \theta^*$, we have $w_e(\hat{\theta}) = w^*$, and $w_u(\hat{\theta}) = 0$. So the outcome is the competitive equilibrium. There are two other possibilities: $\hat{\theta} > \theta^*$ and $\hat{\theta} < \theta^*$. If $\hat{\theta} < \theta^*$, we have that

$$
w_e(\hat{\theta}) = F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\hat{\theta}) \right] + r(\hat{\theta})
$$

$$
< F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\theta^{\star}) \right] + r(\theta^{\star})
$$

since $r(\theta^*) > r(\hat{\theta})$. We also have that

$$
w_e(\hat{\theta}) - r(\theta^*) \le F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\theta^*) \right]
$$

= $F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - \mathbb{E}[\theta : \theta \le \theta^*] \right] < 0$

It follows directly that $w_e(\hat{\theta}) < r(\theta^*) = w^*$. Low types were working in the competitive equilibrium for a higher wage, and they are now worse off.

The other case assumes that $\hat{\theta} > \theta^*$. We must have that $\mathbb{E}[\theta : r(\theta) \leq w] < w$ for all $w \geq w^*$, otherwise w^* would not be the highest competitive equilibrium. Since $w^* = r(\theta^*)$ and $r(\theta)$ is increasing, $r(\hat{\theta}) > r(\theta^*) = w^*$, so

$$
\mathbb{E}\left[\theta : r(\theta) \le r(\hat{\theta})\right] < r(\hat{\theta})
$$

for $\hat{\theta} \ge \theta^*$. So $w_u(\hat{\theta}) = F(\hat{\theta}) \left[\mathbb{E}[\theta : \theta \le \hat{\theta}] - r(\hat{\theta}) \right] \le 0$, implying that the high types that remain unemployed are worse off now.

6.2 Separating and Pooling Equilibria

Example. One way the market might bypass the information asymmetry is by allowing workers to signal their type. Assume here that there are two types, $0 < \theta_L < \theta_H$, with $\mathbb{P}\{\theta_H\} = \lambda$. We now assume that workers can get some education *e*. To make the point more striking, education is unproductive.

The cost of education is $C(e, \theta)$ with (i) the usual technological assumptions, so $C(0, \theta) = 0$, $C_e(e, \theta) > 0$, and $C_{ee}(e, \theta) > 0$; and (ii) we assume that $C_{\theta}(e, \theta) < 0$ and $C_{e\theta}(e, \theta) < 0$. Note that these are the Single Crossing Property we saw in Math.

Note that now the wage depends on the observable e , so the wage is a function $w(e)$. Utility is now

$$
U(w, e; \theta) = w(e) - c(e, \theta)
$$

We assume that $r(\theta) = 0$, so in a competitive market with no signaling all types are employed at wage E[θ]. A *competitive equilibrium with signaling* is now a competitive equilibrium for each *e*, meaning a $\Theta(e)$, $w(e)$ such that

$$
w(e) = \mathbb{E}[\theta : \theta \in \Theta(e)]
$$
 and $\Theta(e) = \{\theta : e \in \operatorname*{argmax}_{e} U(w(e), e; \theta)\}$

We can plot indifference curves in the (w, e) space. Indifference curves for high and low types will typically cross only once, and the indifference curves for high types are less steep, since

$$
\frac{\partial w(e)}{\partial e} = C_e(e, \theta) \quad \text{and } C_e(e, \theta_H) < C_e(e, \theta_L)
$$

This is illustrated in Figure [7.](#page-51-0)

Figure 7: Indifference Curves for High and Low Types

The wage function can be represented as

$$
w(e) = \mu(e)\theta_H + (1 - \mu(e))\theta_L
$$

where $\mu(e)$ is the posterior probability of observing a high type. This function is illustrated in Figure [8](#page-51-1).

Figure 8: Wage Function on Education

Remark. We haven't explicitly discussed Bayesian posterior probabilities before. These are directly derived from Bayes' Rule. Formally, in this example, we have that

$$
\mu(e) = \mathbb{P}\{\theta = \theta_H | e = 1\} = \frac{\mathbb{P}\{e = 1 | \theta = \theta_H\}}{\mathbb{P}\{e = 1 | \theta = \theta_H\} + \mathbb{P}\{e = 1 | \theta = \theta_L\}}
$$

Definition. In a *separating equilibrium*, the two types choose different actions: $e^{\star}(\theta_H) \neq$ $e^{\star}(\theta_L)$. This immediately implies two facts: (i) In a separating equilibrium, we must have that $w(e^{\star}(\theta_H)) = \theta_H$ and $w(e^{\star}(\theta_L)) = \theta_L$; and (ii) we must have that $e^{\star}(\theta_L) = 0$. Why is this? The low type gets no benefit from $e^{\star}(\theta_L)$, so by choosing $e^{\star}(\theta_L) = 0$, she gets the same wage and lower costs.

Starting from here, we will construct a separating equilibrium. We need that $e^{\star}(\theta_L) = 0$ and $e^{\star}(\theta_H)$ such that (θ*H*))*, e* $\theta \rightarrow \nabla H(\omega/\epsilon)$ θ **+**¹

$$
U(w(e^{\star}(\theta_H)), e^{\star}(\theta_H); \theta_H) \ge U(w(e), e; \theta_H) \forall e
$$

$$
U(w(e^{\star}(\theta_L)), e^{\star}(\theta_L); \theta_L) \ge U(w(e), e; \theta_L) \forall e
$$

these are called our *incentive compatability constraints*, and they guarantee that neither high nor low types are incentivized to deviate from what we think they should do.

An example of this equilibrium is illustrated in Figure [9](#page-52-0).

Figure 9: A Separating Equilibrium

Note that here we have that (i) $e^{\star}(\theta_L) = 0$, (ii) $U(w(e^{\star}(\theta_L)), e^{\star}(\theta_L); \theta_L) = U(w(e^{\star}(\theta_H)), e^{\star}(\theta_H); \theta_L)$, and (iii) $U(w(e^{\star}(\theta_H)), e^{\star}(\theta_H); \theta_H) \geq U(w(e^{\star}(\theta_L)), e^{\star}(\theta_L); \theta_H).$

Remark. We need here to specify wages for all *e*, even though only two will be chosen. This is because $w(e) = \mu(e)\theta_H + (1 - \mu(e))\theta_L$, meaning that

$$
\mu(e) = \frac{w(e) - \theta_L}{\theta_H - \theta_L}
$$

Remark. We can have other equilibria, but (referring back to Figure [9\)](#page-52-0), the educational level for the high type cannot be lower than \tilde{e} , otherwise we would violate the incentive compatibility constraint for the low type (they would pay to get the higher wage). The educational level of the high type cannot be higher than *e*1, otherwise we would violate incentive compatibility for the high type (they would rather not pay and not get hired).

Remark. The equilibria can be Pareto ranked: profits are always zero in a competitive equilibrium, and effort is a net loss, so the lower *e* the better.

Question. Are the players better off with signaling? The low type is always worse off – before signaling, he was hired at $w = \mathbb{E}[\theta]$, now he is either hired at $w = 0$ or unemployed. The high type may or may not be better of – before signaling, her utility is $w = \mathbb{E}[\theta] = U(\mathbb{E}[\theta], 0; \theta_H)$, and with signaling her utility is $U(w(e^{\star}(\theta_H)), e^{\star}(\theta_H); \theta_H) = w(e^{\star}(\theta_H)) - e^{\star}(\theta_H)$. She may be better off or worse off depending on the expectation of θ – which comes entirely from the Bayesian prior λ .

Definition. In a *pooling equilibrium*, the two types choose the same action, so they are indistinguishable: $e^{\star}(\theta_H) = e^{\star}(\theta_L) = e^{\star}$. It follows that $w(e^{\star}) = \lambda \theta_H + (1 - \lambda)\theta_L = \mathbb{E}[\theta]$. **Remark.** Again in this equilibrium, we need to define the wage for $e \neq e^*$. We need incentive

compatibility again, meaning that for any *e*:

 $U(\mathbb{E}[\theta], e^{\star}; \theta_H) \geq U(w(e), e; \theta_H)$ $U(\mathbb{E}[\theta], e^{\star}; \theta_L) \geq U(w(e), e; \theta_L)$

An example of this equilibrium is illustrated in Figure [10](#page-53-0).

Figure 10: A Pooling Equilibrium

Remark. Multiple levels of effort can be sustained in a pooling equilibrium, as long as there are 'punishments' for lower levels of effort. In this way, we can sustain positive effort even for low types.

Remark. The highest level of education corresponds to $U(\mathbb{E}[\theta], e_1; \theta_L) = U(\theta_L, 0; \theta_L) = \theta_L$. Anything higher violates incentive compatibility. The lowest pooling equilibrium is, of course $e = 0$.

6.3 Separating and Pooling Refinements

Example. Consider an *e*′ such that

$$
\mathbb{E}[\theta] - C(e^*, \theta_L) \ge \theta_H - C(e', \theta_L) \text{ and } \mathbb{E}[\theta] - C(e^*, \theta_H) < \theta_H - C(e', \theta_H)
$$

where e^* is a pooling equilibrium. Since a low type is worse off if believed and a high type is better off, a receiver would believe that a deviator is a high type.

Remark. Such a point *e*′ *always exists*. We can conclude that no pooling equilibria exist. To see why, consider that if everyone else is pooling, and you are a low type, you can deviate and be considered the only high type. By doing so, you would attain the highest salary, and do better! Thus, incentive compatibility is *never* satisfied for all low types.

Example. Consider now a separating equilibrium with $e^L = 0$, e^H . In such an equilibrium, in order for incentive compatibility to hold, we need that $\theta_H - C(e^H, \theta_H) \geq \theta_L$. Assume that $\theta_H - C(e^H, \theta_L) < \theta_L$. Then if the receiver sees a deviation $e' < e^H$, but still has that $\theta_H - C(e', \theta_L) < \theta_L$, knowing that a high type benefits from being believed and a low type does not, the receiver will assume that the deviator is a high type.

Remark. Such an *e'* exists in all cases *except* when $e^L = 0$ and $\theta_H - C(e^H, \theta_L) = \theta_L$. This is the only separating equilibrium that survives refinement.

6.4 Screening Games

Remark. In the previous analysis, informed agents chose education to self-select, and to try and signal their types. If we flipped the game so it's uninformed agents trying to screen the informed agents, then we have screening.

Model. Let's assume the same environment as before: we have two types $0 < \theta_L < \theta_H$, with $\mathbb{P}\{\theta_H\} = \lambda$, and now assume that $r(\theta) = 0$. We will assume that (unproductive) tasks can be assigned to the agents. These tasks cost effort $C(t, \theta)$ with the same assumptions as before: $C(0, \theta) = 0$, $C_t(t, \theta) > 0$, $C_{tt}(t, \theta) > 0$, $C_{\theta}(t, \theta) < 0$, and $C_{t\theta}(t, \theta) < 0$.

Definition. A *contract* is a pair $(t, w(t))$, where *t* is a task and $w(t)$ is the associated wage if that task is completed.

Let $\Theta(t) := \{\theta : t \in \text{argmax}_{t} u(w(t), t; \theta)\}\$ be the set of all agents who complete a task *t*. **Definition.** A family of contracts $(t, w(t))_t$ is a *competitive equilibrium* if (i) $w(t) = \mathbb{E}[\theta$: $\theta \in \Theta(t)$, and (ii) profits are zero for all contracts $(t, w(t))$.

Remark. With observable types, $(t, w(t, \theta)) = (0, \theta)$. With unobservable types, we have three cases: perfectly separating equilibria, pooling equilibria, and partially separating equilibria. We will not really study the third.

Our first result is that no pooling equilibrium can exist. See Figure [11.](#page-55-0) The high type would always deviate from (w^p, t^p) to (\tilde{w}, \tilde{t}) , and this necessarily follows from the single crossing assumptions.

Figure 11: A Potential Pooling Equilibrium

Our second result is that if w_L, t_L, w_H, t_H are equilibrium contracts in a separating equilibrium, then $(w_L, t_L) = (\theta_L, 0)$ and $(w_H, t_H) = (\theta_H, t_H^*)$ such that

$$
\theta_H - C(t_H^*, \theta_L) = \theta_L - C(0, \theta_L)
$$

so that the low type is indifferent between (w_L, t_L) and the contract for the high type. The intuition is in Figure [12.](#page-55-1)

Figure 12: A Pooling Equilibrium

Our final result is that an equilibrium may not exist in pure strategies. It may instead exist in mixed strategies, but that requires a lot more work.

Similarly to signaling, the low type is worse off with screening than without. High types, however, are always better off in a separating equilibrium. The issue is that a separating equilibrium may not exist.

Remark. To see why, note that since separating equilibria are unique, under certain conditions the agents will want to deviate to a pooling equilibrium, from which they again want to deviate. It's a cycle.

6.5 Mechanism Design

Definition. A mechanism is a message space M and a mapping $h(\cdot)$ from M to the space of outcomes which can be written as $h(m) = (Q(m), t(m))$, an allocation and a transfer, for all $m \in M$. In a typical case like above, a mechanism will set an allocation and a transfer for the high-skill and low-skill types.

Remark. We can think of the message space as the controls the agent has on the mechanism – Marco used "a big table with lots of buttons" – each of which matches to an allocation.

Proposition 6.1. *Any mechanism induces an allocation rule*

Example. Assume here quasilinear preferences $\theta v(Q) - t$, and let

$$
m^{\star}(\theta) \in \operatorname*{argmax}_{m \in M} \theta v(Q(m)) - t(m)
$$

Then the induced allocation rule is

$$
a(\theta) = Q(m^*(\theta)), t(m^*(\theta)))
$$

Definition. A *direct mechanism* is a mechanism in which $M_i = \Theta_i$, meaning that the message space for *i* is *i*'s type space.

Question. Is there loss of generality in restricting attention to only direct mechanisms? We will see that the answer is no.

Definition. A *direct revelation mechanism* is a mapping $q(\cdot)$ from the space of types to the space of outcomes which is written as $q(\theta_i) = (q(\theta_i), T(\theta_i))$. Essentially, the principal commits to offer $q(\theta_i)$ at a price $T(\theta_i)$ if the agent reports type θ_i .

Definition. An agent θ finds it *incentive compatible* to announce their type truthfully if and only if

$$
\theta v(q(\theta)) - T(\theta) \ge \theta v(q(\theta')) - T(\theta') \,\forall\,\theta'
$$

A direct revelation mechanism is *truthful* if it is incentive compatible for any agent to announce their true type.

Definition. A direct revelation mechanism *g* is *individually rational* if $\theta v(q(\theta)) - T(\theta) \geq \bar{u}$ where \bar{u} is the reservation utility.

Theorem 6.1. (The Revelation Principle) *Any* possible allocation rule $a(\theta)$ obtained with a *mechanism* $\{M, h(\cdot)\}$ *can also be implemented with a truthful direct revelation mechanism.*

Remark. This is shockingly powerful and useful! It gives us a way to directly characterize an optimal mechanism. Essentially, we can use a direct revelation mechanism to find what allocation is optimal, and then find a simple mechanism that attains that optimal allocation.

Proof. Assume that we can obtain an allocation $a(\theta)$ with mechanism $\{M, h(\cdot)\}\$. This mechanism induces an outcome function

$$
g(\theta) = (Q(m^{\star}(\theta)), T(m^{\star}(\theta)))
$$

We can construct the functions $\hat{Q} = Q \circ m^*$ and $\hat{T} = T \circ m^*$. Is this mechanism truthful? Since

$$
m^{\star}(\theta_i) \in \operatorname*{argmax}_{m} \theta_i v(Q(m)) - t(m)
$$

it must be the case that

$$
\theta_i v\left(\hat{Q}(\theta_i)\right) - \hat{T}(\theta_i) \ge \theta_i v\left(\hat{Q}(\theta')\right) - \hat{T}(\theta') \; \forall \; \theta'
$$

Thus, this direct mechanism is incentive compatible. The proof for individual rationality follows from the same argument. \Box

Example. The optimal direct mechanism with two types. The principal is a monopolist, trying to sell a good to a buyer. The seller's problem can be written as

$$
\max_{T_i,q_i} \beta(T_L - cq_L) + (1 - \beta)(T_H - cq_H)
$$

subject to incentive compatibility and individual rationality. To find a mechanism that maximizes the monopolist's profits, we proceed in steps. The standard approach is to first note that the individual rationality of the low type and incentive compatibility of the high type imply individual rationality of the high type. We can eliminate the individual rationality of the high type constraint. Next, we can consider a relaxed version of this problem where the incentive compatibility constraint of the low type does not bind. If we find a solution of this problem that also satisfies incentive compatibility of the low type, then we will have a solution to the original problem.

Now we have a simple problem with two constraints, which must both hold with equality. We can substitute, and get an unconstrained optimization problem in just q_L, q_H which is easy to solve with first order conditions. We will find that solution, and then verify that incentive compatibility for the low type is satisfied. If it is, we have a solution to the original problem.

Remark. We don't necessarily have concavity here $-$ be careful with corners!

Remark. The solution here will tell us that high types buy more than low types; high types will buy efficiently and low types will be less than efficient; and the low types will have a surplus of zero, high types receive a positive surplus. This result is very generalizable! It holds with multiple types, and even under continuous types – in those cases, the highest type will be efficient, and everyone else will be less than efficient.

7 Exercises

7.1 Choice (Easley)

7.1.1 Easley Homework

Problems

- 1. Economists have observed that the default setting in retirement plans seems to affect employees' choices about retirement savings. Using the language from class here is how the observations occur. In each scenario presented to the employee, there are two alternatives: a default percentage of the employee's salary to be deducted and placed in a retirement plan and another percentage of the employee's salary to be deducted and placed in a retirement plan if the employee objects to the default option. So the employee can choose "not object" and get the default percentage deducted or "object" and get the other percentage deducted. In the following, each scenario is described by a pair consisting of object or not object and the percentage deducted in each case. In scenario I, the alternatives are: "not object" and 5 percent; and, "object" and 0 percent. In scenario II, the alternatives are: "object" and 5 percent; and, "not object" and 0 percent.
	- (a) Many people choose the default (the alternative with not objecting) in both scenarios. This is often said to be inconsistent with rational choice. Setup a model of a rational decision maker and show that these choices are inconsistent with rational choice in your model.
	- (b) In this part of the question, we want to ask if the conclusion in part (a), that the choices are inconsistent with rational choice, necessarily follows from the description of the decision problem as it is presented to the employee. To ask this question you need to describe a set of items, X, that is being considered by the employee and ask if there is a rational preference relation on X that could yield these choices. There are two possible answers. First, there does not exist an X and a rational preference relation on X consistent with these choices. Second, there does exist such an X and a rational preference relation on X consistent with these choices. If you believe that the first is true then prove it; if you believe that the second is true provide an example and show that it works.
	- (c) In this part of the question we want to ask what happens if additional scenarios are introduced. In scenario III, the alternatives are: do not object and 10 percent; and, object and 5 percent. In scenario IV, the alternatives are: do not object and 10 percent; and object and 20 percent. In scenario V, the alternatives are: do not object and 0 percent; and object and 20 percent. The employee's choices are observed to be: In III—object and 5 percent; In IV—do not object and 10 percent; and, In V—object and 20 percent. Is there a set of alternatives, X, and a rational

preference relation on X that could yield all of the choices we observe in the five scenarios? Again, there are two possible answers. First, there does not exist an X and a rational preference relation on X consistent with these choices. Second, there does exist such an X and a rational preference relation on X consistent with these choices. If you believe that the first is true then prove it; if you believe that the second is true provide an example and show that it works.

- 2. A consumer has preference relation \succsim on \mathbb{R}_+ of the form $x \succsim y$ if and only if $x \geq 2y$. Is \gtrsim a rational preference relation? Explain briefly.
- 3. Let X be a finite set of alternatives. Suppose \succeq is a rational preference relation on *X* and let $C^*(\cdot, \xi)$ be the choice function on *X*. Suppose that there are alternatives $x, y \in X$ such that $y \succ x$.
	- (a) Compare $C^*(B, \Sigma)$ and $C^*(B \setminus \{x\}, \Sigma)$ for a set of alternatives *B* containing both *x* and *y*.
	- (b) Compare $C^*(B, \succcurlyeq)$ and $C^*(B \setminus \{x\}, \succcurlyeq)$ for a set of alternatives *B* containing *x* but not *y*.
- 4. Let $X = \{a, b, c\}$ be a set of alternatives and suppose that $(\mathcal{B}, C(\cdot))$ is a choice structure for which β is all non-empty subsets of X. Suppose that the choice structure satisfies WARP. You know that $C({a, b, c}) = {a}$ but have no other information about $C(\cdot)$. What can you say about $C(A)$ for the remaining $A \in \mathcal{B}$?
- 5. Let *X* be a finite, nonempty set and let *B* be all non-empty subsets of *X*, i.e. $B = \mathcal{P}(X)$. Prove that any choice structure $(\mathcal{B}, C(\cdot))$, with $\mathcal{B} = \mathcal{P}(X)$, that satisfies WARP satisfies Sen's β .
- 6. A consumer has preferences \succsim on \mathbb{R}^n_+ that can be represented by a quasi-concave utility function $u : \mathbb{R}^n_+ \to \mathbb{R}_+$. You have been asked to describe the effect of a small tax on good one on the consumer's demand for good one. To do this you plan to start by solving the consumer's maximization problem. However, you don't like solving maximization problems with quasi- concave objective functions and so you plan to use a monotonic transformation $f : \mathbb{R}_+ \to \mathbb{R}_+$ of the utility function to replace $u : \mathbb{R}_+^n \to \mathbb{R}_+$ by $v(x) = f(u(x))$ in the maximization problem. Is this valid? Will it give you the same demand as you would have found with the original utility function? Explain.
- 7. A consumer purchases goods $x \in \mathbb{R}^L_+$ with $L \geq 2$ at prices p using wealth w. Let x^* be the consumer's chosen bundle of goods. You know that this consumer's choices satisfy Walras' Law and WARP. Local authorities plan to use a tax on good 1 to discourage the consumption of good 1. Local authorities do not want the consumer to be harmed by this tax so they plan to give the consumer a subsidy that is just enough to make x^* affordable at the new prices $p = (p_1 + t, p_2, \ldots, p_L)$, where *t* is the tax on good 1. The consumer treats this subsidy as a fixed number *R* that increases wealth to $w + R$.
	- (a) What happens to the amount of good 1 the consumer purchases? Explain briefly.
- (b) What would happen to the amount of good 1 the consumer purchases if there was no subsidy, i.e. $R = 0$? Explain briefly.
- 8. A consumer has preference relation \gtrsim on [0, 1] that is represented by the utility function $U(x) = x^2 - x$. Is this consumer's preference relation convex? Explain briefly.
- 9. In year 0, a consumer has wealth $w^0 = 1,000$, prices are $(p_1^0, p_2^0) = (10, 10)$ and the consumer chooses $(x_1^0, x_2^0) = (50, 50)$. In year 1, the consumer has wealth $w^1 = 1,250$ and prices are $(p_1^1, p_2^1) = (15, 9)$. For what range of choices of x_2 can you conclude that the consumer's choices are inconsistent with the weak axiom? You can assume that the consumer's choices satisfy Walras' Law.
- 10. One of your colleagues is interested in comparing the welfare of two people who live in locations where there are different prices for goods and where the two individuals have different wealths. Your colleague believes that these two people have common preferences. Specifically, he assumes that there are two consumers, 1 and 2, with rational and locally non-satiated preferences \succsim over consumption goods in \mathbb{R}^L_+ . The prices and wealths for consumers 1 and 2 are (p^1, w^1) and (p^2, w^2) respectively. Each consumer selects a bundle of goods in their budget set that is best according to their preferences. Let these bundles be x^1 and x^2 .
	- (i) Your colleague asks you to suggest how to interpret data that he might find about prices, wealths and choices. Specifically, he asks for each case below whether you can say that consumer 1 is better off than consumer 2 or consumer 2 is better off than consumer 1
		- a. $p^1x^2 < w^1$ and $p^2x^1 > w^1$
		- b. $p^1x^2 > w^1$ and $p^2x^1 > w^1$

c.
$$
p^1 x^2 < w^1
$$
 and $p^2 x^1 < w^1$

For each of these cases, what can you say about who is better off? Explain briefly.

- (ii) Another colleague argues that this entire project (inferring who is better off from these choices) is flawed. This colleague makes the following argument:
	- a. These two people choose where to live
	- b. Suppose that they each were free to choose either location (there is no cost associated with this choice) and that all attributes of the locations that these people care about are reflected in the consumption goods
	- c. Thus, each person prefers (at least weakly) the location they are in to the other location
	- d. Then as they made different location choices either they have different preferences or at least one of them is indifferent between the locations

e. Thus, the assumption of common preferences is flawed, and if they don't have common preferences nothing, other than the fact that each consumer prefers their own consumption bundle to the one chosen by the other consumer, can be inferred from the choices over consumption bundles given locations.

Briefly evaluate this argument.

Solutions. (From Gabe's solutions, where he worked with Sara Yoo, except for Problem 7b which are from the given solutions.)

- 1. Objecting and rational choice
	- (a) Consider a decision-maker *i*, deciding between alternatives x_5^i and x_0^i , which represent the plans that have five percent and zero percent deducted respectively. Define \succ such that $x \succ y$ if *i* would choose *x* if given the option. In this model, we have that $x_5^i \succ x_0^i$ in Scenario I, which from our definition of preference relations implies that $x_5^i \succsim x_0^i$, and $x_0^i \not\subset x_5^i$. However, we have in Scenario II that x_0^i $\succ x_5^i$, which implies that x_0^i $\succsim x_5^i$. However, this is a contradiction of the preferences implied earlier, so this decision-maker is not rational.

(Note that this model assumes that the decision-maker cannot be indifferent between the two options. This fits the empirical results, as it appears that the majority of people prefer not objecting. However, this may be a stronger assumption than is warranted.)

(b) Consider the following set of objects:

$$
X = \{(x_0, o), (x_0, n), (x_5, o), (x_5, n)\}
$$

where *o* denotes objecting and *n* denotes not objecting. Define the following preference relation over these alternatives, which mirrors the Lexicographic preference relation:

$$
x \succeq x'
$$
 if $x_2 = n$ and $x'_2 = 0$, or $x_2 = x'_2$ and $x_1 \ge x'_1$

where we (arbitrarily) assume that $x_0 > x_5$. This rationalizes the choices made by the decision-maker, where $(x_0, n) \succeq (x_5, o)$ and $(x_5, n) \succeq (x_0, o)$. This preference relation is additionally complete and transitive over X – indeed, all relationships are strict and ordered, so we have

$$
(x_0, n) \succ (x_5, n) \succ (x_0, o) \succ (x_5, o)
$$

(c) These preferences are not rationalizable, as the observed preferences violate transitivity. Taking the new set of objects, and making no assumptions about the form of the revealed preference relation:

$$
X = \{(x_0, o), (x_0, n), (x_5, o), (x_5, n), (x_{10}, o), (x_{10}, n), (x_{20}, o), (x_{20}, n)\}\
$$

our observed preferences are, in scenario order:

$$
(x_5, n) \succ (x_0, o)
$$

\n
$$
(x_0, n) \succ (x_5, o)
$$

\n
$$
(x_5, o) \succ (x_{10}, n)
$$

\n
$$
(x_{10}, n) \succ (x_{20}, o)
$$

\n
$$
(x_{20}, o) \succ (x_0, n)
$$

We can construct the following chain:

$$
(x_5, o) \succ (x_{10}, n) \succ (x_{20}, o) \succ (x_0, n) \succ (x_5, o)
$$

which is a contradiction of transitivity. Since the revealed preferences are not transitive, they are not rationalizable.

- 2. \succeq is not a rational preference relation. Consider $x = 2$, and $y = 3$. $x \not\succeq y$, as $2 \not\geq 6$, but $y \not\geq x$, as $3 \not\geq 4$. Thus, \succeq is not complete, and so is not rational.
- 3. We will examine $C^*(\cdot, \succeq)$.
	- (a) For $B \ni x, y, C^*(B, \succeq) = C^*(B \setminus \{x\}, \succeq)$. To see why, note that the only possible difference between them would require $x \in C^*(B, \succeq)$. However, from the definition of choice functions, that would require $x \succeq z \forall z \in B$, but $y \in B$ and $y \succ x \Rightarrow x \not\succeq y$. Thus, $x \notin C^*(B, \succeq)$, so $C^*(B, \succeq) = C^*(B \setminus \{x\}, \succeq)$.
	- (b) For $B \ni x$ where $y \notin B$, it may be the case that $C^*(B, \succeq) \neq C^*(B \setminus \{x\}, \succeq)$. That would require that $x \succeq z \forall z \in B$, which would mean that $x \in C^*(B, \succeq)$ and $x \notin C^*(B \setminus \{x\}, \succeq)$. However, if $\exists z \in B$ s.t. $z \succ x$, it will be the case that $C^*(B, \succeq) = C^*(B \setminus \{x\}, \succeq).$
- 4. $X = \{a, b, c\}$, and $(B, C(\cdot))$ is a choice structure where $B = \mathcal{P}(X)$, and $C(\{a, b, c\})$ ${a}$. We can say that if $a \in A$, $C(A) = {a}$. This is because the fact that $a \in A$ *C*({ a, b, c }), and $b, c \notin C({a, b, c})$ together imply that $a \succ b$ and $a \succ c$. Thus, for $A \in \{\{a\}, \{a,b\}, \{a,c\}, \{a,b,c\}\}\$, $C(A) = \{a\}$. Also, trivially, $C(\{b\}) = \{b\}$, and $C({c}) = {c}$, from the definition of the choice correspondence that $C(X) \subseteq X$ and $C(X) \neq \emptyset$ \forall *X*. We can say nothing about $C(A)$ when $A = \{b, c\}$, as we have no information about whether $b \succeq c$ or $c \succeq b$.
- 5. (WARP \Rightarrow Sen's β)

Proof. We have that $(\beta, C(\cdot))$ satisfies WARP. Take some $x, y \in A \subset B$, and assume that $x, y \in C(A)$ and $y \in C(B)$. These are the necessary conditions for Sen's β . By WARP, since $x, y \in A \cap B$, $x \in C(A)$, and $y \in C(B)$, $x \in C(B)$. Thus, since $x \in C(B)$ whenever $x, y \in A \subset B$, $x, y \in C(A)$, and $y \in C(B)$, $(\beta, C(\cdot))$ satisfies Sen's β . whenever $x, y \in A \subset B$, $x, y \in C(A)$, and $y \in C(B)$, $(\beta, C(\cdot))$ satisfies Sen's β .

6. From Proposition 2.16, we have that for strictly increasing *f*, if there exists *u* such that $x \succeq y \Leftrightarrow u(x) \geq u(y)$, then $x \succeq y \Leftrightarrow f(u(x)) \geq f(u(y))$. Thus, this is a

valid transformation – if a bundle $x \in \mathbb{R}^n_+$ is preferred to $y \in \mathbb{R}^n_+$, so $x \succeq y$, then $v(x) \ge v(y)$, where $v(x) = f(u(x))$. This transformation will give the same demand as with the original utility function, in terms of bundles of items demanded. To see this, consider that the maximization problem is equivalent to finding an ideal bundle, $x^* \in \operatorname{argmax}_{x \in \mathbb{R}^n_+} u(x) \equiv \operatorname{argmax}_{x \in \mathbb{R}^n_+} v(x)$. Since the set of maximizers of each function are the same, as $u(x) \ge u(y) \Leftrightarrow v(x) \ge v(y)$, the demand will be the same.

- 7. (Compensating Demand)
	- (a) First, note that by assumption the consumer's demand $x(p, w)$ is homogeneous of degree 0. Thus, the conditions of the law of compensated demand hold, and since the consumer's demand satisfies Walras' law, we have that for their new bundle of goods *x*′

 $(p' - p) \cdot (x' - x^*) \le 0 \implies t(x'_1 - x_1^*) \le 0$

Thus, since the tax is strictly positive, $x'_1 \leq x^*$, so their consumption of good 1 weakly decreases.

- (b) If $R = 0$, we do not have a compensated price change, so we can no longer affirm what will happen with the amount of good 1 the consumer purchases, since it will depend on the type of good it is. For instance, if it is a Giffen good, an increase in its price would generate an increase in its consumed amount
- 8. These preferences are convex. By Proposition 2.32, a utility function representing a preference relation \succeq is quasiconcave if and only if \succeq is convex. Taking the derivatives of *u*, we get that $u'(x) = 1 - 2x$, and $u''(x) = -2$. Since $u''(x) < 0 \ \forall x \in [0,1], u$ is strictly concave, and by implication quasiconcave, and thus the preferences \succeq that it represents are convex.
- 9. Note first that since $15 \cdot 50 + 9 \cdot 50 = 1,200 < 1,250$, the bundle x^0 is available in the consumer in year 1. Thus, their chosen bundle in year 1 must not have been available to them in year 0. Otherwise, their preferences would violate WARP. In other words, the bundles that violate WARP satisfy:

$$
15x_1 + 9x_2 \le 1,250 \qquad \text{and} \qquad 10x_1 + 10x_2 \le 1,000
$$

Assuming that Walras' Law holds, we have that any amount not spent on x_2 is spent on x_1 , so these equations should hold with equality. Solving them, we get that the minimum number of x_2^1 that would not violate WARP is 41.67. If they choose a bundle that contains less x_2 , it would have been attainable under the year 0 prices, so the choice of (50*,* 50) in year 0 would violate WARP.

- 10. (Identifying whether consumers are better off)
	- (i) We consider the three cases:
- (a) $p_1x_2 < w_1$ and $p_2x_1 > w_2$: In this case, we can say that consumer 1 is better off than consumer 2. Specifically, we can see that the bundle x_2 is attainable under (p_1, w_1) . Since x_2 is attainable, it must be that $x_1 \succeq x_2$.
- (b) $p_1x_2 > w_1$ and $p_2x_1 > w_2$: In this case, we cannot say whether either consumer is better off, as neither of their bundles are attainable to the other.
- (c) $p_1x_2 < w_1$ and $p_2x_1 < w_2$: These choices are inconsistent with rationality. To see why, note that $\exists \varepsilon_1 > 0$ s.t. $B_{\varepsilon_1}(x_2)$ is entirely contained in the feasible set. By local non-satiation, we have that $\exists x' \in B_{\varepsilon_1}$ s.t. $x' \succ x_2$. However, since consumer 1 chooses x_1 , we have that $x_1 \succeq x' \succ x_2 \Rightarrow x_1 \succ x_2$. This implies that consumer 2 's choice of x_2 violates rationality of their common preferences, as $x_2 \not\subset x_1$ and x_1 is feasible. The same argument applies in reverse, so the choices violate rationality.
- (ii) This argument makes sense. If we consider the location as another element of their preferences, it would violate WARP for consumer 2 to choose to live in their current location instead of (costlessly) moving to consumer 1's location and being able to attain their better bundle. This argument, and the fact that moving is costless, entirely undermines the assumption that their preferences are identical.

7.1.2 Outside Questions

The following are from Stanford ECON 202 Problem Set 1. Questions written by Ilya Segal, answers by Gabe along with Shiqi Yang. Answers not necessarily correct.

Problem 1: Prove the following statements about preference relations:

- (a) If \succsim is transitive, then \succ is also transitive.
- (b) If \geq is transitive, then \sim is also transitive.
- (c) If \gtrsim is complete and transitive, then \gtrsim is *negatively transitive*: if $x \gtrsim y$ then for any z either $x \succeq z$ or $z \succeq y$ or both.
- (a) **Proof.** Take some $x, y, z \in X$ such that $x \succ y$ and $y \succ z$. Since \succ implies \succsim , we have that $x \succeq y$ and $y \succeq z$, and since \succeq is transitive, $x \succeq z$. To show that $x \succ z$, it suffices to demonstrate that $z \not\gtrsim x$. Towards a contradiction, assume that $z \succsim x$. Then we would have that $x \succeq y$, $y \succeq z$, and $z \succeq x$. This holds only when $x \sim y \sim z$. However, we assumed earlier that $x \succ y$, meaning that $x \not\sim y$. This is a contradiction, so *z* $\not\geq x$. Since $x \succeq z$, we have that $x \succ z$, and since $x \succ y$ and $y \succ z \Rightarrow x \succ z$, \succ is transitive transitive.
- (b) *Proof.* Take some $x, y, z \in X$ such that $x \sim y$ and $y \sim z$. Since \sim implies \succsim , we have that $x \succeq y$ and $y \succeq z$, and since \succeq is transitive, $x \succeq z$. To show that $x \sim z$, it suffices

to demonstrate that $z \succeq x$. From the definition of \sim , we have that $z \succeq y$ and $y \succeq x$. Since \geq is transitive, $z \geq x$. Thus, we have that $x \geq z$ and $z \geq x$, so $x \sim z$, and since $x \sim y$ and $y \sim z \Rightarrow x \sim z$, \sim is transitive. $x \sim y$ and $y \sim z \Rightarrow x \sim z$, \sim is transitive.

(c) **Proof.** Take some z. Since \sum is complete, either $y \sum z$ or $z \sum y$ or both. If $y \sum z$, then we have that $x \succsim y$ and $y \succsim z$, which means that $x \succsim z$ because \succsim is transitive. Thus, if $x \succeq y$, either $x \succeq z$ or $z \succeq y$ or both for all z. Ш

Problem 2: (Kreps) Two friends, Larry and Moe, wish to go on vacation together. Individually, they are standard preference maximizers – their preferences \succcurlyeq_{Larry} and \succsim_{Moe} are complete and transitive. They attempt to form a joint preference relation, as follows:

$$
x \succsim^* y
$$
 if $x \succsim_{Larry} y$ or $x \succsim_{Moe} y$

That is, they jointly prefer *x* to *y* if *either* Larry or Moe prefer *x* to *y*.

Prove that \succsim^* is complete. Show by example that it may not be transitive.

Proof. Take some $x, y \in X$. Since \succsim_{Larry} and \succsim_{Moe} are both complete, they will each have preferences over *x* and *y*. Consider three cases. First, if $x \succeq_{Larry} y$ and $x \succeq_{Moe} y$, then $x \succsim^* y$. Next, if $y \succsim_{Larry} x$ and $y \succsim_{Moe} x$, then $y \succsim^* x$. Finally, if $x \succsim_{Larry} y$ and $y \succsim_{Moe} x$ (or *vice versa*), then $x \geq^* y$ and $y \geq^* x$. Thus, \geq^* is complete, because for arbitrary *x*, *y* ∈ *X*, either *x* \succeq^* *y* or *y* \succeq^* *x* or both. Note that if either *x* ∼*Larry y* or *x* ∼*Moe y*, then *x* ∼^{***} *y*. though that case is captured by the above. $x \sim^* y$, though that case is captured by the above.

Take as an example the case where $z \gtrsim_{Larry} x \gtrsim_{Larry} y$ and $y \gtrsim_{Moe} z \gtrsim_{Moe} x$. Further, assume that $x \not\gtrsim_{Larry} z$ and $x \not\gtrsim_{Moe} z$, so those preferences are strict (*i.e.*, $z \succ_{Larry} x$ and $z \succ_{Moe} x$). We have that $x \succsim_{Larry} y$, so $x \succsim^* y$ and we have that $y \succsim_{Moe} z$, so $y \succsim^* z$. However, we also have that $z \succ_{Larry} x$ and $z \succ_{Moe} x$, meaning that $z \succsim^* x$ and $x \not\geq^* z$, so $z \succ^* x$. Since $x \succsim^* y$ and $y \succsim^* z \neq x \succsim^* z$, in this case \succsim^* is not transitive.

Problem 3: A "problem" with Proposition 2 in the notes is that it assumes we have the entire choice rule *C*. If we are trying to test the preference-based model of choice, we will typically have less data than all of *C* in two respects. First, for sets $A \subseteq X$ where $C(A)$ contains more than one element, we are likely to see only one element of $C(A)$. Second, we will typically see $C(A)$ for some, but not all, subsets $A \subseteq X$

- (a) Show that the first problem is virtually unresolvable. Assume that when we see $x \in A$ being chosen from *A*, this doesn't preclude $y \in A$ being just as good as *x*. Prove that in this case, no data we see will *ever* contradict the preference-based model. (This is a trick question – if you see the trick, it takes about two lines to answer.)
- (b) Suppose that we observe $C(A)$ for some, but not all, subsets $A \subseteq X$. That is, we observe a choice rule $C : A \rightarrow B$, where $A \subset B$ is the set of feasible sets the agent

is offered. Show that these partial data may satisfy Houthakker's axiom of revealed preference and still be inconsistent with the standard preference-based model.

- (c) Say that the choice rule $C : A \rightarrow B$ satisfies the **General Axiom of Revealed Preference** (GARP) if, for any sequence A_1, \ldots, A_n and $x_i \in A_i$ for each $i, x_{i+1} \in A_i$ *C*(*A*_{*i*}) for all $i = 1, \ldots, n - 1$, and $x_1 \in C(A_n)$ imply that $x_i \in C(A_i)$ for all *i*. (That is, it rules out revealed preference cycles except for revealed indifference.) Show that if the set X of choices is finite, a nonempty-valued choice function $C : \mathcal{A} \to \mathcal{B}$ is rationalizable by a complete transitive preference if and only if it satisfies GARP. (Note: the "if" part is hard.)
- (a) *Proof.* Note first that proving that a set of preferences violates transitivity requires proving that at least one preference is strict, in order to rule out transitive indifference. Under these conditions, if *x* ≻ *y*, then *C*({*x*, *y*}) = *x*, but it is impossible to rule out that *y* ≻ *x*. Thus, no data will ever contradict the preference-based model. □ that $y \gtrsim x$. Thus, no data will ever contradict the preference-based model.
- (b) Take some $x, y, z \in X$ such that $x \succ y, y \succ z$, and $z \succ x$. Also assume that $\mathcal{A} = \{x, y\}$, so we only observe $C(A) = x$ and no other choices. HARP is vacuously true, but the preferences as stated clearly violate transitivity.
- (c) **Proof.** (\implies) We have that a nonempty-valued choice function $C : \mathcal{A} \to \mathcal{B}$ is rationalizable by a complete transitive preference. Towards a contradiction, assume that GARP is not satisfied, so there exists a sequence $A_1, \ldots, A_n, x_i \in A_i$ for each *i*, $x_{i+1} \in C(A_i)$ for all $i = 1, ..., n-1$, and $x_1 \in C(A_n)$ but there is some $x_i \notin C(A_i)$. Since $x_{i+1} \in C(A_i)$, $x_{i+1} \succ x_i$. However, note that $x_i \in C(A_{i-1})$, so $x_i \succsim x_{i-1}$, and *x*_{*i*−1} ∈ *C*(*A*_{*i*−2}), so $x_{i-1} \succsim x_{i-2}$, and so on. Since $x_1 \in C(A_n)$, $x_1 \succsim x_n$. Thus, we have

$$
x_i \succsim x_{i-1} \succsim \cdots \succsim x_1 \succsim x_n \succsim x_{n-1} \succsim \cdots \succsim x_{i+1}
$$

Since transitivity extends to all *n*-cycles, and $x_{i+1} \succ x_i$ (which implies that $x_i \not\subset x_{i+1}$, this violates transitivity. This contradicts the earlier assumption that *C* is rationalizable by a complete transitive preference, so GARP must be satisfied.

(\Leftarrow) We have that $C : \mathcal{A} \to \mathcal{B}$ satisfies GARP, so for any sequence A_1, \ldots, A_n and $x_i \in A_i$ for each i, $x_{i+1} \in C(A_i)$ for all $i = 1, \ldots, n-1$, and $x_1 \in C(A_n)$ imply that $x_i \in C(A_i)$ for all *i*. We will demonstrate that it is rationalizable by a complete transitive preference.

Define $x \succeq^r y$ if $x \in C(A)$ and $y \in A$. Say that a sequence x_1, \ldots, x_n is a chain if $x_{i+1} \succeq^{r} x_i$ for all *i*. Say that a cycle is a chain where $x_1 = x_n$. Note that a cycle can be contained in a chain. Also note that \sum^r is not complete (if the only A where $x, y \in A$ is such that $x, y \notin C(A)$, we can say nothing about their relationship) nor necessarily transitive (we cannot say whether $x \succsim^{r} z$ if there is no *A* such that $z \in A$ and $x \in C(A)$, no matter if $x \succsim^{r} y$ and $y \succsim^{r} z$).

Define $x \succeq^t y$ if either $x \succeq^r y$ or there exists a chain containing both x and y where $x \succsim^{r} \cdots \succsim^{r} y$. Note that if *x* and *y* are in a cycle, then $x \sim^{t} y$.

Define a cycle *C* as a complete cycle if there exists no $y \notin C$ where $x \succcurlyeq^{t} y$ or $y \succcurlyeq^{t} x$ for any $x \in C$. Note that all elements which are not comparable to any other elements are singleton complete cycles.

Begin with a sequence $A = A_1, \ldots, A_n$ where $x_i \in A_i$ and $x_{i+1} \in C(A_i)$ for each *i*, so it is a chain *C*. We say that this chain can be extended downward if $\exists A_0$ such that $x_1 \in C(A_0)$ and $x_0 \in A_0$ for some $x_0 \neq x_1$. We say that this chain can be extended upward if ∃ A_{n+1} where $x_{n+1} \in C(A_n)$ for some $x_{n+1} \in A_{n+1}$. All chains which cannot be extended we call maximal chains. We call a chain *C* a complete chain if that chain is maximal and if $x_i \in C$ is also in a cycle, all other elements x_{i+1}, \ldots of the cycle are also in the chain.

Note that all elements of *X* are also elements of either a complete chain or a complete cycle. Next, we will demonstrate that the elements can be ordered by a utility function, so they can be compared. Define a length function *l* such that for a complete chain $C = x_1, \ldots, x_n$, $l(c) = n - 1 - n_c + N_c$, where *n* is the number of elements in the chain, *n^c* is the number of elements of the chain which are also in a cycle, and *N^c* is the number of cycles in the chain. Note that $l(C) = 0$ whenever *C* is a complete cycle. This definition is only possible because GARP ensures that there are no revealed preference cycles except for revealed indifference – if there existed $x \succ y \succ z \succ x$, there would exist non-cyclical chains of infinite length. Since we assumed GARP held, *l* has finite range.

Construct a utility function as follows. All elements which are part of a complete chain have minimal utility (they are assigned utility of $-\infty$). Define the set of complete maximal chains $\mathcal{C} = \{C_1, \ldots, C_n\}$. This will be a finite set because X is finite, so the length function $l : \mathcal{C} \to \mathbb{Z}_+$ attains a maximum over it. Take all the chains for which l is maximized, and assign their maximal elements utility of 0 (an element *x* of a complete chain *C* is maximal if $x \succeq^t y$ for all $y \in C$). Then remove all of those elements from the chains and find the new chains over which *l* attains a maximum. Assign their maximal elements utility of -1 , and continue this process until all elements of all complete chains are assigned. (The process will end because *X* is finite.)

We have now assigned a utility to every element of *X*, and the process guarantees we have not assigned two utilities to the same element. Let \succsim^* be the preference relation generated by this utility relation, so $x \succsim^* y$ if the utility assigned to x is greater than or equal to the utility assigned to *y*. It remains to show that ζ^* is complete and transitive, and that it generates the choice rule *C* we began with.

First, as stated above each element is assigned a utility, so the completeness of \geq on R ensures that \succsim^* is complete. The same argument applies to transitivity, where since \geq is transitive on \mathbb{R} , $x \succeq^* y$ and $y \succeq^* z$ imply that $u(x) \geq u(y)$ and $u(y) \geq u(z)$, so $u(x) \geq u(z)$ and $x \succsim^* z$.

Finally, we will show that C_{\succsim^*} , the choice rule generated by \succsim^* , is equivalent to *C*, our

initial choice rule. It suffices to show that $C_{\succcurlyeq^{\star}}(A) \subseteq C(A)$ and that $C_{\succcurlyeq^{\star}}(A) \supseteq C(A)$.

 (\subseteq) Suppose that $x \in C_{\succeq^*}(A)$. Then for each $y \in A$, $u(x) \geq u(y)$. Towards a contradiction, assume that $x \notin C(A)$. Then there must exist $y \in A$ such that $y \succeq^r x$. By construction, $u(y) \geq u(x)$ because there exists at least one chain where $y \succeq^{r} x$. This implies that $y \succeq^* x$, meaning that $u(y) \geq u(x)$. However, this implies that $u(y) = u(x)$, which can only be the case when *x* and *y* are in a cycle, so by GARP, $x \in C(A)$. This is a contradiction of the assumption that $x \notin C(A)$, so *x* must be in *C*(*A*).

(⊇) Suppose that $x \in C(A)$, and $y \in A$. Then it must be true that $x \succeq^r y$, and by construction $u(x) \geq u(y)$ because there exists at least one chain where $x \succeq^{r} y$. Since $u(x) \geq u(y), x \succsim^* y$ and $x \in C_{\succsim^*}(A)$.

 \Box

Problem 4: Is the lexicographic preference relation (a) complete, (b) transitive, (c) strictly monotone, (d) convex, (e) continuous?

(a) The lexicographic preference relation is complete.

Proof. Consider $x, y \in X = [0, 1]^2$, where $x = (x_1, x_2)$ and $y = (y_1, y_2)$. Since the real numbers are an ordered field, we know that for $a, b \in \mathbb{R}$, either $a > b$, $b > a$, or $a = b$. Thus, either $x_1 > y_1$, in which case $x \succ y$, $y_1 > x_1$, in which case $y \succ x$, or $x_1 = y_1$. In this final case, either $x_2 > y_2$, in which case $x \succ y$, $y_2 > x_2$, in which case $y \succ x$, or *x*₂ = *y*₂, in which case *y* ∼ *x*. Thus, the lexicographic preference relation is complete, because ≻ and ∼ each individually imply \succeq . because ≻ and \sim each individually imply \succeq .

(b) The lexicographic preference relation is transitive.

Proof. Consider $x, y, z \in X = [0, 1]^2$ such that $x \succeq y$ and $y \succeq z$. Consider first the case where those relations are both indifferent, so $x \sim y$ and $y \sim z$. From the definition of the lexicographic preference relation, that means that $x_1 = y_1$ and $x_2 = y_2$, as well as $y_1 = z_1$ and $y_2 = z_2$. Since equality is transitive over R, that means that $x_1 = z_1$ and $x_2 = z_2$, so $x \sim z \Rightarrow x \succsim z$. Next, consider the case where one of those relations is strict. Without loss of generality, assume that $x \succ y$. This implies that either $x_1 > y_1$ or $x_1 = y_1$ and $x_2 > y_2$. We also have that $y_1 \geq z_1$, so if $x_1 > y_1$, $x_1 > z_1$ and $x \succ z$. If $x_1 = y_1$, then either $y_1 > z_1$ (which implies that $x_1 > z_1 \Rightarrow x > z$) or $y_1 = z_1$ and $y_2 \geq z_2$. Since $x_2 > y_2$, $x_2 > z_2$ by transitivity of the reals and $x \succ z$. Thus, since ≻ and \sim each individually imply \succsim , whenever $x \succsim y$ and $y \succsim z$, $x \succsim z$ and lexicographic preference relation is transitive. \Box

(c) The lexicographic preference relation is strictly monotone.

Proof. Take $x, y \in X$ such that $x \gg y$. This means that $x_1 > y_1$, so $x \succ y$. \Box (d) The lexicographic preference relation is convex.

Proof. Take $x, x', y \in X$ such that $x \succeq y$ and $x' \succeq y$. This means that $x_1 \geq y_1$ and $x'_1 \geq y_1$. Thus, $tx_1 + (1-t)x'_1 \geq y_1$ for all $t \in (0,1)$, because the affine combination of two real numbers will be greater than the smaller of the two (unless they are equal), which is itself at least as large as y_1 . If the combination is strictly greater, than $tx + (1-t)x' > y$. If it is equal, then both x_1 and x'_1 must be equal to y_1 . Since $x \succeq y$ and $x' \succeq y$, that means that $x_2 \ge y_2$ and $x'_2 \ge y_2$, and by the same logic $tx_2 + (1-t)x'_2 \geq y_2$ for all $t \in (0,1)$. If that is a strict difference, then $tx + (1-t)x' \succ y$. If they are equal, then both x_2 and x'_2 must be equal to y_2 , and $tx+(1-t)x' \sim y$. Since ≻ and ∼ each individually imply \geq , $x \geq y$ and $x' \geq y$ implies that $tx + (1-t)x' \geq y$ for all $t \in (0, 1)$ and the lexicographic preference relation is convex for all $t \in (0, 1)$, and the lexicographic preference relation is convex.

(e) The lexicographic preference relation is not continuous.

Take as a counterexample the sequences $x^n = (0.5 + \frac{1}{n}, 0)$ and $y^n = (0.5 - \frac{1}{n}, 1)$, for $n = 2, \ldots$ By inspection, $x^n \to x = (0.5, 0)$ and $y^n \to y = (0.5, 1)$. The first term of each element of x^n , x_1^n , is strictly greater than 0.5, and the first term of each element of y^n , y_1^n , is strictly less than 0.5, since $\frac{1}{n} > 0$. This means that $x_1^n > y_1^n$ for all *n*, so $x^n \succ y^n$ for all *n*. However, $x_1 = y_1 = 0.5$, and since $y_2 = 1 > x_2 = 0$, $y \succ x$. This contradicts the definition of continuity, so the lexicographic preference relation is not continuous.

Shorter Answer: Yes, yes, yes, yes, no.

Problem 5: Prove that if $u : X \to \mathbb{R}$ is a continuous utility function representing \succsim , then \succsim is continuous.

Proof. Recall the definition of a continuous real-valued function: such a function is continuous if for any sequence x^n where $x^n \to c$, $f(x^n) \to f(c)$. Also recall that if *u* represents $\sum y \iff u(x) \geq u(y)$. Take sequences $x^n \to x$ and $y^n \to y$, where $x^n \geq y^n$ for all *n*. We know from above that $u(x^n) \ge u(y^n)$ for all *n*, and $u(x^n) \to u(x)$ as well as $u(y^n) \to u(y)$. We will demonstrate that $u(x) \ge u(y)$, which suffices to show that $x \succsim y$ and that \succsim is continuous.

Towards a contradiction, assume that $u(y) > u(x)$. For some $\varepsilon > 0$, $u(y) = u(x) + \varepsilon$. Take $\delta = \varepsilon/3$. From the definition of the limit of a sequence, there exists N_x such that $\forall n > N_x$, $u(x^n) \in (u(x) - \delta, u(x) + \delta)$, and there exists N_y such that $\forall n > N_y, u(y^n) \in (u(y) - \delta, u(y))$ $\delta, u(y) + \delta$. However, since $u(y) = u(x) + \varepsilon$, $u(y) - \delta > u(y) - \varepsilon/2 = u(x) + \varepsilon/2 > u(x) + \delta$. This means that the two sets are disjoint, where the δ -ball around $u(y)$ lies above the δ ball around $u(x)$. This implies that, for all $n > \max\{N_x, N_y\}$, $u(y^n) > u(x^n)$. This is a contradiction, since that means that $y^n \succ x^n$ for some *n*, contradicting the assumption that $x^n \succ y^n$ for all *n*. Thus, $u(x) > u(y)$, meaning that $x \succ y$, and $\succ z$ is continuous. $x^n \succsim y^n$ for all *n*. Thus, $u(x) \geq u(y)$, meaning that $x \succsim y$, and \succsim is continuous.

Problem 6: A preference relation \lesssim on \mathbb{R}^n_+ is called *homothetic* if for all $x, y \in \mathbb{R}^n_+$ and all $\lambda > 0$, $x \geq y$ if and only if $\lambda x \geq \lambda y$. Show that a continuous strictly monotone preference relation on \mathbb{R}^n_+ is homothetic if and only if it can be represented by a utility function $u : \mathbb{R}^n_+ \to \mathbb{R}_+$ with the property $u(\lambda x) = \lambda u(x)$ for all $x \in \mathbb{R}^n_+$ and all $\lambda > 0$. (This property is known as *homogeneity of degree one*.)

Proof. (\Leftarrow) We have that a continuous strictly monotone preference relation can be represented by a utility function $u : \mathbb{R}^n_+ \to \mathbb{R}_+$ with the property $u(\lambda x) = \lambda u(x)$ for all $x \in \mathbb{R}^n_+$ and all $\lambda > 0$. That means that $x \succeq y \iff u(x) \geq u(y)$. Take some $x, y \in \mathbb{R}^n_+$ such that $x \succeq y$, which implies that $u(x) \geq u(y)$. Fix some $\lambda > 0$. Multiplying by λ and using homogeneity of degree one, we get that $\lambda u(x) \geq \lambda u(y) \implies u(\lambda x) \geq u(\lambda y) \implies \lambda x \succsim \lambda y$, so $x \succeq y \implies \lambda x \succeq \lambda y$. Going the other direction, take some $x, y \in \mathbb{R}^n_+$ such that $\lambda x \succeq \lambda y$, which implies that $u(\lambda x) \geq u(\lambda y)$. Using homogeneity, we have that $\lambda u(x) \geq \lambda u(y)$, and dividing out the λ , we have $u(x) \geq u(y)$, which implies that $x \succsim y$. Thus, we have that $x \succeq y \Longleftrightarrow \lambda x \succeq \lambda y$, and \succeq is homothetic.

 (\implies) Take a homothetic preference relation \succsim on \mathbb{R}^n_+ , so for all $x, y \in \mathbb{R}^n_+$ and all $\lambda > 0$, $x \succeq y \Leftrightarrow \lambda x \succeq \lambda y$. An extension of this property is that $x \sim y \Leftrightarrow \lambda x \sim \lambda y$. (This holds because $y \succsim x \iff \lambda y \succsim \lambda x$.) Note that we are assuming that \succsim is complete and transitive, as Ilya said in office hours.^{[2](#page-70-0)} As such, we assume that \succsim is transitive. Define $e = (1, 1, \ldots, 1)$. From the proof of Proposition 4, for all x there exists a certain $\alpha_x \in \mathbb{R}_+$ such that $\alpha_x e \sim x$. Define $u(y) = \{\alpha : \alpha e \sim y\}$. From the proof of Proposition 4, this set will be a singleton for all $y \in \mathbb{R}^n_+$, so *u* is well-defined, and $u(x) = \alpha_x$. Since \geq is homothetic, $\lambda \alpha_x e \sim \lambda x$. This means that $u(\lambda x) = \lambda \alpha_x = \lambda u(x)$, so *u* is homogeneous of degree one.

 \Box

Problem 7: Suppose the agent lives for T periods, and he chooses a consumption stream $(x_1, \ldots, x_T) \in X_1 \times \cdots \times X_T$. Suppose that the agent's preferences over consumption streams do not change over time (this is known as "time-consistency"), and that they are represented by a utility function $u: X_1 \times \cdots \times X_T \to \mathbb{R}$. Derive a necessary and sufficient condition on *u* for the agent's preferences over future consumption $(x_t, \ldots, x_T) \in X_t \times \cdots \times X_T$ at any time $t = 2, ..., T$ to be independent of past consumption $(x_1, ..., x_{t-1}) \in X_1 \times \cdots \times X_{t-1}$. Give examples of utility functions that do and do not satisfy this condition.

Solution: To define a necessary and sufficient condition such that preferences over future consumption are independent of past consumption at any time, we will apply Proposition 6 for all $t = 2, \ldots, T-1$. Assume that preferences over future consumption at $t = 2$ are independent of past consumption, so (x_2, \ldots, x_T) are independent of x_1 . By Proposition 6,

²This direction of the proof does not work if we cannot assume transitivity, because any utility representation would violate the inherent transitivity of \geq over the reals, and it does not work without completeness because there would have to be undefined elements in the domain of *u*.

there must exist functions $v_1 : X_2 \times \cdots \times X_T \to \mathbb{R}$ and $U_1 : \mathbb{R} \times X_1 \to \mathbb{R}$ such that U_1 is increasing in its first argument and $u(x_1,...,x_T) = U_1(v_1(x_2,...,x_T),x_1)$.

Fix some x_1 . We have that $(x_1, x_2, \ldots, x_T) \succsim (x_1, x'_2, \ldots, x'_T)$ if and only if $u(x_1, x_2, \ldots, x_T) \ge$ $u(x_1, x'_2, \ldots, x'_T)$, which is equivalent to the statement $U_1(v_1(x_2, \ldots, x_T), x_1) \ge U_1(v_1(x'_2, \ldots, x'_T), x_1)$. Since U_1 is increasing in its first argument, $(x_1, x_2, \ldots, x_T) \succeq (x_1, x_2', \ldots, x_T')$ if and only if $v_1(x_2,...,x_T) \ge v_1(x'_2,...,x'_T)$, so v_1 represents preferences over $(x_2,...,x_T)$ which are independent of x_1 .

Now consider preferences over (x_3, \ldots, x_T) . Since those preferences are independent of x_2 , from the logic above there exist functions $v_2 : X_3 \times \cdots \times X_T \to \mathbb{R}$ and $U_2 : \mathbb{R} \times X_2 \to \mathbb{R}$ such that U_2 is increasing in its first argument and $u(x_1,...,x_T) = U_1(U_2(v_2(x_3,...,x_T),x_2)x_1)$.

We will continue this argument for all $t = 3, \ldots, T-1$. We arrive at the following condition: there must exist functions $U_t : \mathbb{R}^2 \to \mathbb{R}$ for each $t = 2, \ldots, T - 1$ and $v_{T-1} : X_T \to \mathbb{R}$ such that

$$
u(x_1,\ldots,x_T)=U_1(U_2(U_3(\ldots U_{T-1}(v_{T-1}(x_T),x_{T-1})\ldots,x_3)x_2)x_1)
$$

for all $x \in \mathbb{R}^n_+$, where each U_t is increasing in its first argument.

By Proposition 6, this condition is necessary to show that preferences on (x_t, \ldots, x_T) do not depend on (x_1, \ldots, x_{t-1}) at any time $t = 2, \ldots, T$. To demonstrate that it is sufficient, assume that there exist functions $U_t : \mathbb{R}^2 \to \mathbb{R}$ for all $t = 2, \ldots, T - 1$ and $v_{T-1} : \mathbb{R} \to \mathbb{R}$ such that each U_t is increasing in its first argument and

$$
u(x_1,\ldots,x_T)=U_1(U_2(U_3(\ldots U_{T-1}(v_{T-1}(x_T),x_{T-1})\ldots,x_3)x_2)x_1)
$$

For each period $1 < t < T$, define $\tilde{v}_t : \mathbb{R}^{T-t+1} \to \mathbb{R}$, where

$$
\tilde{v}_t(x_t,\ldots,x_T) = U_t(U_{t+1}(U_{t+2}(\ldots U_{T-1}(v_{T-1}(x_T),x_{T-1})\ldots,x_{t+2})x_{t+1})x_t)
$$

Also define $\tilde{U}_t : \mathbb{R}^t \to \mathbb{R}$, where

$$
\tilde{U}_t(v_t(x_t,\ldots,x_T),x_1,\ldots,x_{t-1})=U_1(U_2(U_3(\ldots U_{T-1}(\tilde{v}_t(x_t,\ldots,x_T),x_t)\ldots,x_3)x_2)x_1)
$$

From above, we have that $u(x_1,...,x_T) = \tilde{U}_t(v_t(x_t,...,x_T),x_1,...,x_{t-1})$, and since the implied first argument of U_t is U_{t+1} which is increasing in its first argument means that U_t is increasing in its first argument, by Proposition 6, preferences over future consumption do not depend on past consumption.

Thus, we have derived a necessary and sufficient condition that preferences over future consumption do not depend on past consumption at any time $t = 2, \ldots, T$.

As an example of a utility function which does satisfy this condition, consider a linear utility function that is a sum over all consumption, so $u(x_1, \ldots, x_T) = \sum_{i=1}^T x_i$. For a utility function which does not satisfy this condition, consider a utility function which depends on the difference between consumption in period *i* and period $i - 1$, so $u(x_1, \ldots, x_T) = \sum_{i=1}^{T} (x_i - x_i)$ fixing $x = 0$ $\sum_{i=1}^{T} (x_i - x_{i-1}),$ fixing $x_0 = 0.$
7.2 Consumer (Kircher)

7.2.1 Kircher Homework

Problems

- 1. Study Berge's Maximum Theorem, and make a short video (no longer than 2 minutes) in which you explain its basic insight and intuition in your own words using a single graph that you share on screen
- 2. Imagine a worker who chooses how much to work (*t*) and how much to consume (*x*), where each of them is a non-negative scalar. The worker earns a wage normalized to 1 per hour worked, but only has *w* hours available. The consumers utility function of work and consumption is given by $u(x,t) = (x^{1/2} + (w - t))^2$. Assume that the hours budget *w* and the price of the consumption good *p* are the only free variables in the model (i.e., no changes in the wage rate).
	- (a) Write the workers problem in a more conventional way by writing his utility function in terms of consumption *x* and leisure *l*, given a budget constraint.
	- (b) Find the worker's Walrasian demand functions for goods *x* and *l*.
	- (c) Find the worker's indirect utility function using the utility function given in the statement of this problem.
	- (d) Suppose that time endowment *w* and price *p* are such that the worker chooses some strictly positive level of leisure. Find the worker's Hicksian demand function for good *x* for price and utility levels consistent with strictly positive purchases of leisure.
- 3. Consider a consumer with an expenditure function $e(p, u)$ that is multiplicatively separable in the sense that $e(p, u) = g(u)r(p)$ for some strictly increasing function $g(u)$ and strictly increasing function *r*(*p*).
	- (a) Find this consumer's Walrasian demand function.
	- (b) Exploit Walras' Law to show that $r(p) = \sum_{i=1}^{L} p_i \frac{\partial r(p)}{\partial p_i}$. Do you need to make any assumptions on $g(u)$ to arrive at this equality?
	- (c) Now suppose there is a finite number *M* of consumers in the economy that all share this expenditure function but that might not have the same budget. Does the distribution of budgets matter for aggregate demand? (If not, it means that you created a representative agent economy)
- 4. Consider a consumer that makes choices how much to buy of two different products given a budget constraint. You happen to know that the expenditure function of the consumer it is of form $e(p, U) = Up_1^{\alpha} p_2^{\beta}$
- (a) What restrictions (if any) on the parameters α and β are required to ensure that *e*(*.*) constitutes a valid expenditure function. Assume that the restriction(s) are/is satisfied.
- (b) Find the indirect utility function, the Hicksian demand functions, and the uncompensated demands. Carefully list the correct arguments for each function.
- (c) Use an alternative approach i.e. different to what you did in b) to calculate the uncompensated demand functions.
- (d) Assume the consumer has $\alpha = \beta = 1/2$, and a budget of 512. Assume environmental legislation increases prices from $p_1 = p_2 = 1$ to $p_1 = p_2 = 16$. One way to think about how to assess the loss of welfare for this consumer due to the price increase is to ask how much money would one have to give this consumer to be equally well off. There are two ways of doing this.
	- i. What is the compensating variation for this consumer? What is the equivalent variation for this consumer?
	- ii. If compensating variation and equivalent variation differ, explain why one is higher than the other in an intuitive way. Which one would you think is more reasonable if one intended to pay this consumer for his consent to agree to the price increase?
- 5. Evaluate the following (explain your answer):
	- (a) Consider utility function $u(x) = 2\ln(x_1) + 2\ln(x_2)$ and associated expenditure function $e(u, p_1, p_2)$. Now consider the utility function $u^*(x) = x_1 x_2$ with associated expenditure function e^* . Claim to evaluate: $e(u, p_1, p_2) = e^*(u^*, p_1, p_2)$ if $u^* = \exp(u/2)$.
	- (b) Consider a consumer with continuous and locally non-satiated preferences and income *w* who consumes strictly positive amounts of all goods at a given price vector $p \gg 0$. Now the price of good *i* increases from p_i to p'_i , while all other prices stay the same. Assume his income increases by $(p'_i - p_i)x_i(p, w)$. Claim to evaluate: this consumer always purchases less of good *i* under the new prices compared to the old prices, and obtains a higher utility under the new prices.
	- (c) A consumer who will live for $T \geq 2$ periods has utility function $\sum_{i} \beta^t u(c_i)$ for consumption path $c = (c_1, \ldots, c_T)$. Assume that $0 < \beta < 1$, $u'(c) > 0$ and $u''(c) < 0$ for all $c \geq 0$, and $\lim_{c \to 0} u'(c) = \infty$. Consumption in each period must be non-negative and total consumption can be no more than wealth $w > 0$, i.e. $\sum c_t \leq w$. Claim to evaluate: Optimal consumption c_t^* can increase under some utility functions.
- 6. Find an (interesting?) research paper in industrial organization, labor economics, health economics, or some other area of economics that relies on the insights from

consumer theory that we discussed in class. Which insights in particular are they using?

Solutions. (Gabe's solutions, completed with Sara Yoo and Omar Andujar. Corrected original answers to 2c and 5b after TA feedback)

1. I'm not posting a video here LMAO

2. We have a consumer whose utility function is $u(x,t) = \left(x^{\frac{1}{2}} + (w - t)\right)^2$

(a) We have that the consumer is solving

$$
\max_{x,l \in \mathbb{R}_+} u(x,l) = \left(x^{\frac{1}{2}} + l\right)^2
$$

subject to

$$
px \le w - l \equiv px + l \le w
$$

i.e. , they are maximizing consumption and leisure subject to consumption not exceeding their wage for the total hours worked.

(b) Our Lagrangian is

$$
\mathcal{L} = \left(x^{\frac{1}{2}} + l\right)^2 + \lambda(w - l - px)
$$

For the first order conditions, we get

$$
\frac{\partial \mathcal{L}}{\partial x} = \frac{x^{1/2} + l}{x^{1/2}} - p\lambda = 0 \Longrightarrow \lambda = \frac{x^{1/2} + l}{p \cdot x^{1/2}}
$$

$$
\frac{\partial \mathcal{L}}{\partial l} = 2x^{1/2} + 2l - \lambda = 0 \Longrightarrow \lambda = 2x^{1/2} + 2l
$$

$$
\frac{\partial \mathcal{L}}{\partial \lambda} = w - l - px = 0 \Longrightarrow px + l = w
$$

Setting them equal and solving, we get that

$$
\frac{x^{1/2} + l}{p \cdot x^{1/2}} = 2x^{1/2} + 2l \Longrightarrow 2px^{1/2}(x^{1/2} + l) = x^{1/2} + l
$$

so we get that the Walrasian demand for *x* is

$$
x^* = \frac{1}{4p^2}
$$

and inputting into the budget constraint, we get

$$
\frac{p}{4p^2} + l = w \Longrightarrow l^\star = w - \frac{1}{4p}
$$

Note that this might create a corner solution – if $w < \frac{1}{4p}$, then the consumer always work. Formally, our Walrasian demand functions are

$$
x^*(p, w) = \begin{cases} \frac{1}{4p^2} & w \ge \frac{1}{4p} \\ w & \text{otherwise} \end{cases}
$$

and

$$
l^*(p, w) = \begin{cases} w - \frac{1}{4p} & w \ge \frac{1}{4p} \\ 0 & \text{otherwise} \end{cases}
$$

(c) Going back to the originally stated utility function, the indirect utility function is defined by Ω

$$
V(p, w) := \max_{x, t \in \mathbb{R}_+} \left(x^{\frac{1}{2}} + (w - t) \right)^2
$$

subject to

 $px \leq t$

We first solve for the Walrasian demand functions. Our Lagrangian is

$$
\mathcal{L} = \left(x^{\frac{1}{2}} + (w - t)\right)^2 + \lambda(t - px)
$$

and our first order conditions are

$$
\frac{\partial \mathcal{L}}{\partial x} = \frac{x^{1/2} + w - t}{x^{1/2}} - p\lambda = 0 \Longrightarrow \lambda = \frac{x^{1/2} + w - t}{px^{1/2}}
$$

$$
\frac{\partial \mathcal{L}}{\partial t} = -2\left(x^{1/2} + w - t\right) + \lambda = 0 \Longrightarrow \lambda = 2\left(x^{1/2} + w - t\right)
$$

$$
\frac{\partial \mathcal{L}}{\partial \lambda} = t - px = 0 \Longrightarrow t = px
$$

Which implies that

$$
2(x^{1/2} + w - t) = \frac{x^{1/2} + w - t}{px^{1/2}} \Longrightarrow x^* = \frac{1}{4p^2}
$$

and

$$
t^\star = px^\star = \frac{1}{4p}
$$

which is the same as above, a confirmation that this formulation also works. As above, we have admitted a corner, where the worker will not take any time off if 1 $\frac{1}{4p}$ > *w*. Formally, our Walrasian Demand is

$$
x^*(p, w) = \begin{cases} \frac{1}{4p^2} & w \ge \frac{1}{4p} \\ w & \text{otherwise} \end{cases}
$$

and

$$
t^*(p, w) = \begin{cases} \frac{1}{4p} & w \ge \frac{1}{4p} \\ w & \text{otherwise} \end{cases}
$$

From the definition of the indirect value function, we have that in the interesting case,

$$
V(p, w) = u(x^*, t^*) = \left(\left(\frac{1}{4p^2}\right)^{\frac{1}{2}} + \left(w - \frac{1}{4p}\right)\right)^2 = \left(\frac{1}{2p} + w - \frac{1}{4p}\right)^2 = \left(\frac{1}{4p} + w\right)^2
$$

so our final attained value function is

$$
V(p, w) = \begin{cases} \left(\frac{1}{4p} + w\right)^2 & w \ge \frac{1}{4p} \\ w & \text{otherwise} \end{cases}
$$

(d) For leisure to be strictly positive, we will assume that $w \geq \frac{1}{4p}$. We can find the expenditure function by inverting the value function, since $e(p, V(p, w)) = w$. We get that

$$
\bar{u} = \left(\frac{1}{4p} + e(p, \bar{u})\right)^2 \Longrightarrow e(p, \bar{u}) = \sqrt{\bar{u}} - \frac{1}{4p}
$$

From Shephard's Lemma, since $u'' = -\frac{1}{x^{3/2}} < 0$, the implied preferences \succsim are strictly convex, we have that

$$
h_x(p,\bar{u}) = \frac{\partial e(p,\bar{u})}{\partial p} = \frac{1}{4p^2}
$$

- 3. We have that $e(p, u) = g(u)r(p)$ for some strictly increasing *g, r*
	- (a) From Shephard's Lemma, we have that $h_i(p, u) = g(u) \frac{\partial r(p)}{\partial p_i}$. Since *e* is two strictly increasing functions multiplied, we can say that $h_i(p, V(p, w)) = x_i(p, w)$ which means that $x_i(p, w) = g(V(p, w)) \frac{\partial r(p)}{\partial p_i}$. It remains to find a form for $g(V(p, w))$. From the expenditure function we have that $e(p, V(p, w)) = w$, so $g(V(p, w))r(p) = w$ which implies that $V(p, w) = g^{-1}(w/r(p))$, where g^{-1} exists because *g* is strictly increasing. Thus, we have that $x_i^*(p, w) = \frac{w}{r(p)}$ $\frac{\partial r(p)}{\partial p_i}$.
	- (b) If Walras' Law holds, we have that $p \cdot x = w$, which implies that

$$
\sum_{i=1}^{L} p_i x_i(p, w) = w \Longrightarrow \sum_{i=1}^{L} p_i \frac{w}{r(p)} \frac{\partial r(p)}{\partial p_i} = w
$$

Which means that

$$
\sum_{i=1}^{L} p_i \frac{\partial r(p)}{\partial p_i} = r(p)
$$

We don't need to make any assumptions on $g(u)$ for this to hold, as it was eliminated before considering Walras' Law. For Walras' Law to hold, we need local non-satiation of the utility function itself.

- (c) The distribution of budgets does not matter for aggregate demand! Because $\sum_{i=1}^{I} x^{i}(p, w^{i}) = \sum_{i=1}^{I}$ $\frac{w^i}{r(p)} r'(p) = \frac{\sum_{i=1}^I w^i}{r(p)} r'(p) = x(p, \sum_{i=1}^I w^i)$, we can construct a representative agent with total wealth who has the same preferences as all of the agents.
- 4. We know that the expenditure function of the consumer is $e(p, U) = Up_1^{\alpha} p_2^{\beta}$
	- (a) We need to know that the expenditure function is (i) continuous, (ii) nondecreasing in each p_i , (iii) strictly increasing in U, (iv) homogeneous of degree 1 in p , and (v) concave in *p*. Parts (i) and (iii) are satisfied immediately. For *e* to be nondecraesing in each p_i , it must be the case that $\alpha, \beta \geq 0$. For them to be homogeneous of degree 1 in *p*, it must be the case that $e(\lambda p, U) = \lambda e(p, U)$, which requires that

$$
e(\lambda p, U) = \lambda^{\alpha + \beta} e(p, U)
$$

be equal to $\lambda e(p, U)$, meaning that $\alpha + \beta = 1$. Finally, *e* must be concave in *p*, meaning that $e''(p, U) < 0$. This is satisfied as long as $\alpha, \beta \leq 1$.

Thus, we must have that $\alpha, \beta \in [0, 1]$ and $\alpha + \beta = 1$.

(b) From Shephard's Lemma, we have that the Hicksian demand functions are

$$
h_1(p, U) = \frac{\partial e(p, U)}{\partial p_1} = \alpha U p_1^{\alpha - 1} p_2^{\beta}
$$

and

$$
h_2(p, U) = \frac{\partial e(p, U)}{\partial p_2} = \beta U p_1^{\alpha} p_2^{\beta - 1}
$$

To find the indirect utility function, we will use the identity that $e(p, V(p, w)) = w$, so we have that

$$
w = V(p, w)p_1^{\alpha}p_2^{\beta} \Longrightarrow V(p, w) = wp_1^{-\alpha}p_2^{-\beta}
$$

Finally, the uncompensated demand is found using Roy's Identity, where we have that ∂*V* (*p,w*)

$$
x_1(p, w) = -\frac{\frac{\partial V(p, w)}{\partial p_1}}{\frac{\partial V(p, w)}{\partial w}} = -\frac{-\alpha w p_1^{-\alpha-1} p_2^{-\beta}}{p_1^{-\alpha} p_2^{-\beta}} = \frac{\alpha w}{p_1}
$$

and

$$
x_2(p, w) = -\frac{\frac{\partial V(p, w)}{\partial p_2}}{\frac{\partial V(p, w)}{\partial w}} = -\frac{-\beta w p_1^{-\alpha} p_2^{-\beta - 1}}{p_1^{-\alpha} p_2^{-\beta}} = \frac{\beta w}{p_2}
$$

(c) From Corollary 2.57, we have that $h_i(p, V(p, w)) = x_i(p, w)$. From there, we have that

$$
x_1(p, w) = h_1(p, V(p, w)) = \alpha V(p, w) p_1^{\alpha - 1} p_2^{\beta} = \alpha w p_1^{-1} p_2^0 = \frac{\alpha w}{p_1}
$$

and

$$
x_2(p, w) = h_2(p, V(p, w)) = \beta V(p, w) p_1^{\alpha} p_2^{\beta - 1} = \beta w p_2^{-1} p_1^0 = \frac{\beta w}{p_2}
$$

- (d) We have that $\alpha = \beta = \frac{1}{2}$, $w = 512$, and an increase in prices from $p = (1, 1)$ to $p' = (16, 16)$.
	- i. We have that the utility attained under the original prices is

$$
V(p, w) = 512 \cdot 1^{-\alpha} \cdot 1^{-\beta} = 512
$$

and that the utility attained under the new prices is

$$
V(p', w) = 512 \cdot 16^{-\alpha} \cdot 16^{-\beta} = \frac{512}{16} = 32
$$

We have that the compensating variation is

$$
CV(p, p', w) = w - e(p', V(p, w)) = 512 - 512 \cdot 16^{\alpha} \cdot 16^{\beta} = -7,680
$$

and that the equivalent variation is

$$
EV(p, p', w) = e(p, V(p', w)) - w = 32 \cdot 1^{\alpha} 1^{\alpha} - 512 = -480
$$

ii. The absolute value of the compensating variation is significantly higher than the absolute value of the equivalent variation, because the amount required to pay the consumer so that they will be able to afford their old consumption under the new prices is a lot higher than the amount their attained utility actually changes under the new prices.

It seems more reasonable to pay the consumer their compensating variation. The equivalent variation is the amount they would take from the consumer *instead* of changing prices, but in order for the consumer to agree to the price change, they would need to pay him the compensating variation.

- 5. Evaluate the following claims:
	- (a) We have that $u(x) = 2\ln(x_1) + 2\ln(x_2) = 2\ln(x_1x_2)$ and $u^*(x) = x_1x_2$. We have that the first expenditure function is

$$
e(u, p_1, p_2) \coloneqq \min_{x \in \mathbb{R}_+} p_1 x_1 + p_2 x_2 \quad \text{s.t. } 2\ln(x_1 x_2) \ge u
$$

and the second expenditure function is

$$
e(u^*, p_1, p_2) \coloneqq \min_{x \in \mathbb{R}_+} p_1 x_1 + p_2 x_2 \quad \text{s.t. } x_1 x_2 \ge u^*
$$

If $u^* = \exp(u/2)$, we have that the conditions here become

$$
x_1 x_2 \ge \exp\left(\frac{u}{2}\right) \Longrightarrow 2\ln(x_1 x_2) \ge u
$$

So since the optimizing function and the feasible set are the same, we have that

$$
e(u, p_1, p_2) = e(u^*, p_1, p_2)
$$

(b) We have that the price of good *i* changes from p_i to $p'_i > p_i$, and that the consumer's wealth increases from *w* to $w' = w + (p'_i - p_i)x_i^*(p, w)$. First, note that the consumer will always attain weakly higher utility under the new prices and wealth. Considering their old optimal bundle x^* , because of local non-satiation we have that $p \cdot x^* = w$. This means that, since no other prices changed,

$$
p' \cdot x^* = p \cdot x^* + (p'_i - p_i)x^*_i(p, w) = w + (p'_i - p_i)x^*_i(p, w) = w'
$$

Since the old bundle is attainable under the new prices and wealth, the consumer will always attain weakly higher utility, as $u(x^*) \leq \max_{x \in \Gamma(X)} u(x)$ by definition.

Since this is a compensated price change, they will choose weakly less of good *i* after the price change. Unless they choose the exact same bundle this will be a strict inequality.

(c) This claim is false. To see why, we will solve the consumer's maximization problem. The KKT conditions hold, so we can solve it from the first order conditions. The Lagrangian is

$$
\mathcal{L} = \sum_{t=1}^{T} \beta^t u(c_t) + \lambda \left(w - \sum_{t=1}^{T} c_t \right)
$$

the first order conditions for arbitrary $t, t + 1$ are:

$$
\frac{\partial \mathcal{L}}{\partial c_t} = \beta^t u'(c_t) - \lambda = 0 \Longrightarrow \lambda = \beta^t u'(c_t)
$$

$$
\frac{\partial \mathcal{L}}{\partial c_{t+1}} = \beta^{t+1} u'(c_{t+1}) - \lambda = 0 \Longrightarrow \lambda = \beta^{t+1} u'(c_{t+1})
$$

These combine to get the Euler Equation

$$
u'(c_t) = \beta u'(c_{t+1})
$$

Since this applies for all *t*, and assuming arbitrary utility functions, we can say that the ratio of optimal consumption in period t and period $t + 1$ is constant for all utility functions. Since we also have that $\sum_{t=1}^{T} c_t = w$, it must be that optimal consumption does not depend on the utility function at all.

7.2.2 Outside Questions

The following are from Stanford ECON202 Problem Set 3. Questions written by Ilya Segal, answers by Gabe along with Asia-Kim Francavilla and Monia Tomasella. Answers not necessarily correct.

Problem 1: For each of the following utility functions, draw the indifference curves, compute the Marshallian demand, Hicksian demand, indirect utility function and expenditure function:

- (a) $u(x, y) = x^{\alpha}y^{1-\alpha}$ (Cobb-Douglas utility function)
- (b) $u(x, y) = \max\{ax, ay\} + \min\{x, y\}$, where $0 \le a \le 1$.

Solutions:

(a) The indifference curves are:

Figure 13: Indifference Curves for $u(x, y) = x^{\alpha}y^{1-\alpha}$ at $u = \{2, 3, 4, 5\}$ and $\alpha = 0.5$

First, note that if a bundle (x, y) maximizes $u(x, y)$, it would also maximize $\ln u(x, y)$, so we will deal with the second problem. We have that $\ln u(x, y) = \alpha \ln x + (1 - \alpha) \ln y$. The Lagrangian is

$$
\mathcal{L} = \alpha \ln x + (1 - \alpha) \ln y + \lambda (w - p_x x - p_y y)
$$

The first order conditions are

$$
\mathcal{L}_x = \frac{\alpha}{x} - p_x \lambda = 0 \Rightarrow p_x = \frac{\alpha}{\lambda x} \Rightarrow x = \frac{\alpha}{p_x \lambda}
$$

$$
\mathcal{L}_y = \frac{1 - \alpha}{y} - p_y \lambda = 0 \Rightarrow p_y = \frac{1 - \alpha}{\lambda y} \Rightarrow y = \frac{1 - \alpha}{p_y \lambda}
$$

Substituting into the budget constraint, we get

$$
\frac{\alpha}{\lambda x}x + \frac{1-\alpha}{\lambda y}y = \frac{\alpha}{\lambda} + \frac{1-\alpha}{\lambda} = \frac{1}{\lambda} = w \Rightarrow \lambda = \frac{1}{w}
$$

Plugging this result back in, we get the Marshallian demand functions

$$
x^*(p, w) = \frac{w\alpha}{p_x} \quad ; \quad y^*(p, w) = \frac{w(1-\alpha)}{p_y}
$$

Substituting these into the utility function will give us the indirect utility function

$$
v(p, w) = u(x^*(p, w), y^*(p, w)) = w \left(\frac{\alpha}{p_x}\right)^{\alpha} \left(\frac{1 - \alpha}{p_y}\right)^{1 - \alpha}
$$

To find the expenditure function, we substitute into the indirect utility function

$$
\overline{u} = e(p, \overline{u}) \left(\frac{\alpha}{p_x}\right)^{\alpha} \left(\frac{1-\alpha}{p_y}\right)^{1-\alpha}
$$

and get

$$
e(p,\overline{u}) = \overline{u} \left(\frac{p_x}{\alpha}\right)^{\alpha} \left(\frac{p_y}{1-\alpha}\right)^{1-\alpha}
$$

Finally, by Shephard's Lemma we know that $\nabla_p e = h$. By taking the partial derivatives, we get that

$$
h_x(p, \overline{u}) = \alpha \overline{u} \left(\frac{p_x}{\alpha}\right)^{\alpha - 1} \left(\frac{p_y}{1 - \alpha}\right)^{1 - \alpha}
$$

$$
h_y(p, \overline{u}) = (1 - \alpha) \overline{u} \left(\frac{p_x}{\alpha}\right)^{\alpha} \left(\frac{p_y}{1 - \alpha}\right)^{-\alpha}
$$

(b) The indifference curves are:

Figure 14: Indifference Curves for $u(x, y) = \max\{ax, ay\} + \min\{x, y\}$ at $u = \{2, 3, 4, 5\}$ and $a = 0.5$

Without loss of generality, assume that $p_x \leq p_y$. Note that $u(x, y) = u(y, x)$ for all *x, y,* which means that $h_x(p, \overline{u}) \ge h_y(p, \overline{u})$. To see why, consider that if $x < y$ and $u(x,y) \geq \overline{u}$, then $u(y,x) \geq \overline{u}$, but since $p_x x + p_y y > p_x y + p_y x$, the expenditure function would not be minimized. Thus, $h_x(p, \overline{u}) \geq h_y(p, \overline{u})$. This means that the expenditure minimization problem will be

$$
\min_{x,y \ge 0; x \ge y} \quad p_x x + p_y y
$$

subject to
$$
ax + y \ge \overline{u}
$$

Since the objective and constraint are both linear, we will always have a corner solution:

If $a > \frac{p_x}{p_y}$, the optimal solution will have $y = 0$, so $h_x(p, \overline{u}) = \frac{\overline{u}}{p_x}$, $h_y(p, \overline{u}) = 0$, and $e(p, \overline{u}) = \overline{u} \frac{p_x}{a}$. Additionally, $x^*(p, w) = \frac{w}{p_x}$ and $y^*(p, w) = 0$, meaning that $v(p, w) = \frac{aw}{p_x}$. If $a < \frac{p_x}{p_y}$, the optimal solution will have $x = y$, so $h_x(p, \overline{u}) = h_y(p, \overline{u}) = \frac{\overline{u}}{a+1}$, and $e(p, \overline{u}) = \overline{u} \frac{p_x + p_y}{a+1}$. Additionally, $x^*(p, w) = \frac{w}{p_x + p_y} = y^*(p, w)$, so $v(p, w) = \frac{w(a+1)}{p_x + p_y}$. If $a = \frac{p_x}{p_y}$, any solution where $x \ge y \ge 0$ will be optimal as long as $ax + y = \overline{u}$. This means that $h(p, \overline{u}) = \{(x, y) : x \ge y \ge 0 \text{ and } ax + y = \overline{u}\}\)$, and $e(p, \overline{u}) = \overline{u} \frac{p_x + p_y}{a + 1} = \overline{u} \frac{p_x}{a}$. Additionally, $(x^*(p, w), y^*(p, w)) = \{(x, y) : x \ge y \ge 0 \text{ and } ax + y = \frac{aw}{p_x}\}\text{, so } v(p, w) = \frac{aw}{p_y}$ $\frac{aw}{p_x}$

All of these results of course hold in the other direction if $p_x > p_y$.

Problem 2: Consider an expenditure function of the following form:

$$
e(p, u) = \exp\left(\sum_{l} \alpha_l \log p_l + u \prod_{l} p_l^{\beta_l}\right)
$$

(a) What conditions must parameters $\alpha_1, \ldots, \alpha_n, \beta_1, \ldots, \beta_n$ satisfy for this expenditure function to be rationalizable?

From now on, assume the restrictions in (a) are satisfied

- (b) Derive the consumer's Hicksian and Marshallian demand functions.
- (c) Check whether the different goods are substitutes or complements, and whether they are gross substitutes or gross complements. Interpret.
- (d) What utility function rationalizes this expenditure function? [Hint: for an inner bound on an indifference curve you can combine the Hicksian demands for the different goods in a way that eliminates the prices.]

Solutions:

(a) For this expenditure function to be rationalizable, it suffices to show that it meets three conditions: nondecreasing in p , homogeneous of degree 1 in p , and concave in p . We will address these conditions in order.

For $e(p, u)$ to be nondecreasing in *p*, the partial derivative $\partial e(p, u)/\partial p_i$ must be nonnegative for each p_i . Taking the derivative, we get

$$
\frac{\partial e(p, u)}{\partial p_i} = \left(\frac{\alpha_i}{p_i} + u\beta_i p_i^{\beta_i - 1} \prod_{l \neq i} p_l^{\beta_l}\right) e(p, u)
$$

As the expenditure function is positive, for this to be true for all i, p, u it must be the case that $\beta_i \geq 0$ and $\alpha_i \geq 0$ for all *i*.

For $e(p, u)$ to be homogeneous of degree 1 in p, it must be the case that $e(\lambda p, u)$ = $\lambda e(p, u)$. Expanded, this is

$$
e(\lambda p, u) = \exp\left(\sum_{l} \alpha_{l} \log \lambda p_{l} + u \prod_{l} (\lambda p_{l})^{\beta_{l}}\right)
$$

$$
= \lambda^{\sum_{l} \alpha_{l}} \exp\left(\sum_{l} \alpha_{l} \log p_{l} + \lambda^{\sum_{l} \beta_{l}} u \prod_{l} p_{l}^{\beta_{l}}\right)
$$

which equals $\lambda e(p, u)$ only when $\sum_l \alpha_l = 1$ and $\sum_l \beta_l = 0$. Since $\beta_l \geq 0$ for all *l*, $\beta_l = 0$ for all *l*. This means that the expenditure function simplifies to

$$
e(p, u) = \exp\left(\sum_{l} \alpha_l \log p_l + u\right) = e^u \prod_{l} p_l^{\alpha_l}
$$

Our final condition is that $e(p, u)$ is concave. It suffices to show that $\partial^2 e(p, u)/\partial p_i^2 \leq 0$ for all *pi*, which is equivalent to the elements of the diagonal of the Slutsky matrix being non-positive. We have

$$
\frac{\partial^2 e(p, u)}{\partial p_i^2} = e^u \alpha_i (\alpha_i - 1) p_i^{\alpha_i - 2} \prod_{l \neq i} p_l^{\alpha_l}
$$

All of the terms are nonnegative by assumption except for $\alpha_i - 1$. Since $\alpha_i \geq 0$ for all *i*, for $e(p, u)$ to be concave, it must be the case that $\alpha_i \in [0, 1]$ for all *i*.

Thus, the conditions for the expenditure function to be rationalizable are that $\beta_i = 0$ for all *i*, that $\alpha_i \in [0, 1]$ for all *i*, and that $\sum_i \alpha_i = 1$.

(b) Since the restrictions are satisfied, we will use the more simple form for the expenditure function. Using Shephard's Lemma, we find that the Hicksian demand functions are

$$
h_i(p, u) = \nabla_{p_i} e(p, u) = e^u \alpha_i p_i^{\alpha_i - 1} \prod_{l \neq i} p_l^{\alpha_l} = \frac{e^u \alpha_i}{p_i} \prod_l p_l^{\alpha_l}
$$

To find Marshallian demand, we use the identity that $h_i(p, u) = x_i(p, e(p, u))$. Note that $h_i(p, u) = \frac{\alpha_i}{p_i} e(p, u)$. Thus, $x_i(p, w) = \frac{\alpha_i w}{p_i}$.

(c) To find whether two goods are substitutes of complements, we take the partial of the Hicksian demand for one good with respect to the price of the other:

$$
\frac{\partial h_i(p, u)}{\partial p_j} = e^u \frac{\alpha_i \alpha_j}{p_i p_j} \prod_l p_l^{\alpha_l}
$$

Since all terms are non-negative, two different goods are substitutes.

To find whether two goods are gross substitutes or gross complements, we take the partial of the Marshallian demand for one good with respect to the price of the other:

$$
\frac{\partial x_i(p,w)}{\partial p_j} = 0
$$

Since the total effect is 0, the goods are neither strict gross complements nor strict gross substitutes. This means that when the price of one good increases, the consumer will substitute away from that good to others, but this substitution will be offset by a wealth effect, so the total effect on demand will be nothing.

(d) Note first that the Marshallian demand function looks exactly the same as the Marhsallian demand developed from a Cobb-Douglas utility function in Problem 1. A reasonable choice of utility function is

$$
u(x) = \sum_{l} \alpha_l (\ln x_l + \ln \alpha_l)
$$

To check that this utility function rationalizes the expenditure function, we will use it to derive Hicksian demand. Our expenditure minimization problem is

$$
\min_{\sum_l \alpha_l(\ln x_l + \ln \alpha_l) \geq \overline{u}} \sum_i p_i x_i
$$

The first order conditions imply that $-\lambda = \frac{p_i x_i}{\alpha_i}$. Fixing $i = 1$, note that we can now write $x_i = \frac{p_1 x_1 \alpha_i}{\alpha_1 p_i}$, and solve for the Hicksian demand:

$$
\overline{u} = \sum_{l} \alpha_{l} (\ln \frac{p_{1} x_{1} \alpha_{i}}{\alpha_{1} p_{i}} + \ln \alpha_{l})
$$

$$
\implies e^{\overline{u}} = \frac{x_{1} p_{1}}{\alpha_{1}} \prod_{l} p_{l}^{\alpha_{l}}
$$

$$
\implies h_{1}(p, \overline{u}) = \frac{e^{\overline{u}} \alpha_{1}}{p_{1}} \prod_{l} p_{l}^{\alpha_{l}}
$$

Since that is the Hicksian demand found above, the utility function that rationalizes the expenditure function is

$$
u(x) = \sum_{l} \alpha_l (\ln x_l + \ln \alpha_l)
$$

Problem 3: Let the consumption set be $\mathbb{R} \times \mathbb{R}^{n-1}$, and suppose that preferences are strictly convex and quasi-linear in the first good ("numeraire"). (Note that negative consumption of numeraire is allowed.) Fix the numeraire's price $p_1 = 1$.

- (a) Show that the Marshallian demand functions for goods $2, \ldots, n$ are independent of wealth.
- (b) Show that the Hicksian demand functions for goods 2*, . . . , n* are independent of target utility.
- (c) What does this imply about the relationship between Marshallian and Hicksian demand for goods $2, \ldots, n$?
- (d) Argue that the consumer's preferences over (*p,w*) can be represented by an indirect utility function that is quasilinear in *w*. What is the form of the corresponding expenditure function?
- (e) Compare (i) compensating variation, (ii) equivalent variation, and (iii) consumer surplus calculated from Marshallian demand to each other.

Solutions:

(a) Recall that if a consumer is maximizing a quasilinear utility function, there exists a utility representation *U* such that $U(x) = x_1 + u(x_2, \ldots, x_n)$. Note that since utility is

increasing in *x*1, the budget constraint will hold with equality by Walras' Law. Solving for x_1 in the budget constraint, we get $x_1 = w - p_2x_2 - \cdots - p_nx_n$. The consumer's utility maximization problem

$$
\max_{x_1+p_2x_2+\cdots+p_nx_n=w}U(x)
$$

Is equivalent to the unconstrained problem

$$
\max_{x_2,...,x_n} w + u(x_2,...,x_n) - p_2 x_2 - \cdots - p_n x_n
$$

Which is equivalent to

$$
w + \max_{x_2,...,x_n} u(x_2,...,x_n) - p_2 x_2 - \cdots - p_n x_n
$$

Since the solutions to this problem, which are the Marshallian demand functions, are independent of wealth, the Marshallian demand functions for goods $2, \ldots, n$ are independent of wealth.

(b) From the definition of the indirect utility function and part (a), we know that

$$
v(p, w) = w + \max_{x_2,...,x_n} u(x_2,...,x_n) - p_2 x_2 - \cdots - p_n x_n
$$

To find the expenditure function, we set $v(p, e(p, \overline{u})) = \overline{u}$

$$
\overline{u}=e(p,\overline{u})+\max_{x_2,\dots,x_n}u(x_2,\dots,x_n)-p_2x_2-\dots-p_nx_n
$$

Thus, the expenditure function is

$$
e(p,\overline{u})=\overline{u}-\max_{x_2,\dots,x_n}u(x_2,\dots,x_n)-p_2x_2-\dots-p_nx_n
$$

From Shephard's Lemma, the Hicksian demand is

$$
h_i(p, u) = \nabla_{p_i} e(p, u) = -\frac{\partial}{\partial p_i} \left(\max_{x_2, \dots, x_n} u(x_2, \dots, x_n) - p_2 x_2 - \dots - p_n x_n \right)
$$

Thus, Hicksian demand is independent of target utility.

(c) Since Marshallian demand is independent of wealth, the Slutsky Equation is

$$
\frac{\partial x_i(p, w)}{\partial p_j} = \frac{\partial h_i(p, \overline{u})}{\partial p_j}
$$

Since $x_i(p,0) = 0$, $h_i(p,v(p,0)) = 0$. Since the two forms of demand have the same starting condition and the same slope at every point, we can say that $x_i(p, w) = h_i(p, \overline{u})$ for all $i \geq 2$.

(d) Define a function

$$
\psi(p) = \max_{x_2, ..., x_n} u(x_2, ..., x_n) - p_2 x_2 - \dots - p_n x_n
$$

We have already shown in part (b) that

$$
v(p, w) = w + \psi(p)
$$

and

$$
e(p,\overline{u}) = \overline{u} - \psi(p)
$$

The functions are quasilinear in *w* and \overline{u} by inspection.

(e) From the definitions of compensating and equivalent variation, it is clear to see that

$$
CV = e(p, u) - e(p', u) = \psi(p') - \psi(p) = e(p, u') - e(p', u') = EV
$$

Since the Marshallian consumer surplus is bounded by compensating variation and equivalent variation, it is equal to both, and the three quantities are equal.

Problem 4: Suppose that instead of a fixed wealth, the consumer starts with a bundle of goods *z* (not necessarily her optimal bundle) and can buy and sell goods at prices *p*. Suppose that all goods are regular. Explain why (or give an example of how) the consumer's demand for good 1 might be higher at prices $p' = (p'_1, p_2, \ldots, p_n)$ than at prices p, with $p'_1 > p_1$. What is required for this to happen?

Solutions: Assume that the consumer starts with a positive amount of good 1. Since good 1 is regular, an increase in the price of good 1 while holding wealth constant will decrease demand for good 1. However, since she starts with a positive amount of good 1, the increasing price of good 1 is effectively increasing her wealth, since $w = p \cdot z$ in this example, and $p' \cdot z > p \cdot z$. She will increase her demand for good 1 if good 1 is normal as well as regular, and if the wealth effect is greater in magnitude than the substitution effect.

For an example, consider $u(x_1, x_2) = \min\{x_1, x_2\}$, $z = (3, 0)$, $p = (1, 1)$, and $p' = (2, 1)$. Her demand under p will be $(1.5, 1.5)$, and her demand under p' will be $(2, 2)$.

Problem 5: A consumer in a three-good world faces prices $p_1 = p_2 = p_3 = 1$. She buys $x_1 = x_2 = x_3 = 2$. Prices change, and next year she faces prices $p_1 = p_3 = 4$ and $p_2 = 2$. She buys $x_1 = 1$, $x_2 = 2$, and $x_3 = 10$.

- (a) Construct the Paasche and Laspeyres price indices for this consumer.
- (b) What can you say about the change in this consumer's welfare?

Solutions:

(a) The Paasche index is

$$
\frac{p' \cdot x'}{p \cdot x'} = \frac{4+4+40}{1+2+10} = \frac{48}{13} \approx 3.69
$$

The Laspeyres index is

$$
\frac{p' \cdot x}{p \cdot x} = \frac{8+4+8}{2+2+2} = \frac{20}{6} \approx 3.33
$$

(b) We can see that the consumer spent 48 in the second year, so her wealth must be at least 48. Since the first year's consumption bundle costs 20, it must have been feasible, yet she chose to consume the second year's bundle. This indicates that $u(x') > u(x)$, which means that her welfare increased despite the price indices both indicating that it would require a wealth increase to keep her utility the same. This indicates that her wealth increased from year 1 to year 2, and that increase made her better off despite the price increases.

Problem 6: Suppose there are *m* consumers, and that the indirect utility function of each consumer $i = 1, \ldots, m$ takes the form

$$
v_i(p, w_i) = a_i(p) + b(p)w_i
$$

for some differentiable functions $a_i(\cdot)$ ($i = 1, \ldots, m$) and $b(\cdot)$.

- (a) Show that this form of indirect utility function obtains (for some utility representation of preferences) when either (i) all consumers have quasilinear preferences or (ii) all consumers have identical homothetic preferences.
- (b) Show that the consumers' aggregate demand

$$
X(p, w_1, \dots, w_m) = \sum_{i=1}^m x_i(p, w_i)
$$

can be written as $X(p, W)$, where $W = \sum_{i=1}^{m} w_i$ is the aggregate wealth.

- (c) Show, moreover, that $X(p, W)$ can arise as the Marshallian demand function of a single utility-maximizing consumer (interpreted as the "positive representative consumer"). [Hint: show that the demand can be derived from an expenditure function that is rationalizable.]
- (d) Show that a change in prices makes the "representative consumer" better off if and only if there exists an accompanying redistribution of the aggregate wealth that would make each consumer $i = 1, \ldots, m$ better off. (Thus we also have a "normative representative consumer.")

Solutions:

(a) First, assume that all consumers have quasilinear preferences. Normalize $p_1 = 1$. From Problem 3, we know that our value function becomes

$$
v^{i}(p, w_{i}) = \max_{x_{-1} \geq 0} w_{i} - p_{-1} \cdot x_{-1} + u(x_{-1})
$$

where $x_{-1} = (x_2, \ldots, x_n)$. Since demand does not depend on w_i , we can define $x_{-1}^*(p)$ as the demand for all non-numeraire goods. Because Walras' Law holds, our budget constraint is an equality constraint, so we have $x*(p, w) = w - p_{-1} \cdot x_{-1}^*(p)$. Finally, our value function becomes $v^{i}(p, w_{i}) = w_{i} - p_{-1} \cdot x_{-1}^{*}(p) + u(x_{-1}^{*}(p))$. This matches the form above, where $b(p) = 1$ and $a_i(p) = -p_{-1} \cdot x_{-1}^*(p) + u(x_{-1}^*(p)).$

Next, assume that all consumers have identical homothetic preferences. From the first problem set, there exists $u(x)$ that is homogeneous of degree 1. Using that function, which is identical across all consumers, the value function is

$$
v^{i}(p, w_{i}) = \max_{x; x \cdot p \le w_{i}} u(x)
$$

=
$$
\max_{z; z \cdot p \le 1} u(w_{i}z)
$$
 for $z = \frac{x}{w_{i}}$
=
$$
w_{i} \max_{z; z \cdot p \le 1} u(z)
$$

=
$$
w_{i}v(p, 1)
$$

Thus, setting $a_i(p) = 0$ and $b(p) = v(p, 1)$, we have a solution.

(b) From Roy's Identity, we have that $\nabla v^i(p, w_i) = x^i(p, w_i)$. Using that, we get

$$
X(p, w_1, \dots, w_n) = \sum_{i=1}^m x^i(p, w_i)
$$

= $\nabla \sum_{i=1}^m v^i(p, w_i)$
= $\nabla \sum_{i=1}^m a^i(p) + b(p)w_i$
= $W \nabla b(p) + \sum_{i=1}^m \nabla a^i(p)$
= $X(p, W)$

(c) We begin by calculating the individual expenditure functions using the identity $v(p, e) =$ *u*:

$$
v^{i}(p, e^{i}(p, u^{i})) = u^{i} = a^{i}(p) + b(p)e^{i}(p, u^{i}) \Longrightarrow e^{i}(p, u^{i}) = \frac{u^{i} - a^{i}(p)}{b(p)}
$$

We then aggregate, defining $a(p) = \sum_i a^i(p)$ and $U = \sum_i u^i$, and get

$$
e(p, U) = \frac{U - a(p)}{b(p)}
$$

To find the aggregate Marshallian demand, we first find the aggregate indirect utility function

$$
W = \frac{v(p, W) - a(p)}{b(p)} \Longrightarrow v(p, W) = a(p) + Wb(p)
$$

Finally, using Roy's Identity we can identify the representative consumer's aggregate demand

$$
X(p, W) = -\frac{-\nabla_p v(p, W)}{\partial v(p, W)/\partial W} = -\frac{\nabla_p a(p) + W \nabla_p b(p)}{b(p)}
$$

$$
X(p, W) = \sum_i -\frac{\nabla_p a_i(p) + w_i \nabla_p b(p)}{b(p)}
$$

This represents the Marshallian demand for a rational representative consumer.

(d) **Proof.** (\Rightarrow): Assume that we have a price change $p \rightarrow p'$ which makes the representative agent better off, meaning that $v(p', W) > v(p, W)$, and we have a possible wealth redistribution $w \to w'$. For each agent to be better off, we need

$$
v_i(p', w'_i) = a_i(p') + b(p')w'_i \ge a_i(p) + b(p)w_i = v_i(p', w_i)
$$

This means the redistribution must be

$$
w'_i \ge \frac{a_i(p) - a_i(p') + b(p)w_i}{b(p')}
$$

Assume that this holds with equality, meaning that each agent is compensated so that they are the same as before the price change. To find if this is feasible, using the fact that the representative consumer is better off, we find

$$
\sum_{i} w'_{i} = \frac{v(p, W) - a_{i}(p')}{b(p')} \le \frac{v(p', W) - a_{i}(p')}{b(p')} = \sum_{i} w_{i} = W
$$

Thus, since a redistribution making each agent better off is feasible, a change in prices which makes the representative consumer better off implies that there exists an accompanying redistribution of the aggregate wealth that makes each consumer better off.

(←): Assume that we have a price change $p \to p'$ and an accompanying wealth redistribution $w_i \to w'_i$ such that each agent is better off. That implies that

$$
v_i(p', w'_i) = a_i(p') + b(p')w'_i \ge a_i(p) + b(p)w_i = v_i(p, w_i)
$$

Summing as in part (c), and recalling that $\sum_i w_i = \sum_i w'_i = W$, since we are redistributing, we get

$$
v(p', W) = a(p') + b(p')W \ge a(p) + b(p)W = v(p, W)
$$

Since $v(p', W) \ge v(p, W)$, the representative agent is better off.

 \Box

7.3 Producer (Harris)

7.3.1 Harris Homework

Problems.

1. Consider the production possibilities set

$$
Y = \left\{ (q, -z) \in \mathbb{R}_+^2 \times \mathbb{R}_-^2 : z_1^{\alpha} z_2^{\beta} \ge \frac{q_1^2 + q_2^2}{2} \right\}
$$

where $\alpha, \beta > 0$.

- (a) Find the conditional input demand function $z(w_1, w_2, q_1, q_2)$.
- (b) What is the marginal rate of transformation between output 1 and output 2? That is, given w_1, w_2, q_1, q_2 , what is the proportional decrease in q_1 required to marginally increase q_2 while holding cost constant?
- 2. Consider a single-output firm with technology that can transform inputs $z \in \mathbb{R}^3_+$ into output according to the production function

$$
f(z) = z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}}
$$

- (a) This production function is homogeneous degree α . Find α . What does this imply about the firm's cost function? Is the firm's marginal cost of production increasing or decreasing in *q*?
- (b) Derive the conditional input demand function $z(w, q)$.
- (c) Derive an expression for the firm's marginal cost of production, i.e., the derivative of the cost function with respect to *q*.
- 3. Consider a single- output firm which takes as input a continuum of inputs rather than a discrete set of inputs. We now denote the quantity input of commodity *j* as $z(j)$ (rather than z_j as we did in the discrete-inputs cases). The production function is

$$
f(z) = \left[\int_0^1 a(j) z(j) \frac{\sigma - 1}{\sigma} dj \right]_0^{\frac{\sigma}{\sigma - 1}}
$$

where $a(j)$ is a continuous function integrable on [0, 1] that reflects the relative productivities of the various inputs.

- (a) Derive the conditional input demand function $z(j, w, q)$. The price for input j is given by $w(j)$, where w is a continuous function integrable on [0, 1].
- (b) How is the conditional input demand for input *j* affected by $a(j)$, the productivity of input *j*?
- (c) N0w suppose that the firm has market power in input markets. If the firm uses $z(j)$ units of input *j*, the per-unit input price is $w(j, z(j)) = \frac{1}{2}z(j)$. Find the cost-minimizing choice of inputs to produce $q = 1$ units of output.
- 4. Consider a single-output firm with technology that can transform inputs $z \in \mathbb{R}^N_+$ into output according to the production function

$$
f(z)=2\sqrt{\min\{z_1,2z_2,3z_3,\ldots,Nz_N\}}
$$

- (a) Derive the unconditional input demand function.
- (b) ow suppose that the firm has market power in the output market. If the firm produces quantity *q*, the per-unit price is $P(q) = q^{-\varepsilon}$ where $\varepsilon \in (1,\infty)$. Derive the firm's choice of inputs z_1, \ldots, z_N .
- 5. De Loecker, Eeckhout, and Unger (QJE, 2020) is an influential paper on measuring market power. The approach described in this paper takes the cost minimization problem as a starting point. Read the first 11 pages of this article (through the end of Section II.B) paying particular attention to Sections II.A and II.B.
	- (a) In going from equation (6) to (7), the authors assert that "The La- grange multiplier λ is a direct measure of marginal cost." Give a justification for this assertion.
	- (b) The authors' starting point in Section II.B is the cost minimiza- tion problem. However, the output price (the key component of the markup) does not feature in the CMP (recall that the only arguments of the cost function and conditional input demand function are *w* and *q*). Given this, why can the authors claim that this starting point leads to some insight about markups? Wouldn't it be more natural to use the profit maximization problem as a starting point?

Solutions. (Gabe's solutions, collaborated with Sara Yoo)

- 1. Production possibilities set
	- (a) We have that the cost minimization problem is

$$
\min_{z \in \mathbb{R}_+^2} w_1 z_1 + w_2 z_2 \text{ s.t. } z_1^{\alpha} z_2^{\beta} \ge \frac{q_1^2 + q_2^2}{2}
$$

Which has the Lagrangian

$$
\mathcal{L} = w_1 z_1 + w_2 z_2 + \lambda \left(\frac{q_1^2 + q_2^2}{2} - z_1^{\alpha} z_2^{\beta} \right)
$$

Taking first order conditions, we get

$$
\frac{\partial \mathcal{L}}{\partial z_1} = w_1 - \lambda \alpha z_2^{\beta} z_1^{\alpha - 1} = 0 \Longrightarrow \lambda = \frac{w_1}{\alpha z_2^{\beta} z_1^{\alpha - 1}}
$$

$$
\frac{\partial \mathcal{L}}{\partial z_2} = w_2 - \lambda \beta z_1^{\alpha} z_2^{\beta - 1} = 0 \Longrightarrow \lambda = \frac{w_2}{\beta z_1^{\alpha} z_2^{\beta - 1}}
$$

$$
\frac{\partial \mathcal{L}}{\partial \lambda} = \frac{q_1^2 + q_2^2}{2} - z_1^{\alpha} z_2^{\beta} = 0 \Longrightarrow \frac{q_1^2 + q_2^2}{2} = z_1^{\alpha} z_2^{\beta}
$$

Combining, we get that

$$
\frac{w_1}{\alpha z_2^{\beta} z_1^{\alpha-1}} = \frac{w_2}{\beta z_1^{\alpha} z_2^{\beta-1}} \Longrightarrow \frac{w_1 z_1}{\alpha} = \frac{w_2 z_2}{\beta} \Longrightarrow z_1 = \frac{w_2 \alpha}{w_1 \beta} z_2
$$

Substituting into the constraint, we get that

$$
\left(\frac{w_2\alpha}{w_1\beta}z_2\right)^{\alpha}z_2^{\beta} = \frac{q_1^2 + q_2^2}{2}
$$

$$
z_2^{\alpha+\beta} = \left(\frac{w_1\beta}{w_2\alpha}\right)^{\alpha}\frac{q_1^2 + q_2^2}{2}
$$

$$
z_2^{\star}(w_1, w_2, q_1, q_2) = \left(\frac{w_1\beta}{w_2\alpha}\right)^{\frac{\alpha}{\alpha+\beta}} \left(\frac{q_1^2 + q_2^2}{2}\right)^{\frac{1}{\alpha+\beta}}
$$

Substituting back into the equation for z_1 , we get that

$$
z_1 = \frac{w_2 \alpha}{w_1 \beta} \left(\frac{w_1 \beta}{w_2 \alpha}\right)^{\frac{\alpha}{\alpha+\beta}} \left(\frac{q_1^2 + q_2^2}{2}\right)^{\frac{1}{\alpha+\beta}}
$$

$$
z_1^{\star}(w_1, w_2, q_1, q_2) = \left(\frac{w_2 \alpha}{w_1 \beta}\right)^{\frac{\beta}{\alpha+\beta}} \left(\frac{q_1^2 + q_2^2}{2}\right)^{\frac{1}{\alpha+\beta}}
$$

(b) We can find the Marginal Rate of Transformation by implicitly differentiating the border of the production possibilities set. More specifically, since we have that price must remain constant, we have that

$$
0 = 2q_1\partial q_1 + 2q_2\partial q_2 \Longrightarrow MRT_{q_1,q_2} = \frac{\partial q_1}{\partial q_2} = -\frac{q_2}{q_1}
$$

- 2. Cost minimization
	- (a) We have that the production function is homogeneous of degree α , meaning that $f(\beta z) = \beta^{\alpha} f(z)$. We have that

$$
f(\beta z) = (\beta z_1)^{\frac{1}{2}} (\beta z_2)^{\frac{1}{4}} (\beta z_3)^{\frac{1}{8}} = \beta^{\frac{7}{8}} z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}} = \beta^{\frac{7}{8}} f(z)
$$

so $\alpha = \frac{7}{8}$. This implies that the firm's cost function is homogeneous of degree $\frac{8}{7}$ in *q*, which implies that the firm faces increasing marginal cost of production in *q*.

(b) We have that the cost minimization problem is

$$
\min_{z \in \mathbb{R}^3_+} w \cdot z \text{ s.t. } z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}} \geq q
$$

which admits the Lagrangian

$$
\mathcal{L} = w \cdot z + \lambda \left(q - z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}} \right)
$$

Our first order conditions are

$$
\frac{\partial \mathcal{L}}{\partial z_1} = w_1 - \frac{\lambda}{2} z_1^{-\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}} = 0 \Longrightarrow \lambda = \frac{2w_1}{z_1^{-\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}}}
$$

$$
\frac{\partial \mathcal{L}}{\partial z_2} = w_2 - \frac{\lambda}{4} z_1^{\frac{1}{2}} z_2^{-\frac{3}{4}} z_3^{\frac{1}{8}} = 0 \Longrightarrow \lambda = \frac{4w_2}{z_1^{\frac{1}{2}} z_2^{-\frac{3}{4}} z_3^{\frac{1}{8}}}
$$

$$
\frac{\partial \mathcal{L}}{\partial z_3} = w_3 - \frac{\lambda}{8} z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{-\frac{7}{8}} = 0 \Longrightarrow \lambda = \frac{8w_3}{z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{-\frac{7}{8}}}
$$

$$
\frac{\partial \mathcal{L}}{\partial \lambda} = q - z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}} = 0 \Longrightarrow q = z_1^{\frac{1}{2}} z_2^{\frac{1}{4}} z_3^{\frac{1}{8}}
$$

Equating the first two conditions, we get that

$$
\frac{2w_1}{z_1^{-\frac{1}{2}}z_2^{\frac{1}{4}}z_3^{\frac{1}{8}}} = \frac{4w_2}{z_1^{\frac{1}{2}}z_2^{-\frac{3}{4}}z_3^{\frac{1}{8}}} \Longrightarrow z_1w_1 = 2w_2z_2 \Longrightarrow z_2 = \frac{w_1}{2w_2}z_1
$$

Equating the first and third conditions, we get that

$$
\frac{2w_1}{z_1^{-\frac{1}{2}}z_2^{\frac{1}{4}}z_3^{\frac{1}{8}}} = \frac{8w_3}{z_1^{\frac{1}{2}}z_2^{\frac{1}{4}}z_3^{-\frac{7}{8}}} \Longrightarrow z_1w_1 = 4w_3z_3 \Longrightarrow z_3 = \frac{w_1}{4w_3}z_1
$$

Combining into the constraint, we get that

$$
q = z_1^{\frac{1}{2}} \left(\frac{w_1}{2w_2} z_1\right)^{\frac{1}{4}} \left(\frac{w_1}{4w_3} z_1\right)^{\frac{1}{8}} \Longrightarrow z_1^{\frac{7}{8}} = q \left(\frac{2w_2}{w_1}\right)^{\frac{1}{4}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{8}}
$$

Which implies that

$$
z_1^*(w, q) = q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}}
$$

Substituting back, we get that

$$
z_2 = \frac{w_1}{2w_2} q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}}
$$

and

$$
z_3 = \frac{w_1}{4w_3} q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}}
$$

which imply that

$$
z_2^*(w, q) = q^{\frac{8}{7}} \left(\frac{w_1}{2w_2}\right)^{\frac{5}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}}
$$

$$
z_3^*(w, q) = q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{w_1}{4w_3}\right)^{\frac{6}{7}}
$$

(c) We have that the cost function of the firm is $C(w, q) = w_1 z_1^* + w_2 z_2^* + w_3 z_3^*$, so substituting:

$$
C(w,q) = w_1 q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}} + w_2 q^{\frac{8}{7}} \left(\frac{w_1}{2w_2}\right)^{\frac{5}{7}} \left(\frac{4w_3}{w_1}\right)^{\frac{1}{7}} + w_3 q^{\frac{8}{7}} \left(\frac{2w_2}{w_1}\right)^{\frac{2}{7}} \left(\frac{w_1}{4w_3}\right)^{\frac{6}{7}}
$$

which equals

$$
C(w,q) = q^{\frac{8}{7}} \left[w_1 \left(\frac{2w_2}{w_1} \right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1} \right)^{\frac{1}{7}} + w_2 \left(\frac{w_1}{2w_2} \right)^{\frac{5}{7}} \left(\frac{4w_3}{w_1} \right)^{\frac{1}{7}} + w_3 \left(\frac{2w_2}{w_1} \right)^{\frac{2}{7}} \left(\frac{w_1}{4w_3} \right)^{\frac{6}{7}} \right]
$$

so we have that the marginal cost of production is

$$
\frac{\partial C(w, q)}{\partial q} = \frac{8}{7} q^{\frac{1}{7}} \left[w_1 \left(\frac{2w_2}{w_1} \right)^{\frac{2}{7}} \left(\frac{4w_3}{w_1} \right)^{\frac{1}{7}} + w_2 \left(\frac{w_1}{2w_2} \right)^{\frac{5}{7}} \left(\frac{4w_3}{w_1} \right)^{\frac{1}{7}} + w_3 \left(\frac{2w_2}{w_1} \right)^{\frac{2}{7}} \left(\frac{w_1}{4w_3} \right)^{\frac{6}{7}} \right]
$$

3. Cost minimization with a continuum of inputs

(a) We have that the continuous cost minimization problem is

$$
\min_{z(j)} \int_0^1 w(j)z(j) \, dj \text{ s.t. } q = \left[\int_0^1 a(j)z(j)^{\frac{\sigma-1}{\sigma}} dy \right]^{\frac{\sigma}{\sigma-1}}
$$

which admits the Lagrangian

$$
\mathcal{L} = \int_0^1 w(j)z(j)dj + \lambda \left(q - \left[\int_0^1 a(j)z(j)^{\frac{\sigma-1}{\sigma}}dj \right]^{\frac{\sigma}{\sigma-1}} \right)
$$

The first order condition with respect to some $z(j)$ is

$$
\frac{\partial \mathcal{L}}{\partial z(j)} = w(j) - \lambda \frac{\sigma}{\sigma - 1} \left(\int_0^1 a(i) z(i)^{\frac{\sigma - 1}{\sigma}} di \right)^{\frac{1}{\sigma - 1}} \frac{\sigma - 1}{\sigma} a(j) z(j)^{-\frac{1}{\sigma}} = 0
$$

and using the fact that $q = \left[\int_0^1 a(j)z(j)^{\frac{\sigma-1}{\sigma}}dj\right]^{\frac{\sigma}{\sigma-1}}$ in equilibrium, we get that this simplifies to

$$
w(j) - \lambda a(j)z(j)^{-\frac{1}{\sigma}}q^{\frac{1}{\sigma}} = 0 \Longrightarrow z(j) = \left(\frac{\lambda a(j)q^{\frac{1}{\sigma}}}{w(j)}\right)^{\sigma}
$$

We can find λ by substituting back into the budget constraint:

$$
q = \left[\int_0^1 a(j) \left(\frac{\lambda a(j) q^{\frac{1}{\sigma}}}{w(j)} \right)^{\sigma-1} dj \right] \stackrel{\frac{\sigma}{\sigma-1}}{\Longrightarrow} q = \left[\lambda^{\sigma-1} q^{\frac{\sigma-1}{\sigma}} \int_0^1 a(j)^\sigma w(j)^{1-\sigma} dj \right] \stackrel{\frac{\sigma}{\sigma-1}}{\Longrightarrow}
$$

and we get that

$$
\lambda^* = \left[\int_0^1 a(j)^\sigma w(j)^{1-\sigma} dj \right]^{-\frac{1}{\sigma-1}}
$$

Thus, we have that

$$
z^*(j, w, q) = \left(\frac{a(j)}{w(j)}\right)^{\sigma} q \cdot \left[\int_0^1 a(i)^{\sigma} w(i)^{1-\sigma} di\right]^{-\frac{\sigma}{\sigma-1}}
$$

(b) The conditional input demand for input *j* is increasing in the productivity of input *j*, as long as $\sigma \in (0, 1)$:

$$
\frac{\partial z^*(j, w, q)}{\partial a(j)} = \sigma a(j)^{\sigma - 1} w(j)^{-\sigma} q \left[\int_0^1 a(i)^{\sigma} w(i)^{1 - \sigma} di \right]^{-\frac{\sigma}{\sigma - 1}} + \frac{\sigma}{1 - \sigma} \left(\frac{a(j)}{w(j)} \right)^{2\sigma - 1} q \cdot \left[\int_0^1 a(i)^{\sigma} w(i)^{1 - \sigma} di \right]^{\frac{1 - 2\sigma}{1 - \sigma}} > 0
$$

(c) We have that the new cost minimization problem is

$$
\min_{z(j)} \int_0^1 \frac{1}{2} z(j)^2 dj \text{ s.t. } 1 = \left[\int_0^1 a(j) z(j)^{\frac{\sigma-1}{\sigma}} dj \right]^{\frac{\sigma}{\sigma-1}}
$$

which admits the Lagrangian

$$
\mathcal{L} = \int_0^1 \frac{1}{2} z(j)^2 dj + \lambda \left(1 - \left[\int_0^1 a(j) z(j)^{\frac{\sigma - 1}{\sigma}} dj \right]^\frac{\sigma}{\sigma - 1} \right)
$$

The first order condition with respect to some $z(j)$ is

$$
\frac{\partial \mathcal{L}}{\partial z(j)} = z(j) - \lambda \frac{\sigma}{\sigma - 1} \left(\int_0^1 a(i) z(i) \frac{\sigma - 1}{\sigma} di \right)^{\frac{1}{\sigma - 1}} \frac{\sigma - 1}{\sigma} a(j) z(j)^{-\frac{1}{\sigma}} = 0
$$

and again using the fact that $q = 1 = \left[\int_0^1 a(j)z(j)^{\frac{\sigma-1}{\sigma}}dj\right]^{\frac{\sigma}{\sigma-1}}$ in equilibrium, we get that

$$
z(j) - \lambda a(j)z(j)^{-\frac{1}{\sigma}}q^{\frac{1}{\sigma}} = 0 \Longrightarrow z(j) = (\lambda a(j))^{\frac{\sigma}{\sigma+1}}
$$

We substitute back into the budget constraint to get λ :

$$
1 = \left[\int_0^1 a(j) \left(\lambda a(j)\right)^{\frac{\sigma-1}{\sigma+1}} dj\right]^{\frac{\sigma}{\sigma-1}} \Longrightarrow \lambda^{\frac{\sigma+1}{\sigma}} = \left[\int_0^1 a(j)^{\frac{2\sigma}{\sigma+1}} dj\right]^{\frac{\sigma}{\sigma-1}} \Longrightarrow \lambda^* = \left[\int_0^1 a(j)^{\frac{2\sigma}{\sigma+1}} dj\right]^{\frac{\sigma^2}{\sigma^2-1}}
$$

so we get that

$$
z^*(j, w, 1) = a(j)^{\frac{\sigma}{\sigma+1}} \left[\int_0^1 a(i)^{\frac{2\sigma}{\sigma+1}} di \right]^{\frac{\sigma^3}{(\sigma^2-1)(\sigma+1)}}
$$

- 4. Profit maximization with a non-smooth production function
	- (a) We have that the profit maximization problem is

$$
\max_{z \in \mathbb{R}_+^N} 2p\sqrt{\min\{z_1, 2z_2, 3z_3, \dots, Nz_N\}} - w\cdot z
$$

Note that the goods in this case are (transformations of) perfect complements. Define a variable as follows: $\zeta_i = i \cdot z_i$, which admits the maximization problem

$$
\max_{\zeta \in \mathbb{R}_+^N} 2p\sqrt{\min\{\zeta_1, \zeta_2, \dots, \zeta_N\}} - \sum_{i=1}^N \zeta_i \frac{w_i}{i}
$$

Since the inputs are now truly perfect complements, we can say that $\zeta_1 = \zeta_2$ = $\cdots = \zeta_N = \zeta$, and the maximization problem becomes

$$
\max_{\zeta \in \mathbb{R}_+} 2p\sqrt{\zeta} - \zeta \sum_{i=1}^N \frac{w_i}{i}
$$

The first order conditions are

$$
\frac{p}{\sqrt{\zeta}} - \sum_{i=1}^{N} \frac{w_i}{i} = 0 \Longrightarrow \zeta^* = \frac{p^2}{\left(\sum_{i=1}^{N} \frac{w_i}{i}\right)^2}
$$

Converting back into our original variables, we get that the unconditional input demand function for input *i* is:

$$
z_i^{\star}(p, w) = \frac{p^2}{i \left(\sum_{i=1}^N \frac{w_i}{i}\right)^2}
$$

(b) We now assume that the firm has output market power, so $P(q) = q^{-\varepsilon}$. Our new maximization problem is

$$
\max_{z \in \mathbb{R}_+^N} f(z)^{-\varepsilon} f(z) - w \cdot z \equiv \max_{z \in \mathbb{R}_+^N} f(z)^{1-\varepsilon} - w \cdot z
$$

Using the same change of variable as in part (a), and recalling that goods are still perfect complements, we get that with $\zeta_i = i z_i$, the maximization problem is

$$
\max_{\zeta \in \mathbb{R}_+^N} \left(2\sqrt{\min\{\zeta_1, \zeta_2, \dots, \zeta_N\}}\right)^{1-\varepsilon} - \sum_{i=1}^N \zeta_i \frac{w_i}{i} \equiv \max_{\zeta \in \mathbb{R}_+} \left(2\sqrt{\zeta}\right)^{1-\varepsilon} - \zeta \sum_{i=1}^N \frac{w_i}{i}
$$

The first order conditions are

$$
2^{-\varepsilon}(1-\varepsilon)\zeta^{-\frac{(\varepsilon+1)}{2}} - \sum_{i=1}^N \frac{w_i}{i} = 0 \Longrightarrow \zeta^* = \left(\frac{1-\varepsilon}{2^{\varepsilon}\sum_{i=1}^N \frac{w_i}{i}}\right)^{\frac{2}{\varepsilon+1}}
$$

So we get the unconditional input demand function given input prices *w* is

$$
z_i^{\star}(w) = \frac{1}{i} \left(\frac{1 - \varepsilon}{2^{\varepsilon} \sum_{i=1}^{N} \frac{w_i}{i}} \right)^{\frac{2}{\varepsilon + 1}}
$$

- 5. Producer theory in action (De Loecker, Eeckhout, and Unger 2020)
	- (a) When the authors assert that "The Lagrange multiplier λ is a direct measure of marginal cost," they are using the implicit structure of the cost minimization problem. Formally, we have that the Lagrangian in the cost minimization problem is

$$
\mathcal{L} = w \cdot z - \lambda (q - f(z))
$$

Since the objective is minimized, the Lagrange multiplier measures how much the minimum (cost) increases for an increase in the output level. This is precisely the definition of marginal cost – when output increases by 1 unit, total cost (from the cost function) will increase by λ units.

(b) The authors start with the cost minimization problem despite it not featuring price because they are not assuming that firms are price-takers. If they were, and firms were in perfect competition, then it would make a lot more sense to work under the profit maximization problem. However, since they are assuming that firms have output market power, they would need to estimate a demand function. By working with the cost minimization problem, they can simply estimate the cost function and then calculate the markup from the output price, which is public information. They are assuming that firms are profit maximizing, but since the profit maximization problem implies the cost minimization problem, they can reach the cost function by solving the cost minimization problem and then divide the price (observable) by the cost function (calculated) to get the value of the markup. In this way, they sidestep the (extremely hard, often intractable) problem of calculating the demand function.

7.3.2 Outside Questions

The following are from Stanford ECON202 Problem Set 2. Questions written by Ilya Segal, answers by Gabe along with Asia-Kim Francavilla, Monia Tomasella, and Juan David Torres.

Remark. The Stanford course was structured somewhat oddly – we actually did Producer Theory first, and focused a lot on Topkis Theorem and Robust Monotone Comparative Statics. I'm not sure how much of this relates to what we did in 6090, but here it is.

Problem 1:

- (a) If production set *Y* has nondecreasing returns to scale and has the shutdown property, what can you say about the possible values of $\pi(p)$ at a given price vector p?
- (b) If we strengthen (a) to require *constant* returns to scale, what can you say about the shape of the set $Y^*(p)$?
- (c) If we instead strengthen (a) to require *strictly increasing* returns to scale (*i.e.*, $y \in Y$ and $\alpha \geq 1 \Rightarrow \alpha y$ is in the interior of Y), what can you say about the shape of the set *Y* [∗](*p*)?
- (d) What do you conclude about the possible existence of price-taking profit-maximizing firms with the the production set described in part (b)? What about the production set in part (c)? What do you expect such firms to do in reality?

Solutions:

- (a) If the production set has nondecreasing returns to scale and a shutdown property, we can say that at a certain $p, \pi(p)$ is either 0 or $+\infty$. This is stated in Remark 1 in the notes. To show this, first assume that there exists some $y \in Y$ such that $p \cdot y > 0$. Since the production set has nondecreasing returns to scale, $\alpha y \in Y$ for all $\alpha > 1$. As $\alpha \to \infty$, $p \cdot (\alpha y) = \alpha (p \cdot y) \to \infty$, so $\pi(p) = +\infty$. If $p \cdot y \le 0$ for all y, then $\pi(p) = 0$, because the firm can achieve no more profit than shutting down. Thus, for any $p, \pi(p)$ equals either 0 or $+\infty$.
- (b) If the production set has constant returns to scale and a shutdown property, the shape of the set $Y^*(p)$ can be any of three cases, depending on p. From part (a), we know that $\pi(p) \in \{0, \infty\}$. If $\pi(p) = +\infty$, then $Y^*(p) = \emptyset$, because there is no $y \in Y \subset \mathbb{R}^n$ for which $p \cdot y = +\infty$. If $\pi(p) = 0$, there are two cases. Either $p \cdot y < 0$ for all $y \in Y$, in which case $Y^*(p) = \{0\}$. This is true because the maximal point will be precisely at the shutdown point, as all other feasible production plans lead to negative profits. The second case is when there exists some $y \in Y$ such that $p \cdot y = 0$. In this case, $p \cdot \alpha y = \alpha (p \cdot y) = 0$ for all $\alpha > 0$, which points we know are feasible because of constant returns to scale. Thus, $Y^*(p) = \{y : p \cdot y = 0\}$. Note that the shutdown point 0 is also included in this case.
- (c) If the production set has strictly increasing returns to scale, then the set $Y^*(p)$ is either $\{0\}$ or \emptyset . As in part (b), if $\pi(p) = +\infty$, $Y^*(p) = \emptyset$. Also as in part (b), if $p \cdot y < 0$ for all $y \in Y$, $y^*(p) = \{0\}$. Unlike part (b), however, there is no other case. To see why, assume that there exists some $y \in Y \setminus \{0\}$ such that $p \cdot y = 0$. Then $p \cdot (\alpha y) = 0$ for some large $\alpha > 1$. However, since αy is in the interior of the production set, there exists $\varepsilon > 0$ such that $\alpha y + \varepsilon p \in Y$. Then $p \cdot (\alpha y + \varepsilon p) = \alpha p \cdot y + \varepsilon ||p||^2 = \varepsilon ||p||^2 > 0$, so since $\alpha y + \varepsilon p$ is such that $p \cdot (\alpha y + \varepsilon p) > 0$, $\pi(p) = \infty$, and we are in the first case where $Y^*(p) = \emptyset$.
- (d) With constant returns to scale, a firm with features as in part (b) would be indifferent between different levels of production – they would either be indifferent between shutting down and producing bundles at zero profit, or indifferent between producing more and more output, or they would prefer shutting down to anything else. In reality, I would expect firms in the first and third cases to shut down, and I would expect firms in the second case to produce as much as possible, until they become price-setters, which this model does not cover.

With increasing returns to scale, a firm with features as in part (c) would either shut down or produce more and more. The first case seems reasonable, but the second runs into the same property where they would eventually stop being price-takers.

Problem 2: Suppose that production set Y is closed and that at some price vector p, $\pi(p) < +\infty$ (*i.e.*, the profits are bounded). Does this imply that $Y^*(p) \neq \emptyset$ (*i.e.*, a profit-maximizing plan exists)?

Solution: No. Consider the production set $Y = \{(y_1, y_2) \in (-\infty, 1) \times \mathbb{R} : y_2 \leq \frac{1}{y_1 - 1} + 1\}$, with the price vector $(0, 1)$. Since the first good (the input) is costless, the firm only cares about how much of the second good (the output) they can produce. As $y_1 \rightarrow -\infty$, $y_2 \rightarrow 1$, so $\pi(p) = 1 < +\infty$. However, there is no finite bundle which produces a profit of 1. Thus, *Y*^{*}(*p*) = \emptyset . The production set is closed because it contains its border ({ (y_1, y_2) : y_2 = $\frac{1}{y_1-1} + 1$ }), so this serves as a counterexample.

Problem 3: (MWG) Derive the profit function $\pi(p)$ and the supply correspondance $Y^*(p)$ for a single-output two-input firm with production function

- (a) $f(z) = 2\sqrt{z_1 + z_2}$
- (b) $f(z) = 2\sqrt{\min(z_1, z_2)}$
- (c) $f(z) = (z_1^{\rho} + z_2^{\rho})^{1/\rho}$ for $\rho \le 1$. (This is known as a "Constant Elasticity of Substitution" production function, with the elasticity of substitution $s = 1/(1 - \rho)$.)

Solutions:

Let $y = (q, -z_1, -z_2) \in \mathbb{R}^3_+$ and $p = (p, w_1, w_2) \in \mathbb{R}^3_{++}$.

(a) Note first that the inputs are perfect substitutes, so if $w_1 > w_2$, $z_1^* = 0$ and if $w_2 > w_1$, $z_2^* = 0$. Without loss of generality, we assume that if $w_1 = w_2$, $z_1^* = 0$. Assume first that $w_2 > w_1$. Then the firm's maximization problem is

$$
\max_{z_1 \in \mathbb{R}_+} p(2\sqrt{z_1}) - w_1 z_1
$$

The first order conditions are:

$$
\frac{p}{\sqrt{z_1}} - w_1 = 0
$$

$$
z_1^* = \left(\frac{p}{w_1}\right)
$$

²

Thus, $q^* = f(z_1^*, 0) = 2\frac{p}{w_1}$, and $\pi(p) = pq^* - w_1 z_1^* = \frac{p^2}{w_1}$. Finally, $Y^*(p) = (2\frac{p}{w_1}, -\frac{p^2}{w_1^2}, 0)$. Following the same logic, if $w_2 \le w_1$, $\pi(p) = \frac{p^2}{w_2}$ and $Y^*(p) = (\frac{2p}{w_2}, 0, -\frac{p^2}{w_2^2})$.

(b) Note first that inputs are perfect compliments, so if $z_1 > z_2$, profit could be strictly increased by setting $z_1 = z_2$, because the firm would produce the same output at decreased cost. Define $z = z_1 = z_2$, and we solve the resulting profit maximization problem:

$$
\max_{z \in \mathbb{R}_+} p(2\sqrt{z}) - w_1 z - w_2 z
$$

Taking first order conditions:

$$
0 = \frac{p}{\sqrt{z}} - w_1 - w_2
$$

$$
z^* = \left(\frac{p}{w_1 + w_2}\right)^2 = z_1^* = z_2^*
$$

Thus, $q^* = f(z_1^*, z_1^*) = 2 \frac{p}{w_1 + w_2}$, and $\pi(p) = pq^* - w_1 z_1^* - w_2 z_1^* = \frac{p^2}{w_1 + w_2}$. Finally, $Y^*(p) = (2\frac{p}{w_1 + w_2}, -\left(\frac{p}{w_1 + p_2}\right))$ *w*1+*w*² \int_0^2 , $-\left(\frac{p}{w_1 + p}\right)$ *w*1+*w*² $\Big)^2$).

(c) Note that *f* has constant returns to scale, so by Problem 1 (b), $\pi(p) \in \{0, +\infty\}$. This means that if there exists any z_1, z_2 such that $p(z_1^{\rho} + z_2^{\rho})^{1/\rho} - w_1 z_1 - w_2 z_2 > 0$, $\pi(p) = +\infty$ and $Y^*(p) = \emptyset$. We need to check if such vectors exist along any arbitrary curve where $(z_1^{\rho} + z_2^{\rho})^{1/\rho}$ equals the same number. If all vectors along that curve are weakly negative, then $\pi(p)$ will equal 0. If any are positive, then $\pi(p)$ will equal $+\infty$. Since the supply function exhibits constant returns to scale, this suffices to identify conditions under which a positive profit will exist. For simplicity, choose the curve $z_1^{\rho} + z_2^{\rho} = 1$. Our maximization problem is

max
$$
p(z_1^{\rho} + z_2^{\rho})^{1/\rho} - w_1 z_1 - w_2 z_2
$$

subject to $z_1^{\rho} + z_2^{\rho} = 1$

Our Lagrangian simplifies to

$$
\mathcal{L} = p - w_1 z_1 - w_2 z_2 + \lambda (z_1^{\rho} + z_2^{\rho} - 1)
$$

Taking first order conditions, we get

$$
\mathcal{L}_{z_1} = -w_1 + \lambda \rho z_1^{\rho - 1} = 0 \to z_1 = \left(\frac{w_1}{\lambda \rho}\right)^{\frac{1}{\rho - 1}}
$$

$$
\mathcal{L}_{z_2} = -w_2 + \lambda \rho z_2^{\rho - 1} = 0 \to z_2 = \left(\frac{w_2}{\lambda \rho}\right)^{\frac{1}{\rho - 1}}
$$

Plugging into the constraint, we get

$$
\left(\frac{w_1}{\lambda \rho}\right)^{\frac{\rho}{\rho-1}} + \left(\frac{w_2}{\lambda \rho}\right)^{\frac{\rho}{\rho-1}} = 1 \to \lambda \rho = \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}}
$$

Plugging back into the first order conditions, we get

$$
z_1^* = \left(\frac{w_1}{\left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}}}\right)^{\frac{1}{\rho-1}} = \frac{w_1^{\frac{1}{\rho-1}}}{\left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{1}{\rho}}}
$$

and

$$
z_2^* = \frac{w_2^{\frac{1}{\rho-1}}}{\left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{1}{\rho}}}
$$

Now we have that the maximum value of π on the curve $z_1^{\rho} + z_2^{\rho} = 1$ is

$$
p - w_1 \frac{w_1^{\frac{1}{\rho-1}}}{\left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{1}{\rho}}} - w_2 \frac{w_2^{\frac{1}{\rho-1}}}{\left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{1}{\rho}}} = p - \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}}
$$

Thus, we can characterize the profit function and supply correspondence as:

$$
\pi(p) = \begin{cases}\n0 & p \le \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}} \\
+\infty & p > \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}}\n\end{cases}
$$
\n
$$
Y^*(p) = \begin{cases}\n\{0\} & p < \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}} \\
\left\{(\alpha z_1^*, \alpha z_2^*) : \alpha \ge 0\right\} & p = \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}} \\
p > \left(w_1^{\frac{\rho}{\rho-1}} + w_2^{\frac{\rho}{\rho-1}}\right)^{\frac{\rho-1}{\rho}}\n\end{cases}
$$

Problem 4: Suppose that we do not observe a firm's supply choices but observe its attained profits $\pi(p)$ for all price vectors p in a convex open set $P \subseteq \mathbb{R}$. Prove that a differentiable function π can be rationalized as the firm's maximal profits on some production set if and only if it is convex and homogeneous of degree 1. (You can use any theorems from the lecture notes.)

Proof. (\Rightarrow): We have that a differentiable function π can be rationalized as the firm's maximal profits on some production set, meaning that $\pi(p) = \sup_{y \in Y} p \cdot y$ for all $p \in P$. Since *P* is convex and open and π is differentiable, π is convex by Proposition 3. Further, π is homogeneous of degree 1 by Proposition 5.

 (\Leftarrow) : We have a differentiable function π that is convex and homogeneous of degree 1. Since π is convex, by Proposition 3 to show that it rationalizes the firm's maximal profits on some production set it suffices to show that Hotelling's Lemma holds. Since π is differentiable, we can take the gradient at every *p*, and define $y(p) = \nabla \pi(p)$. By Euler's Law, since π is homogeneous of degree 1, $\pi(p) = p \cdot \nabla \pi(p)$, which means that $\pi(p) = p \cdot y(p)$. Thus, since π is convex and Hotelling's Lemma holds, by Proposition 3π can be rationalized as the firm's maximal profits on some production set. \Box

Problem 5: Consider a single-output firm with production function *f*.

- (a) Show that if *f* has nondecreasing [nonincreasing] returns to scale, then the "average cost function" $c(q, w)/q$ is nonincreasing [resp. nondecreasing] in q.
- (b) Show that if f is concave, then the cost function $c(q, w)$ is convex in output q.
- (c) Is the converse to (a) true? Is the converse to (b) true?

Solutions:

(a) We have that *f* has nondecreasing returns to scale, meaning that $f(\alpha z) > \alpha f(z)$ for all $\alpha \geq 1$. Fix some $z \in \mathbb{R}^n_+$ and $\alpha \geq 1$. Also define $z' = z/\alpha$. Recall that $c(q, w) = \inf\{z \cdot w : f(z) \ge q\}$, meaning that the average cost function is $c(q, w)/q =$ $(1/q)$ inf $\{z \cdot w : f(z) \ge q\}$. Now consider:

$$
c(\alpha q, w) / (\alpha q) = \frac{1}{\alpha q} \inf \{ z \cdot w : f(z) \ge \alpha q \}
$$

$$
= \frac{1}{\alpha q} \inf \{ z \cdot w : f(z) \ge \alpha q \}
$$

Note that since f has nondecreasing returns to scale, $f(z) \geq \alpha f(z/\alpha)$. This means that

$$
\frac{1}{\alpha q} \inf \{ z \cdot w : f(z) \ge \alpha q \} \le \frac{1}{\alpha q} \inf \{ z \cdot w : \alpha f(z/\alpha) \ge \alpha q \}
$$

Because the right set is smaller, meaning that the infimum is larger. Thus, we have

$$
c(\alpha q, w) / (\alpha q) = \frac{1}{\alpha q} \inf \{ z \cdot w : f(z) \ge \alpha q \}
$$

\n
$$
\le \frac{1}{\alpha q} \inf \{ z \cdot w : \alpha f(z/\alpha) \ge \alpha q \}
$$

\n
$$
= \frac{1}{q} \inf \{ \frac{z}{\alpha} \cdot w : f(\frac{z}{\alpha}) \ge q \}
$$

\n
$$
= \frac{1}{q} \inf \{ z' \cdot w : f(z') \ge q \} = c(q, w) / q
$$

Therefore, $c(\alpha q, w)/(\alpha q) \leq c(q, w)/q$, which means that the average cost function is nonincreasing in *q*. The exact same argument with $\alpha < 1$ and the \leq signs reversed demonstrates that the property holds such that whenever *f* has nonincreasing returns to scale, the average cost function is nondecreasing in *q*.

(b) We have that f is concave, meaning that for any $\theta \in [0,1]$ and x, y in the domain of $f, f(\theta x + (1 - \theta)y) \geq \theta f(x) + (1 - \theta)f(y)$. Take two bundles of inputs, *z* and *z'*. Define $f(z) = q$ and $f(z') = q'$. To show that the cost function is concave in q, it suffices to show that $c(\theta q + (1 - \theta)q', w) \leq \theta c(q, w) + (1 - \theta)c(q', w)$. First, note that $c(q, w) = \inf_z \{z \cdot w : f(z) \ge q\}$. Fix some $\theta \in [0, 1]$. Consider $\theta c(q, w) + (1 - \theta)c(q', w)$. Using the properties of infimum and of set containment, we have

$$
\theta c(q, w) + (1 - \theta)c(q', w) = \theta \inf \{ z \cdot w : f(z) \ge q \} + (1 - \theta) \inf \{ z' \cdot w : f(z') \ge q' \}
$$

= $\inf \{ (\theta z + (1 - \theta)z') \cdot w : f(z) \ge q , f(z') \ge q' \}$
(because f is concave) $\ge \inf \{ (\theta z + (1 - \theta)z') \cdot w : f(\theta z + (1 - \theta)z') \ge \theta q + (1 - \theta)q' \}$
= $c(\theta q + (1 - \theta)q', w)$

Thus, $c(q, w)$ is convex in q whenever f is concave.

 (c) The converse to neither statement is true. For part (a) , consider the piecewise production function

$$
f(z_1, z_2) = \begin{cases} z_1 + z_2 & z_1 + z_2 \le 2 \\ 2z_1 + 2z_2 & z_1 + z_2 > 2 \end{cases}
$$

As the two goods are perfect substitutes, costs are minimized by choosing whichever of the inputs has lower cost, as in Problem 3 (a). Thus, the cost function is $c(q, w_1, w_2) =$ *q* min $\{w_1, w_2\}$, so the average cost function is $c(q, w_1, w_2)/q = \min\{w_1, w_2\}$ which is constant in *q* and therefore nonincreasing. However, taking $z = (2, 2)$ and $\alpha = 1/2$, we have that $\alpha f(z) = (1/2)(4 + 4) = 4$, but $f(\alpha z) = 1 + 1 = 2$. Since $\alpha f(z) > f(\alpha z)$, f has does not have nonincreasing returns to scale. An analogous piecewise function with a higher slope for lower *z* and a lower slope for higher *z* would not have nondecreasing returns to scale, so the converse is not true.

For part (b), consider the production function $f(z_1, z_2) = \max\{z_1, z_2\}$. As above, the cost function is $c(q, w_1, w_2) = q \min\{w_1, w_2\}$, so the average cost function is $c(q, w_1, w_2)/q = \min\{w_1, w_2\}$ which is constant in *q* and therefore convex. However, taking as an example the points $z = (2, 1)$ and $z' = (1, 2), f(z) = f(z') = 2$, so $\theta f(z) + (1 - \theta)f(z') = 2$ for all θ . However, taking $\theta = 1/2$, $f(\theta z + (1 - \theta)z') = 0$ $f(1.5, 1.5) = 1.5 < 2$, so *f* is not concave.

Problem 6: A single-output two-input firm's cost function is given by $c(w_1, w_2, q) = (w_1^{\delta} +$ $w_2^{\delta})^{1/\delta}q.$

- (a) What values can δ take?
- (b) What can you infer about the firm's conditional factor demands and production function?
- (c) Answer question (b) for the cost function $c(w_1, w_2, q) = \min\{w_1, w_2\} \cdot q$ (which corresponds to the limiting case $\delta = -\infty$).

Solutions:

(a) For the cost function to be rationalizable, it must fulfill three conditions: it must be nondecreasing in prices, homogeneous of degree one in prices, and concave in prices. We will check each condition in order.

First, we will determine at what values of δ the cost function is nondecreasing in prices. To do so, we will take the partial derivative with respect to each price, noting that $w_1, w_2, q \in \mathbb{R}_+$.

$$
\frac{\partial}{\partial w_1}c(w_1, w_2, q) = w_1^{\delta - 1}(w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}}q
$$

$$
\frac{\partial}{\partial w_2}c(w_1, w_2, q) = w_2^{\delta - 1}(w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}}q
$$

Since $w_1, w_2, q \in \mathbb{R}_+$, these are nonnegative for any $\delta \in \mathbb{R}$, meaning that the cost function is nondecreasing in price at any δ .

Next, we will determine at what values of δ the cost function is homogeneous of degree one. Fix some $\alpha > 0$.

$$
c(\alpha w_1, \alpha w_2, q) = ((\alpha w_1)^{\delta} + (\alpha w_2)^{\delta})^{1/\delta} q
$$

= $(\alpha^{\delta} (w_1^{\delta} + w_2^{\delta})^{1/\delta} q$
= $\alpha (w_1^{\delta} + w_2^{\delta})^{1/\delta} q = \alpha c(w_1, w_2, q)$

Since $c(\alpha w_1, \alpha w_2, q) = \alpha c(w_1, w_2, q)$ for $\alpha > 0$ at any $\delta \in \mathbb{R}$, the cost function is homogeneous of degree one for any $\delta \in \mathbb{R}$.

Finally, we will check at what values of δ the cost function is concave in prices. To do so, we will find the Hessian with regard to prices and ensure that it is negative semi-definite. We used Wolfram Alpha to take the Hessian, and found that the only eigenvalues are 0 and $(\delta - 1)w_1^{\delta-2}w_2^{\delta-2}(w_1^2 + w_2^2)(w_1^{\delta} + w_2^{\delta})^{\frac{1}{\delta}-2}$. The second is ≤ 0 only when $\delta \leq 1$, as all other variables are nonnegative. Thus, we have that the cost function is rationalizable only when $\delta \leq 1$.

(b) We can find the firm's conditional factor demands by taking the gradient with respect to the cost of each input (as in part (a)). We get that

$$
z^*(q, w) = (w_1^{\delta - 1}(w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}}q, w_2^{\delta - 1}(w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}}q)
$$

To find the production function, we will eliminate the input prices from the conditional factor demand equations

$$
\frac{z_1}{z_2} = \frac{w_1^{\delta - 1} (w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}} q}{w_2^{\delta - 1} (w_1^{\delta} + w_2^{\delta})^{\frac{1 - \delta}{\delta}} q} = \left(\frac{w_1}{w_2}\right)^{\delta - 1}
$$

This means that

$$
\frac{w_1}{w_2} = \left(\frac{z_1}{z_2}\right)^{\frac{1}{\delta - 1}}
$$

Reformulating our earlier expression for z_2 (again using Wolfram Alpha), we get

$$
z_2 = \left[\left(\frac{w_1}{w_2} \right)^{\delta} + 1 \right]^{\frac{1-\delta}{\delta}} q
$$

Replacing, we get

$$
z_2 = \left(z_1^{\frac{\delta}{\delta - 1}} + z_2^{\frac{\delta}{\delta - 1}}\right)^{\frac{1 - \delta}{\delta}} z_2 q \to q = \left(z_1^{\frac{\delta}{\delta - 1}} + z_2^{\frac{\delta}{\delta - 1}}\right)^{\frac{\delta - 1}{\delta}}
$$

Thus, our production function is

$$
f(z_1, z_2) = \left(z_1^{\frac{\delta}{\delta - 1}} + z_2^{\frac{\delta}{\delta - 1}}\right)^{\frac{\delta - 1}{\delta}}
$$

(c) First consider the case when $w_1 > w_2$. In that case, $\nabla_{w_1} c(w_1, w_2, q) = 0$ and $\nabla_{w_2} c(w_1, w_2, q) = 0$ *q*, so $z^*(q, w_1, w_2) = (0, q)$. In the case when $w_2 > w_1$, $\nabla_{w_1} c(w_1, w_2, q) = q$ and $\nabla_{w_2} c(w_1, w_2, q) = 0$, so $z^*(q, w_1, w_2) = (q, 0)$. In the case where $w_1 = w_2$, the conditional factor demand is indeterminate, because the cost function is not differentiable. One possible solution would be $z^*(q, w_1, w_2) = (q/2, q/2)$, which would minimize costs with the production function discussed below. However, with other production functions other conditional factor demands would themselves minimize costs.

To find the production function, we take the limit as $\delta \to -\infty$. Since $\frac{\delta}{\delta-1} \to 1$ as $\delta \to \infty$, $f(z_1, z_2) = z_1 + z_2$. This production function does correspond to the conditions described above. However, this is not the only possible production function, because the identified conditional factor demands can still appear for other production functions. For example, when $f(z_1, z_2) = \max\{z_1, z_2\}$, it is still optimal to only use the cheaper input. Thus, the production function is also indeterminate.

Problem 7: For a single-output firm with the shutdown property, we observe that at the output prices p_1, \ldots, p_K the firm chooses outputs q_1, \ldots, q_K respectively. (The firm's input choices are not observed, but we know that all input prices stay the same for all observations.) Order the observations so that $0 < p_1 < \cdots < p_K$.

(a) What conditions on the observations are necessary and sufficient for the observations to be consistent with profit-maximizing choices by a price-taking firm?

From now on, assume that the firm is indeed a profit-maximizing price-taking firm.

- (b) What bounds on the change in the firm's profits as output price increases from *p^k* to p_{k+1} are implied by the observations?
- (c) What bounds on the firm's profits achieved at price p_K are implied by the observations?

Solutions:

- (a) From Proposition 7, for the observations to be consistent with profit-maximizing choices by a price-taking firm, showing that the Producer Surplus Formula and the Law of Supply suffices. Note that since we do not observe profit, the Producer Surplus Formula holds vacuously, as it is never violated by any observations. Thus, the Law of Supply is both necessary and sufficient. For the Law of Supply to hold, it must be the case that for all $p, p' \in P$, $(p - p') \cdot (y(p') - y(p)) \ge 0$. Since input prices are the same across all observations, this simplifies to the condition that $(p_i - p_j) \cdot (q_i - q_j) \geq 0$.
- (b) Since the producer surplus formula must hold, meaning that $p, p' \in P$, $\pi(p') \pi(p) =$
 $\int u(p) dp$. Since only the price of the output good is changing, we have $\pi(p_{k+1}) \int_{\rho} y(p) dp$. Since only the price of the output good is changing, we have $\pi(p_{k+1})$ − $\pi(p_k) = \int_{p_k}^{p_{k+1}} q(p) dp$. Note that we ignore the prices of inputs, as they do not change. By the law of supply, $q_k \leq q(p) \leq q_{k+1}$ for all $p \in [p_k, p_{k+1}]$. Thus, we have that $\pi(p_{k+1}) - \pi(p_k) \in [q_k(p_{k+1} - p_k), q_{k+1}(p_{k+1} - p_k)].$
- (c) Note first that the minimum possible value for $\pi(p_1)$ is 0, as the firm has the shutdown property. Note also that the maximum possible value for $\pi(p_1)$ is $p_1 \cdot q_1$, when input prices are 0. To find the bounds on the profits at price p_K , we simply induct from $p₁$, using the bounds from part (b). We get

$$
\pi_{min}(p_K) = 0 + \sum_{k=1}^{K-1} q_k(p_{k+1} - p_k)
$$
$$
\pi_{max}(p_K) = p_1 q_1 + \sum_{k=1}^{K-1} q_{k+1}(p_{k+1} - p_k)
$$

Thus,

$$
\pi(p_K) \in \left[\sum_{k=1}^{K-1} q_k(p_{k+1} - p_k), p_1 q_1 + \sum_{k=1}^{K-1} q_{k+1}(p_{k+1} - p_k) \right]
$$

Problem 8: Consider a profit-maximizing price-taking single-output firm with two inputs: labor (*l*) and capital (*k*). This question asks you to use monotone comparative statics techniques to establish sufficient conditions for the firm's output to be nonincreasing in the price of the labor input (wage) *w*.

- (a) Show that a sufficient condition for this is that labor is a "normal" input, *i.e.* , the optimal labor choice in the cost-minimization problem is nondecreasing in the target output level.
- (b) Derive a sufficient condition for this in terms of the firm's production function *f*, assuming it to be sufficiently smooth. (Hint: it may be convenient to represent the isoquants of *f* by means of the function $k(l, q) = k$ s.t. $f(k, l) = q$.)

Solutions:

- (a) The firm's profit maximization problem is $\max_{q \in \mathbb{R}_+} pq c(q, w)$. We assume that *c* is differentiable. From Shephard's Lemma, we know that $c_w(q, w) = l^*(q, w)$, and since labor is a normal input, the derivative of the firm's objective function with regard to wage (which is just $-c_w(q, w)$) is nonincreasing in output. This means that the firm has increasing differences in $(q, -w)$. By Topkis' Theorem, the optimal output $q^*(w)$ is nonincreasing in *w*.
- (b) Define the isoquants of *f* as $\overline{k}(l,q) = k$ s.t. $f(k,l) = q$. By the Implicit Function Theorem

$$
-\frac{\partial \overline{k}(l,q)}{\partial l} = \frac{\partial f(\overline{k}(l,q),l)/\partial l}{\partial f(\overline{k}(l,q),l)/\partial k}
$$

Note that the right hand side is the marginal rate of technical substitution between *l* and *k*. This means that $-\frac{\partial k(l,q)}{\partial l}$ must be nondecreasing in *q*, which means that $-\overline{k}(l,q)$ has increasing differences in *l* and *q*.

Note also that the firm's cost minimization problem is solved when $k^* = k(l^*, q)$. We can rewrite the problem as

$$
l^*(q) = \operatorname*{argmin}_{l \in \mathbb{R}_+} wl + r\overline{k}(l, q) = \operatorname*{argmax}_{l \in \mathbb{R}_+} -wl - r\overline{k}(l, q)
$$

where *r* is the cost of capital. Since $-\overline{k}(l, q)$ has increasing differences in *l* and *q*, the objective function $-wl - r\overline{k}(l, q)$ has increasing differences in *l* and *q*, and by Topkis' Theorem, the firm's choice of *l* is increasing in *q*.

7.4 Uncertainty (Blume)

7.4.1 Blume Homework

Problems.

1. Suppose an investor with initial wealth w_0 has a payoff function of the form

$$
u(w) = -\exp(-r_a w)
$$

with $r_a > 0$. There are two investment opportunities: a risk-free asset and a risky asset whose payoff is normally distributed with mean μ and variance σ^2 . The investor can allocate her wealth between the two opportunities. What share of her wealth should go into the risky asset?

- 2. Suppose that \succeq satisfies the Savage axioms with state space S and outcome space *X*, and suppose that it has an SEU representation with payoff function *u* and belief distribution μ . Prove that for every non-null event *A* the preference order σ_A has an SEU representation. What is it?
- 3. Let M denote the right triangle in the plane with vertices $x = (0,1), y = (0,0)$, and $z = (1,0)$. Each $m \in M$ can be written uniquely as $\alpha_m x + (1 - \alpha_m)(\beta_m y + (1 - \beta_m)z)$. Define the mixture operators

$$
m \otimes_{\lambda} n = \begin{cases} z & \text{if } m = n = z; m = z \& \lambda = 1; \text{ or } n = z \& \lambda = 0 \\ & \\ (\lambda \alpha_m + (1 - \lambda)\alpha_n)x + \text{otherwise} \\ & (1 - (\lambda \alpha_m + (1 - \lambda)\alpha_n))y \end{cases}
$$

- (a) Show that this is a mixture space.
- (b) Suppose the preference relation satisfies axioms A1-3 for mixture spaces. Describe what indifference sets must look like.
- 4. Random variable *X* is distributed with density $f(x) = x^{-6/5}/5$ and *Y* is distributed with density $q(x) = x^{-3/2}/2$.
	- (a) Which is bigger with respect to first order stochastic dominance?
	- (b) Suppose a decision maker maximized expected utility with payoff function $u(x) = \sqrt{x}$. Which does he prefer?
- 5. Suppose an expected utility maximizer faces a decision problem in which there are two states of nature and three choices a_1, a_2, a_3 . Utility payoffs are described in the following table: The true probability distribution is $p = (p_1, p_2)$, where p_s is the probability of

state s.
\n
$$
\begin{array}{c|cc}\n & s_1 & s_2 \\
\hline\na_1 & 0 & -8 \\
a_2 & -10 & 0 \\
a_3 & -4 & -3\n\end{array}
$$

- (a) The DM does not know p, and believes that it is equally likely that $p_1 = 1/4$ and $p_1 = 3/4$. Given these *a priori* beliefs about the models, what probability does she assign to the event *s*1?
- (b) Which a_i will she choose?
- (c) Before she chooses, she is told that the previous draw from the current distribution was *s*1. Draws are independent, and her *a priori* belief is, as before, that the models are equally likely. What will she choose?
- (d) Suppose instead that she is told that s_2 was drawn. What will she choose?
- (e) How much is it worth to her, in utility terms, to know the value of the last draw (given that her prior beliefs are that both modes are equally likely). (Hint: In part (c) you computed her expected utility if she is told *s*2. In part (b) you computed her expected utility if she is told *s*1. Before you are told anything, you have beliefs about how likely you are to be told s_1 and s_2 . So you can compute your expected expected utility [this is not a typo; it really is "expected expected utility"] before you are told anything. From this, you can compute the value of information—the value of knowing the value of the last draw. This notion of value of information is widely used.
- 6. In the three-color Ellsberg paradox, which of Savage's axioms P1-5 (not 6 or 7) fail to hold?

Solutions. (Gabe's solutions, not yet graded by time of writing.)

1. We have that $u(w) = -\exp(-r_a w)$, for $r_a > 0$. First, note that the decision maker is risk-averse, as this Bernoulli utility function is concave in *w*. Furthermore, her coefficient of absolute risk aversion is

$$
A(w) = -\frac{u''(w)}{u'(w)} = \frac{r_a^2 \exp(-r_a w)}{r_a \exp(-r_a w)} = r_a
$$

which is constant, meaning that the decision maker has constant absolute risk aversion, so we may feel free to ignore wealth effects. Saying that the agent invests *x* in the risky asset, which has (random) gross return $\varepsilon \sim \mathcal{N}(\mu, \sigma)$, and $w_0 - x$ in the risk-free asset, where the risk-free asset has a gross return of r_f , her wealth is

$$
w = x\varepsilon + (w_0 - x)r_f = x\mu + x(R - \mu) + (w_0 - x)r_f
$$

with first and second moments

$$
\mathbb{E}[w] = x\mu + (w_0 - x)r_f \quad \text{and} \quad \text{Var}(w) = x^2\sigma^2
$$

Using the moment generating function for $X \sim \mathcal{N}(\mu, \sigma^2)$, we get that

$$
\mathbb{E}[\exp(tX)] = \exp\left(t\mu + \frac{t^2\sigma^2}{2}\right)
$$

So her expected utility under CARA utility is

$$
\mathbb{E}[u(w)] = -\exp\left(-r_a \mathbb{E}[w] + \frac{r_a^2}{2} \text{Var}(w)\right) = -\exp\left(-r_a x \mu - r_a r_f (w_0 - x) + \frac{r_a^2 x^2 \sigma^2}{2}\right)
$$

Maximizing this function is equivalent to maximizing the exponent. The first order condition with respect to *x* gives

$$
-r_a \mu + r_a r_f + r_a^2 x \sigma^2 = 0
$$

Thus, we have that

$$
x^* = \frac{\mu - r_f}{r_a \sigma^2}
$$

Taking into account corners, we get that the optimal level of investment is

$$
x^* = \begin{cases} 0 & r_f \ge \mu \\ \max \left\{ \frac{\mu - r_f}{r_a \sigma^2}, w_0 \right\} & \text{otherwise} \end{cases}
$$

(note that this is in real dollar values – to get the share of wealth, simply divide everything by w_0)

2. Prove that the preference order has an SEU representation.

Proof. We will define the preference order σ_A as follows:

$$
f \succeq_A g
$$
 if and only if $f \mid_A \succeq g \mid_A$

(intuitively, *f* is weakly preferred to *g* conditional on *A* if and only if the restriction of *f* to *A* is preferred to the restriction of *g* to *A* under the global preference relation)

Since \succeq has an SEU representation, the expected utility of f is

$$
\mathop{\mathbb{E}}_{{\mu}}[u \circ f] = \int_{s \in S} u(f(s))d\mu(s)
$$

To construct the SEU representation of σ_A , we need a conditional utility function and a conditional belief distribution. The conditional utility function is over outcomes, and will coincide with *u*. Define the conditional belief distribution $\mu(\cdot | A)$ as follows, using the definition of conditional probabilities:

$$
\mu(B \mid A) = \frac{\mu(B \cap A)}{\mu(A)}
$$

Thus, we can show that σ_A has an SEU representation as follows. Consider two acts $f, g \in F$. From above, we have that

$$
f \succeq_A g \iff \mathop{\mathbb{E}}_{\mu}[u \circ f \mid A] \ge \mathop{\mathbb{E}}_{\mu}[u \circ g \mid A]
$$

Expanding, we get that

$$
f \succeq_A g \iff \int_{s \in A} u(f(s)) d\mu(s \mid A) \ge \int_{s \in A} u(g(s)) d\mu(s \mid A)
$$

The SEU representation for σ_A is

$$
\mathop{\mathbb{E}}_{\mu}[u \circ f \mid A] = \int_{s \in A} u(f(s))d\mu(s \mid A)
$$

 \Box

- 3. (Fake) mixture space
	- (a) This is not a mixture space. Consider the following counterexample, showing that it violates the first axiom of mixture spaces:

Counterexample. This is not a mixture space. Consider $m = (0.5, 0.5)$, which admits the unique coordinates $\alpha_m = 0.5$, $\beta_m = 0$. For arbitrary *n*, we have that $m \otimes_1 n = \alpha_m x + (1 - \alpha_m) y = (0, 0.5) \neq m.$

- (b) It doesn't. It admits no indifference curves.
- 4. Densities and FOSD.
	- (a) Note first that neither of the functions are densities over the domains (−∞*,* ∞) or $(0, \infty)$, as they are (respectively) not well-defined over the negative real numbers and diverge on $(0, 1)$. However, if we consider the domain $[1, \infty)$, we have that

$$
\int_{1}^{\infty} f(x)dx = \int_{1}^{\infty} g(x)dx = 1
$$

Thus, we will restrict them each to the domain $[1,\infty)$.

Recall that a distribution *X* first order stochastically dominates *Y* if their CDFs are ordered $F_X(x) \leq F_Y(x)$ for all *x*, with strict inequality holding for at least one *x*. We construct the CDFs by integrating the densities. Formally, we have that

$$
F(x) = \int_1^x f(t)dt = \left(-\frac{1}{t^{1/5}}\right)_1^x = 1 - \frac{1}{x^{1/5}}
$$

and

$$
G(x) = \int_1^x g(t)dt = \left(-\frac{1}{t^{1/2}}\right]_1^x = 1 - \frac{1}{x^{1/2}}
$$

Since $x \in [1,\infty)$, we can say that for any $x, F(x) \leq G(x)$. Additionally, taking $x = 2$, we have that $F(x) \approx 0.13 < 0.29 \approx G(x)$. Thus, *X* first-order stochastically dominates *Y* .

(b) We have that $u(x) = \sqrt{x}$. Since this function is strictly increasing, the decision maker will always prefer a lottery that first-order stochastically dominates, so they will always prefer X. To see why concretely, consider that the decision maker will prefer *X* to *Y* if

$$
\int_1^\infty u(x)f(x)dx > \int_1^\infty u(x)g(x)dx \Longrightarrow \int_1^\infty u(x)d(F(x) - G(x)) > 0
$$

Note that, integrating by parts, we have that for some CDF *F*,

$$
\int_1^{\infty} u(x)dF(x) = u(x)F(x)|_{x=1}^{x=\infty} - \int_1^{\infty} u(x)F(x)dx
$$

Thus, since $F(1) = G(1) = 0$ and $F(\infty) = G(\infty) = 1$, we have that

$$
\int_{1}^{\infty} u(x)d(F(x) - G(x)) = -\int_{1}^{\infty} u(x)(F(x) - G(x))dx = \int_{1}^{\infty} u(x)(G(x) - F(x))dx > 0
$$

since $G(x) > F(x) \forall x$.

- 5. Expected Utility
	- (a) If the decision maker believes that $p_1 = 1/4$ and $p_1 = 3/4$ with equal probability, her expectation is that

$$
p_1 = \frac{1}{2} \cdot \frac{1}{4} + \frac{1}{2} \cdot \frac{3}{4} = \frac{1}{2}
$$

- (b) Given that $\mathbb{E}[p_1] = \frac{1}{2}$, we have that $\mathbb{E}[a_1] = -4$, $\mathbb{E}[a_2] = -5$, and $\mathbb{E}[a_3] = -3.5$. She will choose a_3 .
- (c) Define *p*′ as the decision maker's posterior belief over the probability that the probability of state 1 is $3/4$. Her prior belief is that $p' = 1/2$. Having been told that the previous draw was of *s*1, we have that by Bayes' Rule

$$
p' = \mathbb{P}\left\{p_1 = \frac{3}{4}\middle| s_{-1} = s_1\right\} = \frac{\mathbb{P}\{s_{-1} = s_1 \mid p_1 = 3/4\}}{\mathbb{P}\{s_{-1} = s_1 \mid p_1 = 3/4\} + \mathbb{P}\{s_{-1} = s_1 \mid p_1 = 1/4\}}
$$

$$
p' = \frac{3/4}{3/4 + 1/4} = \frac{3}{4}
$$

Thus, her expectation is that

$$
\mathbb{E}[p_1] = p'\frac{3}{4} + (1 - p')\frac{1}{4} = \frac{9}{16} + \frac{1}{16} = \frac{5}{8}
$$

Her expected utilities from each choice are:

$$
\mathbb{E}[a_1] = \frac{5}{8} \cdot 0 + \frac{3}{8} \cdot -8 = -3
$$

$$
\mathbb{E}[a_2] = \frac{5}{8} \cdot -10 + \frac{3}{8} \cdot 0 = -6.25
$$

$$
\mathbb{E}[a_3] = \frac{5}{8} \cdot -4 + \frac{3}{8} \cdot -3 = -3.625
$$

Thus, she will choose *a*¹

(d) Again define *p*′ as the posterior that the probability of state 1 is 3*/*4. Again by Bayes' rule, we have that

$$
p' = \mathbb{P}\left\{p_1 = \frac{3}{4}\middle| s_{-1} = s_2\right\} = \frac{\mathbb{P}\{s_{-1} = s_2 \mid p_1 = 3/4\}}{\mathbb{P}\{s_{-1} = s_2 \mid p_1 = 3/4\} + \mathbb{P}\{s_{-1} = s_2 \mid p_1 = 1/4\}}
$$

$$
p' = \frac{1/4}{1/4 + 3/4} = \frac{1}{4}
$$

Thus, her expectation is that

$$
\mathbb{E}[p_1] = p'\frac{3}{4} + (1 - p')\frac{1}{4} = \frac{3}{16} + \frac{3}{16} = \frac{3}{8}
$$

Her expected utilities from each choice are

$$
\mathbb{E}[a_1] = \frac{3}{8} \cdot 0 + \frac{5}{8} \cdot -8 = -5
$$

$$
\mathbb{E}[a_2] = \frac{3}{8} \cdot -10 + \frac{5}{8} \cdot 0 = -3.75
$$

$$
\mathbb{E}[a_3] = \frac{3}{8} \cdot -4 + \frac{5}{8} \cdot -3 = -3.375
$$

Thus, she will choose *a*³

(e) From part (b), we know that the decision maker's expected utility when she has no information is −3*.*5. From part (c), we know that her expected utility when she is told s_1 is -3 and from part (d), her expected utility when she is told s_2 is -3.375 . She has prior expectation that the probability of s_1 is $\frac{1}{2}$, so we have that her expected expected utility is

$$
\frac{1}{2} \cdot -3 + \frac{1}{2} \cdot -3.375 = -3.1875
$$

so she gains, in expectation, $-3.1875 - (-3.5) = 0.3125$ from knowing the value of the state in the previous period.

6. In the three-color Ellsberg paradox, we have that $R = 30$ and $B + G = 60$. We also have that, under the generally accepted results,

$$
R \succ B \quad \text{and} \quad B + G \succ R + G
$$

Note first that we *do* have complete preferences, over the acts that we have been given, despite the fact that we do not know how they rank, for example, *G* and *B*. Since we have that the act *f* (pay \$100 if Red, nothing if Green or Blue) is preferred to *g* (pay \$100 if Blue, nothing if Red or Green). Define *h* as "pay nothing if Green" and *k* as "pay \$100 if Green". Then we have that $f \mid_A h \succ g \mid_A h$, where $A = \{ \text{Red or Blue} \},\$ but $f \mid_A k \prec g \mid_A k$. Thus, the second Savage axiom is violated. The Savage axioms three through five concern outcomes. None of them are violated, as long as we make the (reasonable) assumption that people prefer \$100 to \$0.

So the three-color Ellsberg paradox violates Savage P2.

7.4.2 Outside Questions

The following are from Stanford ECON202 Problem Set 4. Questions written by Ravi Jagadeesan, answers by Gabe along with Asia-Kim Francavilla and Monia Tomasella. Answers not necessarily correct.

Problem 1: (Kreps) This question asks you to examine the demand for imperfect insurance. Imagine a consumer with wealth $W - \Delta$, where Δ is a lottery whose support includes zero and a finite number of strictly positive amounts. Let π be the probability that a loss is incurred, *i.e.* that $\Delta > 0$, so $1 - \pi$ is the probability of no loss. An insurance policy is available that pays a dollar in the event of any loss – *i.e.* if $\Delta > 0$. The policy is not specifically tailored to reimburse the exact amount of the loss. The per-unit cost of the policy is *p*. The price is actuarily fair, so $p = \pi$. Suppose that conditional on a loss being incurred, the expected value of the loss is *B*, *i.e.* $B = \mathbb{E}[\Delta | \Delta > 0]$. We say that the consumer buys full insurance if she purchases *B* units of insurance and covers her full *expected* loss. Assuming the consumer has a differentiable concave Bernoulli utility function, for what kinds of utility functions will she buy full insurance, less than full insurance, or more than full insurance? (Give a simple example with parameters if you can't prove the general case.)

Answer: Define θ as the number of units of insurance the consumer purchases. The consumer's maximization problem is

$$
\max_{\theta \ge 0} \pi \mathbb{E} \left[u(W + (1 - \pi)\theta - \Delta |_{\Delta > 0}) \right] + (1 - \pi)u(W - \pi\theta - \Delta |_{\Delta = 0})
$$

Taking the first order conditions, we get

$$
\pi(1-\pi) \mathbb{E} \left[u'(W + (1-\pi)\theta - \Delta|_{\Delta>0}) \right] - \pi(1-\pi)u'(W - \pi\theta) = 0
$$

$$
\mathbb{E} \left[u'(W + (1-\pi)\theta - \Delta|_{\Delta>0}) \right] = u'(W - \pi\theta)
$$

We now split into cases. First consider the case where $u''' = 0$, so $\mathbb{E}[u'(x)] = u'(\mathbb{E}[x])$ (which we know from the second-order Taylor expansion). We have that

$$
u'(W + (1 - \pi)\theta - \mathbb{E}[\Delta|_{\Delta > 0})]) = u'(W - \pi\theta)
$$

$$
W + (1 - \pi)\theta - B = W - \pi\theta
$$

$$
\theta = B
$$

Thus, in the case where $u''' = 0$, the consumer will purchase full insurance. Next, consider the case where $u''' > 0$, so $\mathbb{E}[u'(x)] > u'(\mathbb{E}[x])$. This means that, using the fact that *u* is strictly concave which implies that *u*′ is strictly decreasing,

$$
u'(W + (1 - \pi)\theta - B) < \mathbb{E}\left[u'(W + (1 - \pi)\theta - \Delta|\Delta| > 0)\right] = u'(W - \pi\theta)
$$
\n
$$
W + (1 - \pi)\theta - B > W - \pi\theta
$$
\n
$$
\theta > B
$$

Thus, in the case where $u'' > 0$, the consumer will purchase more than full insurance. Finally, consider the case where $u''' < 0$, so $\mathbb{E}[u'(x)] < u'(\mathbb{E}[x])$. This means that, again using the fact that *u*′ is strictly decreasing,

$$
u'(W + (1 - \pi)\theta - B) > \mathbb{E}\left[u'(W + (1 - \pi)\theta - \Delta|_{\Delta>0})\right] = u'(W - \pi\theta)
$$

$$
W + (1 - \pi)\theta - B < W - \pi\theta
$$

$$
\theta < B
$$

Thus, in the case where u'' < 0, the consumer will purchase less than full insurance.

Problem 2: Consider an agent who is a risk-averse expected-utility maximizer with a Bernoulli utility function *u* defined and increasing for all nonnegative levels of wealth. This agent makes the following statement:

"I will be risk averse no matter how rich I become. In fact, at any level of initial wealth of at least \$100, if you offered me a gamble that would increase my wealth by \$100 with probability 0.51, or decrease it by \$100 with probability 0.49, I would rather not take this gamble"

- (a) Write down the constraints imposed by this statement on the agent's Bernoulli utility function.
- (b) Normalize without loss of generality $u(3000) = 0$ and $u(3100) = 1$. Use your answer to part (a) to derive an upper boud on the difference $u(3000+100(k+1))-u(3000+100k)$ for each $k = 1, 2, \ldots$
- (c) The same agent is now offered the choice between
	- (i) getting wealth \$3,000 for sure, and

(ii) a 50/50 coin flip in which the prize is nothing if the coun lands heads, and \$10,000,000,000,000,000,000,000,000,000 if the coin lands tails.

Use your answer to part (b) to predict the decision maker's choice between (i) and (ii).

(d) Read "Risk Aversion and Expected-Utility Theory: A Calibration Theorem" by M. Rabin, published in *Econometrica* 68(5): 1281-92, 2000. (You can skip the appendix.) Write one paragraph explaining the general principle underlying your conclusion in part (c).

Solutions:

(a) From the statement, we know that the agent has either constant or decreasing absolute risk aversion. This means that $A(x, u)$ is a nondecreasing function of x by Definition 7, so the ratio $-\frac{u''(x)}{u'(x)}$ is nondecreasing. Finally, we know explicitly that for all $x \ge 100$

$$
u(x) \ge 0.51u(x + 100) + 0.49u(x - 100)
$$

(b) From part (a), we have that $u(x) \ge 0.51u(x + 100) + 0.49u(x - 100)$. Rearranging, we get

$$
0.49u(x) + 0.51u(x) \ge 0.51u(x + 100) + 0.49u(x - 100)
$$

$$
0.49(u(x) - u(x - 100)) \ge 0.51(u(x + 100) - u(x))
$$

$$
u(x + 100) - u(x) \le \frac{49}{51}(u(x) - u(x - 100))
$$

Since $u(3000) = 0$ and $u(3100) = 1$, we get that for $k = 1$,

$$
u(3200) - u(3100) \le \frac{49}{51}(1 - 0)
$$

For $k = 2$, we get that

$$
u(3300) - u(3100) \le \frac{49}{51}(u(3200) - u(3100)) \le \left(\frac{49}{51}\right)^2
$$

Following this pattern, we get that for all $k = 1, 2, \ldots$,

$$
u(3000 + 100(k+1)) - u(3000 + 100k) \le \left(\frac{49}{51}\right)^k
$$

(c) First, note that the long number in (ii) is 10^{28} . We know that $u(3000) = 0$. We will place bounds on the values for $u(10^{28})$ and $u(0)$, so that we can compare the expected

utility of (i), which is 0, to the expected utility of (ii), which is $\frac{1}{2}u(10^{28}) + \frac{1}{2}u(0)$. We have that

$$
u(10^{28}) = u(3000) + u(3100) + \sum_{k=1}^{10^{26} - 30} u(3000 + 100(k+1)) - u(3000 + 100k)
$$

< 1 + $\sum_{k=1}^{\infty} u(3000 + 100(k+1)) - u(3000 + 100k)$
 $\leq 1 + \sum_{k=1}^{\infty} \left(\frac{49}{51}\right)^k = \frac{51}{2}$

Next, we have that

$$
u(3000) - u(0) = \sum_{k=0}^{29} u(3000 - 100k) - u(3000 - 100(k+1))
$$

$$
\geq \sum_{k=0}^{29} \left(\frac{51}{49}\right)^k
$$

$$
\approx 56.856
$$

$$
\implies u(0) \leq -56.856
$$

These bounds mean that the utility for lottery (ii) is

$$
\frac{1}{2}u(10^{28}) + \frac{1}{2}u(0) \le \frac{1}{2}\frac{51}{2} + \frac{1}{2}(-56.856) = -15.678 < 0
$$

Thus, the consumer will choose lottery (i), the guaranteed wealth of \$3,000.

(d) Rabin (2000) presents a 'Calibration Theorem' which serves to demonstrate some ridiculous elements of expected utility theory. In the paper, using only the assumption of an expected utility maximizer with a concave utility function, he shows that if such an agent would turn down a small bet with positive expected value at all levels of initial wealth, they would also turn down bets with *any* possible gain, if the possibility of loss is even a little bit higher. Part (c) serves as a specific example of this. We have an agent who would turn down a small gamble with positive expected value at any initial wealth level, which we can show means that she would avoid a lottery which would provide a ridiculous amount of money for a relatively tiny loss. In fact, the given gamble that the agent would turn down corresponds to approximately $g = 104$ in Rabin's model. This means that the agent we are studying would choose (i) *no matter what* the payoff for (ii) is – the possibility of losing \$3,000 means that she would turn down any possible gain. This result is clearly ridiculous, and Rabin uses it to highlight that the assumption of risk aversion over small gambles, which is on its face entirely reasonable, can lead to absurd conclusions.

Problem 3: Let *S* be a finite set of states and let *X* be a finite set of consequences. Suppose that $|S| > 1$ and $|X| > 1$. A preference \succ over Anscombe-Aumann acts is *ambiguity-averse* if there exists preference \succ' with a subjective expected utility representation such that:

• for all Anscombe-Aumann acts *f* and all lotteries $p \in \Delta X$, if $f \succ p$, then $f \succ' p$.

(Here, we identify *p* with the state-independent act *g* defined by $g(s) = p$.)

(a) Let $\mathcal{P} \subseteq \Delta S$ be a closed set of priors and let *u* be a Bernoulli utility function. Define a *max-min expected utility function* over Anscombe-Aumann acts by

$$
U(f) = \min_{\pi \in \mathcal{P}} \sum_{s \in S} \pi(s) \sum_{x \in X} f(s)_x u_x
$$

Prove that the preference relation represented by *U* is ambiguity-averse.

(b) Let $\pi \in \Delta S$ be a prior that assigns nonzero probabilities to all states, and let *u* be a Bernoulli utility function. Define a *robust control utility function* over Anscombe-Aumann acts by

$$
U(f) = \min_{\pi' \in \Delta S} \left(\sum_{s \in S} \pi'(s) \sum_{x \in X} f(s)_x u_x + R(\pi' \| \pi) \right)
$$

where

$$
R(\pi' \|\pi) = \sum_{s \in S} \pi'(s) \log \frac{\pi'(s)}{\pi(s)}
$$

Prove that the preference relation represented by *U* is ambiguity-averse.

(c) Read Section IV (titled "Uncertainty and Decision Theory") in "Nobel Lecture: Uncertainty Outside and Inside Economic Models" by L. P. Hansen, published in *Journal of Political Economy* 122(g):945-987, 2014. (You can skip Section VI.B.) Write one paragraph interpreting the issues discussed in the article using the formal concept of ambiguity aversion.

Solutions:

(a) Take some $\pi \in \mathcal{P}$, and denote it π_0 . Consider the function

$$
U_0(f) = \sum_{s \in S} \pi_0(s) \sum_{x \in X} f(s)_x u_x
$$

Note that we can represent U_0 in subjective expected utility form, because it contains only a single prior. We have

$$
U_0(f) = \sum_{s \in S} \sum_{x \in X} \pi_0(s) f(s)_x u_x
$$

This means that U_0 represents a preference relation which we denote \succ' . Further, for any $g(s) = p$, and using the separability of subjective expected utility functions over state-independent acts, we have that

$$
U_0(p) = \sum_{s \in S} \sum_{x \in X} \pi_0(s) g(s) u_x = \sum_{x \in X} p u_x = \left(\min_{\pi} \sum_{s \in S} \pi(s) \right) \sum_{x \in X} p u_x = U(p)
$$

From the definition of minimum, $U_0(f) = U(f)$ if and only if

$$
\pi_0 \in \operatorname*{argmin}_{\pi \in \mathcal{P}} \sum_{s \in S} \pi(s) \sum_{x \in X} f(s)_x u_x
$$

Otherwise, $U_0(f) > U(f)$. Thus, if $U(f) > U(p)$ for some f, p , then $U_0(f) \ge U(f)$ *U*(*p*). This means that if $f \succ p$, $U(f) > U(p) \Rightarrow U_0(f) \ge U(f) > U(p) = U_0(p)$, which implies that $f \succ' p$. Thus, the preference relation represented by the max-min expected utility function is ambiguity-averse.

(b) Note first that $R(\pi'||\pi) \geq 0$ for all π', π by Gibbs' Inequality.^{[3](#page-120-0)} Fix $\pi_0 = \pi \in \Delta S$. Consider the function

$$
U_0(f) = \sum_{s \in S} \pi_0(s) \sum_{x \in X} f(s)_x u_x + R(\pi_0 || \pi)
$$

Since $\pi_0 = \pi$, $R(\pi_0 || \pi) = \sum_{s \in S} \pi_0(s) \log \frac{\pi_0(s)}{\pi(s)} = 0$, so

$$
U_0(f) = \sum_{s \in S} \pi_0(s) \sum_{x \in X} f(s)_x u_x
$$

As in part (a), U_0 can be represented in subjective utility form (in fact, the same form as part (a)) because it contains only a single prior. We have

$$
U_0(f) = \sum_{s \in S} \sum_{x \in X} \pi_0(s) f(s)_x u_x
$$

This means that U_0 represents a preference relation which we denote ≻'. Note that since $\pi_0 \in \Delta S$, $U(f) \leq U_0(f)$ for all f, from the definition of minimum. It remains to

³For a quick proof, note that since log is a strictly concave function, by Jensen's Inequality we have that for all indices *s'* where $\pi'(s')$ is nonzero, $\sum_{s' \in S} \pi'(s') \log \frac{\pi(s')}{\pi'(s')} \leq \log \sum_{s' \in S} \pi'(s') \frac{\pi(s')}{\pi'(s')} = \log \sum \pi'(s') \leq$ $\log 1 = 0 \Rightarrow \sum_{s' \in S} \pi'(s') \log \frac{\pi(s')}{\pi'(s')} \leq 0 \Rightarrow \sum_{s' \in S} \pi'(s') \log \frac{\pi'(s')}{\pi(s')} \geq 0$, and since all other values are 0, we have that $R(\pi'||\pi) \geq 0$ for all π', π .

demonstrate that $U(g) = U_0(g)$ for all g where $g(s) = p$ constant. Take $U(g)$:

$$
U(g) = \min_{\pi' \in \Delta S} \left(\sum_{s \in S} \pi'(s) \sum_{x \in X} g(s) u_x + R(\pi' || \pi) \right)
$$

= $1 \cdot \sum_{x \in X} p u_x + \min_{\pi' \in \Delta S} (R(\pi' || \pi))$
= $\sum_{x \in X} p u_x + 0$ from Gibbs' Inequality
= $\left(\sum_{s \in S} \pi_0(s) \right) \sum_{x \in X} p u_x$
= $U_0(g)$

Thus, for any *g* where $g(s) = p$ constant, $U(g) = U_0(g)$. Thus, if $f \succ p$, $U(f) > U(p)$. Then, we have that $U_0(f) \ge U(f) > U(p) = U_0(p)$, which means that $f \succ' p$. Thus, the preference relation represented by the robust control utility function is ambiguityaverse.

(c) Hansen (2014) discusses the generation of models through the lens of ambiguity and risk aversion. Specifically, he makes the comparison between unknown models (in our case, states) and unknown parameters (in our case, the lotteries themselves). He describes in general terms ambiguity aversion, making specific reference to the maxmin expected utility function which we proved was ambiguity averse in part (a). He also notes that ambiguity aversion is a way to model what might initially look like misspecified beliefs – we discussed this in class, referring to Ellsberg's (1961) paradox. Hansen concludes by noting that ambiguity aversion provides a tool for under- and overconfidence, the former especially prevalent in the functions described in (a) and (b), where agents assume that the worst case scenario will always happen.

Problem 4: Suppose the prize space in dollars is $\mathcal{X} = \{1, 2, 3, 4, 5\}.$

(a) Suppose a risk-averse expected utility maximizer has to compare the following two gambles:

$$
p = (1/5, 1/5, 1/5, 1/5, 1/5)
$$
 $q = (2/5, 0, 1/5, 0, 2/5)$

Can you say unambiguously which one she would prefer?

(b) Suppose a risk-averse expected utility maximizer has to compare the following two gambles:

$$
p' = (1/5, 1/5, 1/5, 1/5, 1/5) \qquad q' = (2/5, 0, 0, 1/5, 2/5)
$$

Can you say unambiguously which one she would prefer?

(c) Consider a decision-maker with a utility function $u(x) = x - ax^2$, defined on $x \in [1, 5]$, where $0 < a < 1/5$. How will this decision-maker rank p vs. q and p' vs. q' ?

Solutions:

(a) Call the CDF for *p G*, and call the CDF for *q F*. Both CDFs are illustrated in Figure [15](#page-122-0)

Figure 15: The cumulative distributions for *p* and *q*. When the lines coincide, they are purple.

Areas under both curves are lightly shaded in their color.

By inspection, neither gamble first-order stochastically dominates the other, as their CDFs cross. From Proposition 7, since the two gambles have the same mean, we can use the area under their CDFs to find out whether one second-order stochastically dominates the other. We will show that

$$
\int_{-\infty}^{x} G(y) dy \le \int_{-\infty}^{x} F(y) dy
$$

Since the distributions are discrete, we simply compare the values of the integral over distinct areas

This extends to all other values of *y* by inspection. Since $\int_{-\infty}^{x} G(y) dy \leq \int_{-\infty}^{x} F(y) dy$ for all *y*, *G* second-order stochastically dominates *F*, so the agent will prefer \overline{p} to *q*

(b) No. We can see that, by comparing two different risk-averse expected utility functions, she may sometimes prefer one or the other. First, take the Bernoulli utility function $u(x) = \sqrt{x}$. The associated expected utility functions are

$$
U(p') = \frac{1}{5}\sqrt{1} + \frac{1}{5}\sqrt{2} + \frac{1}{5}\sqrt{3} + \frac{1}{5}\sqrt{4} + \frac{1}{5}\sqrt{5} \approx 1.68
$$

$$
U(q') = \frac{2}{5}\sqrt{1} + \frac{1}{5}\sqrt{4} + \frac{2}{5}\sqrt{5} \approx 1.69
$$

So with the concave Bernoulli utility function $u(x) = \sqrt{x}$, the agent would prefer q' to p'. However, with the Bernoulli utility function $u(x) = \ln x$, the expected utility functions are

$$
U(p') = \frac{1}{5} \ln 1 + \frac{1}{5} \ln 2 + \frac{1}{5} \ln 3 + \frac{1}{5} \ln 4 + \frac{1}{5} \ln 5 \approx 0.96
$$

$$
U(q') = \frac{2}{5} \ln 1 + \frac{1}{5} \ln 4 + \frac{2}{5} \ln 5 \approx 0.92
$$

So with the concave Bernoulli utility function $u(x) = \ln x$, the agent would prefer p' to *q*′ . Thus, we cannot say unambiguously which one she would prefer.

(c) To find how the decision maker will rank *p* vs *q*, we simply find a measure for the expected utility in terms of *a*:

$$
U(p) = \frac{1}{5}(1-a) + \frac{1}{5}(2-4a) + \frac{1}{5}(3-9a) + \frac{1}{5}(4-16a) + \frac{1}{5}(5-25a) = 3-11a
$$

$$
U(q) = \frac{2}{5}(1-a) + \frac{1}{5}(3-9a) + \frac{2}{5}(5-25a) = 3 - \frac{61}{5}a < 3-11a
$$

Thus, the decision maker would prefer *p* to *q*, because $\frac{61}{5}$ > 11. One could also find this by noting that *u* is strictly concave, so the decision-maker is risk-averse and so would unambiguously prefer *p* from part (a).

To find how the decision maker will rank *p*′ vs *q*′ , we similarly find a measure for the expected utility in terms of *a*:

$$
U(p') = U(p) = 3 - 11a
$$

$$
U(q') = \frac{2}{5}(1-a) + \frac{1}{5}(4-16a) + \frac{2}{5}(5-25a) = \frac{16}{5} - \frac{68}{5}a
$$

Thus, when $a = 1/13$, $U(p') = U(q')$, so $p' \sim q'$. When $a < 1/13$, $U(q') > U(p')$, so $q' \succ p'$, and when $a > 1/13$, $U(p') > U(q')$, so $p' \succ q'$.

Problem 5: Consider the portfolio problem discussed in class: there is an investor with wealth *w*, who has to choose how to allocate this wealth between a riskless asset that pays gross return *r* for sure and a risky asset whose gross return as a cdf *F*. The investor has a "well-behaved" (differentiable, concave, increasing) utility function. This problem asks you to consider the effect on investment of a change in the distribution of the risky asset.

- (a) Suppose that the return on the risky asset improves so that its cdf if now *G*, where *G* first-order stochastically dominates *F*. Construct a simple example (the simpler the better) where such a change could nevertheless lead the investor to decrease the amount he invests in the risky asset.
- (b) Show that if *G* dominates *F* in the likelihood ratio order, then the consumer will invest more in the risky asset if it has distribution *G* than if it has distribution *F*. (Hint: try to mimic the proof in the lecture notes that less risk-averse consumers invest more in a given risky asset.)

Solutions:

(a) Assume that the risky asset assumes value *a* with probability 0*.*5 and 0 with probability 0.5. If *G* has value *a'* and *F* has value *a*, where $a' > a$, that is a first-order stochastic domination by inspection. Take as an example a consumer with Bernoulli utility function $u(x) = x - \frac{1}{2}x^2$. The consumer's maximization problem, where *x* is the amount invested in the risky asset and *w* is initial wealth, is

$$
\max_{x \in [0,w]} \frac{1}{2} u(r(w-x)) + \frac{1}{2} u(ax + r(w-x))
$$

Taking first-order conditions, we get

$$
-\frac{1}{2}ru'(r(w-x)) + \frac{1}{2}(a-r)u'(ax+r(w-x)) = 0
$$

Solving for *x*, noting that $u'(x) = 1 - x$, we get

$$
x^* = \frac{1 - rw}{a - 2r}
$$

Taking the derivative with respect to *a*, we get

$$
\frac{\partial x^*}{\partial a} = \frac{rw - 1}{(a - 2r)^2}
$$

With some assumptions $(rw < 1, a > 2r)$, we get that this derivative is negative, meaning that the amount invested in the risky asset will go down, even if the new cdf first-order stochastically dominates the old.

(b) **Proof.** Assume that the gross return of the risky asset is ε . Also denote $y = r(w - x)$. The consumer's maximization problem for cdf *F* is

$$
\begin{array}{ll}\n\max_{x,y\geq 0} & \mathbb{E}_F\left[u(\varepsilon x+y)\right] \\
\text{s.t.} & x + \frac{y}{r} = w\n\end{array}
$$

Call the objective function $V(x, y; F)$ (analogously, for cdf *G* it is $V(x, y; G)$). The marginal rate of substitution between *x* and *y* is

$$
\frac{\partial V(x,y;F)/\partial x}{\partial V(x,y;F)/\partial y} = \frac{\mathbb{E}_F \left[\varepsilon u'(\varepsilon x + y)\right]}{\mathbb{E}_F \left[u'(\varepsilon x + y)\right]} = \int \varepsilon R(\varepsilon, x, y; F) d\varepsilon
$$

where

$$
R(\varepsilon, x, y; F) = \frac{u'(\varepsilon x + y)}{\mathbb{E}_F[u'(\varepsilon x + y)]} f(\varepsilon)
$$

where $f(\varepsilon)$ is the pdf of ε . We view $R(\cdot, x, y; F)$ as the pdf of some random variable, as $\int R(\varepsilon, x, y; F)d\varepsilon = 1$. Define $R(\cdot, x, y; G)$ analogously. To compare the consumer's choice under the two distributions, note that

$$
\frac{R(\varepsilon, x, y; G)}{R(\varepsilon, x, y; F)} = \frac{g(\varepsilon)}{f(\varepsilon)} \frac{\mathbb{E}_{F} [u'(\varepsilon x + y)]}{\mathbb{E}_{F} [u'(\varepsilon x + y)]}
$$

Since *G* dominates *F* in the likelihood ratio order, $\frac{g(\varepsilon)}{f(\varepsilon)}$ is nondecreasing in ε , which means that $\frac{R(\varepsilon, x, y; G)}{R(\varepsilon, x, y; F)}$ is nondecreasing in ε . This means that $R(\varepsilon, x, y; G)$ dominates $R(\varepsilon, x, y; F)$ in the likelihood ratio order, meaning that it first order stochastically dominates it. Thus, we have that

$$
\frac{\partial V(x, y; G)/\partial x}{\partial V(x, y; G)/\partial y} = \int \varepsilon R(\varepsilon, x, y; G) d\varepsilon \ge \int \varepsilon R(\varepsilon, x, y; F) d\varepsilon = \frac{\partial V(x, y; F)/\partial x}{\partial V(x, y; F)/\partial y}
$$

This means that $V(x, y; G)$ has the Spence-Mirrlees single-crossing property, meaning that the consumer will take more risk under *G* than under *F*. \Box

7.5 Uncertainty (Barseghyan)

7.5.1 Barseghyan Homework

Problems. MWG Chapter 6C. Problems 9, 14, 15, 16, 17, 18 and 19.

9. The purpose of this problem is to examine the implications of uncertainty and precaution in a simple consumption-savings decision problem.

In a two-period economy, a consumer has first-period initial wealth *w*. The consumer's utility level is given by $u(c_1, c_2) = u(c_1) + v(c_2)$, where $u(\cdot)$ and $v(\cdot)$ are concave functions and c_1 and c_2 denote consumption levels in the first and second period respectively. Denote by x the amount saved by the consumer in the first period (so that $c_1 = w - x$ and $c_2 = x$, and let x_0 be the optimal value of *x* in this problem.

We now introduce uncertainty in this economy. If the consumer saves an amount *x* in the first period his wealth in the second period is given by $x + y$, where *y* is distributed according to $F(\cdot)$. In what follows, $\mathbb{E}[\cdot]$ always denotes expectation with respect to $F(\cdot)$. Assume that the Bernoulli utility function over realized wealth levels in the two periods (w_1, w_2) is $u(w_1) + v(w_2)$. Hence, the consumer now solves

$$
\max_x u(w - x) + \mathbb{E}[v(x + y)]
$$

Denote the solution to this problem by *x*.

- (a) Show that if $\mathbb{E}[v'(x_0 + y)] > v'(x_0)$, then $x^* > x_0$.
- (b) Define the *coefficient* of absolute prudence of a utility function $v(\cdot)$ at wealth level *x* to be $-v'''(x)/v''(x)$. Show that if the coefficient of absolute prudence of a utility function $v_1(\cdot)$ is not larger than the coefficient of absolute prudence of utility function $v_2(\cdot)$ for all levels of wealth, then $\mathbb{E}[v'_1(x_0+y)] > v'_1(x_0)$ implies $\mathbb{E}[v_2'(x_0+y)] > v_2'(x_0)$. What are the implications of this fact in the context of part (a)?
- (c) Show that if $v'''(\cdot) > 0$ and $\mathbb{E}[y] = 0$, then $\mathbb{E}[v'(x+y)] > v'(x)$ for all values of *x*.
- (d) Show that if the coefficient of absolute risk aversion of $v(\cdot)$ is decreasing in wealth, then $-v'''(x)/v''(x) > -v''(x)/v'(x)$ for all *x*, and hence $v'''(\cdot) > 0$.
- 14. Consider two risk-averse decision makers (i.e., two decision makers with concave Bernoulli utility functions) choosing among monetary lotteries. Define the utility function $u^*(\cdot)$ to be strongly more risk-averse than $u(\cdot)$ if and only if there is a positive constant k and a nonincreasing and concave function $v(\cdot)$ such that $u^*(x) = ku(x) + v(x)$ for all x. The monetary amounts are restricted to lie in the interval $[0, r]$.
	- (a) Show that if $u^*(\cdot)$ is strongly more risk-averse than $u(\cdot)$, then $u^*(\cdot)$ is more riskaverse than $u(\cdot)$ in the usual Arrow-Pratt sense.
- (b) Show that if $u(\cdot)$ is bounded, then there is no $u^*(\cdot)$ other than $u^*(\cdot) = ku(\cdot) + c$, where *c* is a constant, that is strongly more risk-averse than $u(\cdot)$ on the entire interval $[0, \infty)$.
- (c) Using (b), argue that the concept of a strongly more risk-averse utility function is stronger (ie more restrictive) than the Arrow-Pratt concept of a more risk-averse utility function.
- 15. Assume that, in a world with uncertainty, there are two assets. The first is a riskless asset that pays 1 dollar. The second pays amounts *a* and *b* with probabilities π and $1 - \pi$, respectively. Denote the demand for the two assets by (x_1, x_2) .

Suppose that a decision maker's preferences satisfy the axioms of expected utility theory and that he is a risk averter. The decision maker's wealth is 1, and so are the prices of the assets. Therefore, the decision maker's budget constraint is given by

$$
x_1 + x_2 = 1, x_1, x_2 \in [0, 1]
$$

- (a) Give a simple *necessary* condition, involving (*a* and *b* only) for the demand for the riskless asset to be strictly positive.
- (b) Give a simple *necessary* condition, involving $(a, b, \text{ and } \pi \text{ only})$ for the demand for the risky asset to be strictly positive.

In the next three parts, assume that the conditions obtained in (a) and (b) are satisfied.

- (c) Write down the first order conditions for utility maximization in this asset demand problem.
- (d) Assume that $a < 1$. Show by analyzing the first order conditions that $\partial x_1/\partial a \leq 0$.
- (e) Which sign do you conjecture for $\partial x_1/\partial \pi$? Give an economic interpretation.
- (f) Can you prove your conjecture in (e) by analyzing the first order conditions?
- 16. An individual has Bernoulli utility function *u*(*·*) and initial wealth *w*. Let lottery *L* offer a payoff of *G* with probability *p* and a payoff of *B* with probability $1 - p$.
	- (a) If the individual owns the lottery, what is the minimum price he would sell it for?
	- (b) If he does not own it, what is the maximum price he would be willing to pay for it?
	- (c) Are buying and selling prices equal? Give an economic interpretation for your answer. Find conditions on the parameters of the problem under which buying and selling prices are equal.
	- (d) Let $G = 10$, $B = 5$, $w = 10$, and $u(x) = \sqrt{x}$. Compute the buying and selling prices for this lottery and this utility function.

17. Assume that an individual faces a two-period portfolio allocation problem. In period $t = 0, 1$, his wealth w_t is to be divided between a safe asset with return R and a risky asset with return *x*. The initial wealth at period 0 is w_0 . Wealth at period $t = 1, 2$ depends on the portfolio α_{t-1} chosen at period $t-1$ and on the return x_t realized in period *t*, according to

$$
w_t = ((1 - \alpha_{t-1}R + \alpha_{t-1}x_t)w_{t-1})
$$

The objective of this individual is to maximize the expected utility of terminal wealth w_2 . Assume that x_1 and x_2 are independently and identically distributed. Prove that the individual optimally sets $\alpha_0 = \alpha_1$ if his utility function exhibits constant relative risk aversion. Show that this fails to hold if his utility function exhibits constant absolute risk aversion.

- 18. Suppose that an individual has a Bernoulli utility function $u(x) = \sqrt{x}$.
	- (a) Calculate the Arrow-Pratt coefficients of absolute and relative risk aversion at the level of wealth $w = 5$.
	- (b) Calculate the certainty equivalent and the probability premium for a gamble $(16, 4; \frac{1}{2}, \frac{1}{2}).$
	- (c) Calculate the certainty equivalent and the probability premium for a gamble $(36, 16; \frac{1}{2}, \frac{1}{2})$. Compare this result with the one in (b) and interpret.
- 19. Suppose that an individual has a Bernoulli utility function $u(x) = -e^{-\alpha x}$ where $\alpha > 0$. His (nonstochastic) initial wealth is given by *w*. There is one riskless asset abd there are *N* risky assets. The return per unit invested on the riskless asset is *r*. The returns of the risky assets are jointly normally distributed random variables with means $\mu =$ (μ_1, \ldots, μ_N) and variance covariance matrix *V*. Assume that there is no redundancy in the risky assets, so that *V* is of full rank. Derive the demand function for those $N+1$ assets.

Solutions. (Gabe's solutions. Not graded, there may exist mistakes)

9. The consumer solves the problem

$$
\max_x u(w - x) + \mathbb{E}[v(x + y)]
$$

where $y \sim F(\cdot)$. Denote the solution to this problem as x^* and the solution to the problem where *y* is degenerate with mean 0 as x_0 .

(a) Recall that in the degenerate problem, since *u* and *v* are concave, we have that $v'(x_0) - u'(w-x_0) = 0$. If $\mathbb{E}[v'(x_0+y)] > v'(x_0)$, we have that $\mathbb{E}[v'(x_0+y)] - u'(w-x_0)$ x_0) > 0, so x_0 is not a maximizer of the problem. It remains to show that the true maximizer is greater than x_0 . At x_0 , we have that $\mathbb{E}[v'(x_0+y)] > u'(w-x_0)$. At the true maximizer x^* , we have that $\mathbb{E}[v'(x^* + y)] = u'(w - x^*)$. Conclusion

follows by noting that u and v are concave, so u' and v' are decreasing in the argument. Thus, $x^* > x_0$.

- (b) We have that for v_1 and v_2 , $-v_1'''(x)/v_1''(x) \le -v_2'''(x)/v_2''(x)$ for all *x*, and that $\mathbb{E}[v_1'(x_0 + y)] > v_1'(x_0)$. Note that the coefficient of absolute risk aversion of v_i' is equivalent to the coefficient of absolute prudence of v_i . Thus, from Proposition $6.C.2$ in Mas-Colell, we have that since v'_1 has a coefficient of absolute risk aversion that is not greater than v'_{2} , v'_{2} has a greater certainty equivalent than v'_{1} , meaning that $\mathbb{E}[v_2'(x_0+y)] > v_2'(x_0)$. In the context of part (a), this implies that if one individual decides to invest in a risky lottery, a second individual with a notgreater coefficient of absolute prudence will also invest, and they will not invest less.
- (c) We have that $v'''(x) > 0$ for all x, then v' is convex, meaning that v' exhibits risk-loving behavior. Since $\mathbb{E}[y] = 0$, we have that $\mathbb{E}[v'(x+y)] > v'(x)$ for all *x*.
- (d) We have that the coefficient of absolute risk aversion is decreasing in wealth, meaning that

$$
\frac{\partial}{\partial w}\left[-\frac{v''(x)}{v'(x)}\right] < 0 \Longrightarrow -\frac{v'''(x)v'(x) - (v''(x))^2}{(v'(x))^2} = \frac{v''(x)}{v'(x)}\left(\frac{v''(x)}{v'(x)} - \frac{v'''(x)}{v''(x)}\right) < 0
$$
\nThus, we have that $-\frac{v''(x)}{v'(x)} < -\frac{v'''(x)}{v''(x)}$.

- 14. We have that $u^*(\cdot)$ is strongly more risk-averse than $u(\cdot)$ if and only if there exists a positive constant k and a nonincreasing, concave function $v(\cdot)$ such that $u^*(x) =$ $ku(x) + v(x)$ for all x.
	- (a) We have that the coefficient of absolute risk aversion for u^* at some x is

$$
r(x, u^{*}) = -\frac{ku''(x) + v''(x)}{ku'(x) + v'(x)}
$$

we want to show that

$$
-\frac{ku''(x) + v''(x)}{ku'(x) + v'(x)} \ge -\frac{u''(x)}{u'(x)} \Longrightarrow u'(x)(ku''(x) + v''(x)) \le u''(x)(ku'(x) + v'(x))
$$

This simplifies to

$$
ku'(x)u''(x) + u'(x)v''(x) \leq ku'(x)u''(x) + u''(x)v'(x) \implies u'(x)v''(x) \leq u''(x)v'(x)
$$

Which holds as long as

$$
-\frac{v''(x)}{v'(x)} \ge -\frac{u''(x)}{u'(x)}
$$

Since, by assumption, *u* is increasing and concave, and *v* is non-increasing and concave, the left side is non-negative and the right side is non-positive. Conclusion follows.

- (b) Suppose FSOC that there exists $u^*(x) = ku(x) + v(x)$, where *v* is non-constant, non-increasing, and concave. Define *M* such that $M = \inf\{C \in \mathbb{R} : u(x) \leq$ $C \forall x$. Since *u* is increasing, as $x \to \infty$, $u(x) \to M$. However, since *v* is nonconstant and non-increasing, $\exists x \in \mathbb{R}$ sufficiently large such that $u^*(x) > u^*(x+\varepsilon)$ for some $\varepsilon > 0$. This contradicts the assumption that u^* must be increasing.
- (c) We have from (a) that strong risk aversion implies Arrow-Pratt risk aversion. It remains to show that the converse is not true. Consider the functions $u(x)$ = $-\exp(-\alpha x)$ and $v(x) = -\exp(-\beta x)$, where $\beta > \alpha$. Both functions exhibit constant absolute risk aversion, so *v* is more risk-averse than *u* in the Arrow-Pratt sense. However, since they are each bounded above, by (b) *v* is not strongly more risk-averse than *u*.
- 15. We have a risk-averse decision maker, investing x_1 in a riskless asset and x_2 in a risky asset that pays *a* with probability π and *b* with probability $1 - \pi$. They begin with $w=1$.
	- (a) Since the decision-maker is risk-averse, they will invest strictly positive levels in the riskless asset if there is a probability of loss with respect to the risky asset. Thus, the necessary condition is that at least one of *a, b* is strictly less than 1.
	- (b) Again, since the decision-maker is risk-averse, they will invest in the risky asset only if its expected value is greater than that of the riskless asset, *i.e.* when $\pi a + (1 - \pi)b > 1.$
	- (c) The decision-maker is maximizing the problem

$$
\max_{x_1, x_2} \pi u(x_1 + ax_2) + (1 - \pi)u(x_1 + bx_2)
$$
 s.t. $x_1, x_2 \in [0, 1], x_1 + x_2 = 1$

The first condition falls away because we're assuming that the conditions from (a) and (b) hold, so the Lagrangian this admits is

$$
\mathcal{L} = \pi u(x_1 + ax_2) + (1 - \pi)u(x_1 + bx_2) + \lambda(1 - x_1 - x_2)
$$

The first order conditions are

$$
\frac{\partial \mathcal{L}}{\partial x_1} = \pi u'(x_1 + ax_2) + (1 - \pi)u'(x_1 + bx_2) - \lambda = 0
$$

$$
\frac{\partial \mathcal{L}}{\partial x_2} = a\pi u'(x_1 + ax_2) + b(1 - \pi)u'(x_1 + bx_2) - \lambda = 0
$$

which, combining, get

$$
\pi u'(x_1 + ax_2) + (1 - \pi)u'(x_1 + bx_2) = a\pi u'(x_1 + ax_2) + b(1 - \pi)u'(x_1 + bx_2)
$$

which imply

$$
\pi(1-a)u'(x_1+ax_2)+(1-\pi)(1-b)u'(x_1+bx_2)=0
$$

The final first order condition is

$$
\frac{\partial \mathcal{L}}{\partial \lambda} = 1 - x_1 - x_2 = 0 \Longrightarrow x_1 + x_2 = 1
$$

(d) Using the implicit function theorem, and holding *b* constant, define

$$
g(x_1, a, \pi) = \pi(1 - a)u'(x_1 + a(1 - x_1)) + (1 - \pi)(1 - b)u'(x_1 + b(1 - x_1))
$$

We have that

$$
\frac{\partial x_1}{\partial a} = -\frac{\frac{\partial g}{\partial a}}{\frac{\partial g}{\partial x_1}} = -\frac{-\pi u'(x_1 + a(1 - x_1)) + \pi (1 - a)(1 - x_1)u''(x_1 + a(1 - x_1))}{\pi (1 - a)(1 - a)u''(x_1 + a(1 - x_1)) + (1 - \pi)(1 - b)(1 - b)u''(x_1 + b(1 - x_1))}
$$

where all terms in the numerator and denominator are negative, so $\frac{\partial x_1}{\partial a} \leq 0$.

- (e) If we are assuming, like in (d), that $a < 1$, it follows that $b > 1$. Thus, as π increases, the lottery gets worse, so the decision maker would invest more in the riskless asset. Thus, I conjecture that $\frac{\partial x_1}{\partial \pi} > 0$.
- (f) From the first order conditions and the implicit function theorem, we have that

$$
\frac{\partial x_1}{\partial \pi} = -\frac{\partial g/\partial \pi}{\partial g/\partial x_1}
$$

We know that the denominator is negative, from part (d). It remains to show that the numerator is positive, and conclusion will follow. We have that

$$
\frac{\partial g}{\partial \pi} = (1 - a)u'(x_1 + a(1 - x_1)) - (1 - b)u'(x_1 + b(1 - x_1)) > 0
$$

- 16. An individual has Bernoulli utility function *u*(*·*) and initial wealth *w*. Let lottery *L* offer a payoff of *G* with probability *p* and a payoff of *B* with probability $(1 - p)$.
	- (a) The individual would sell the lottery for no less than the amount that would guarantee the same expected utility $-i.e.$, a price *y* such that

$$
pu(w + G) + (1 - p)u(w + B) = u(w + y)
$$

(b) They would purchase the lottery for an amount *x* such that they would have the same expected utility whether they had the lottery or not $-i.e.$, a price x such that

$$
pu(w - x + G) + (1 - p)u(w - x + B) = u(w)
$$

(c) In general, $x \neq y$, as the different levels of wealth will change how much the lottery is 'worth' to the decision maker. However, if *u* exhibits constant absolute risk aversion, then they will coincide. If *u* exhibits CARA, then the above conditions imply that

$$
w - c_w = (w - x) - c_{w-x}
$$

where c_w is the certainty equivalent of the lottery with wealth *w* and c_{w-x} is the certainty equivalent of the lottery with wealth $w - x$.

(d) Directly calculating (using Wolfram), we get that *y* solves

$$
p\sqrt{20} + (1-p)\sqrt{15} = \sqrt{10+y} \Longrightarrow y = -5\left(4\sqrt{3}p^2 - 7p^2 - 4\sqrt{3}p + 6p - 1\right)
$$

and *x* solves

$$
p\sqrt{20-x} + (1-p)\sqrt{15-x} = \sqrt{10} \Longrightarrow x = \frac{5\left(2p^3 + 7p^2 \pm 2\sqrt{2}\sqrt{-2p^5 + 7p^4 - 8p^3 + 3p^2} - 8p + 4p^2 - 4p + 1\right)}{4p^2 - 4p + 1}
$$

17. We have that an individual faces a two-period portfolio allocation problem, dividing her wealth between a risky asset with return *x* and a safe asset with return *R*. They have initial wealth w_0 , and in period $t \in \{1,2\}$ their wealth depends on the portfolio α_{t-1} chosen previously, defined by

$$
w_t = ((1 - \alpha_{t-1})R + \alpha_{t-1}x_t)w_{t-1}
$$

The individual is maximizing w_2 , where we assume that x_1, x_2 are i.i.d.

Proof. First, assume that *u* has CRRA preferences. The wealth at the end of each period is

$$
w_1 = ((1 - \alpha_0)R + \alpha_0 x_1)w_0
$$
 and $w_2 = ((1 - \alpha_1)R + \alpha_1 x_2)w_1$

Combining, we get that

$$
w_2 = ((1 - \alpha_1)R + \alpha_1 x_2)((1 - \alpha_0)R + \alpha_0 x_1)w_0
$$

Since CRRA preferences are scale-invariant, for any λ we have that $u(\lambda x) = \lambda^{1-\sigma}u(x)$, where σ is the coefficient of relative risk aversion. When the consumer is maximizing the expected utility, we have that

$$
\mathbb{E}[u(w_2)] = \mathbb{E}\left[((1 - \alpha_1)R + \alpha_1 x_2)^{1 - \sigma} u(w_1) \right] = \mathbb{E}[u(w_1)] \cdot ((1 - \alpha_1)R + \alpha_1 \mathbb{E}[x_2])^{1 - \sigma}
$$

Thus, the choice of α that maximizes w_1 will also maximize w_2 , since x_i are i.i.d., and $\alpha_0 = \alpha_1.$

Next, assume that *u* has CARA preferences. We know that *u* has the form $u(x) =$ $-\exp(-\gamma x)$, where $\gamma > 0$ is the coefficient of absolute risk aversion. Thus,

$$
\mathbb{E}[u(w_2)] = \mathbb{E}[u(w_1)\exp(-\gamma(((1-\alpha_1)R + \alpha_1x_2)))]
$$

However, we cannot split the expectation here as above, since we do not know that the relevant moments for *x* necessarily exist. Thus, the choice of α_1 depends on x_1 , so it will not necessarily hold that $\alpha_0 = \alpha_1$. \Box

18. Suppose that a decision maker has utility $u(x) = \sqrt{x}$.

(a) We have that wealth $w = 5$. The coefficient of absolute risk aversion is

$$
-\frac{u''(w)}{u'(w)} = -\frac{(-0.25)w^{-1.5}}{(0.5)w^{-0.5}} = \frac{1}{2}\frac{\sqrt{5}}{\sqrt{125}} = \frac{1}{2} \cdot \frac{1}{5} = 0.1
$$

The coefficient of relative risk aversion is

$$
-w\frac{u''(w)}{u'(w)} = 5 \cdot \frac{1}{10} = 0.5
$$

(b) The certainty equivalent of this lottery is

$$
u^{-1}(0.5u(16) + 0.5u(4)) = u^{-1}(2+1) = u^{-1}(3) = 9
$$

The probability premium is π such that

$$
u(10) = (0.5 + \pi)u(16) + (0.5 - \pi)u(4) \implies \sqrt{10} = 2 + 4\pi + 1 - 2\pi \implies \pi = \frac{\sqrt{10} - 3}{2}
$$

(c) The certainty equivalent of this lottery is

$$
u^{-1}(0.5u(36) + 0.5u(16)) = u^{-1}(3+2) = u^{-1}(5) = 25
$$

The probability premium is π such that

$$
u(26) = (0.5 + \pi)u(36) + (0.5 - \pi)u(16) \Rightarrow \sqrt{26} = 3 + 6\pi + 2 - 4\pi \Rightarrow \pi = \frac{\sqrt{26} - 5}{2}
$$

The probability premium is higher in the first lottery, which implies that *u* has decreasing absolute risk aversion, implied by the fact that it has constant relative risk aversion.

19. We have that an individual has utility $u(x) = -\exp(-\alpha x)$ with $\alpha > 0$, and initial wealth *w*. He invests in a riskless asset with return *r* and *N* jointly normally distributed random assets with means $\mu = (\mu_1, \ldots, \mu_N)$ and variance *V*. We assume that *V* is full rank.

Denote by x_i the amount invested in risky asset i , and by y_i its return. The agent's realized wealth is

$$
w' = \left(w - \sum_{i=1}^{N} x_i\right) r + \sum_{i=1}^{N} x_i y_i
$$

By the properties of jointly normal distributions, $w' \sim \mathcal{N}\left(\left(w - \sum_{i=1}^N x_i\right)r + \sum_{i=1}^N x_i\mu_i, x^TVx\right)$. The expected utility of this is

$$
\mathbb{E}[u(w')] = \mathbb{E}[-\exp(-\alpha w')]
$$

Using the properties of the moment generating function of a normal random variable, we have that

$$
\mathbb{E}[u(w')] = -\exp\left[\left(\left(w - \sum_{i=1}^{N} x_i\right)r + \sum_{i=1}^{N} x_i\mu_i\right)(-\alpha) - (x^T V x) \frac{\alpha^2}{2}\right]
$$

Monotonically transforming this by $\ln(\cdot)$, we get that expected utility is maximized when

$$
-\alpha(\mu - r) - \alpha^2 Vx = 0 \Longrightarrow x = \frac{\mu - r}{\alpha V}
$$

where the − in the numerator denotes elementwise subtraction.

7.5.2 Outside Questions

See the outside questions in Section 7.4.3, on the same topics. We also had two questions for a quiz in TA section, which I include here:

- 1. An investor with initial wealth ω can invest only in the two following assets: a riskfree asset with return *R*, and a risky asset with return *x*, drawn from a distribution $F(\cdot)$ with positive support. The average return on this asset is higher than *R*. For emphasis, storage is not available. Suppose the investor has CARA preferences, with the preference parameter γ . Prove that the fraction of investment allocated to the risky asset (call it α) is inversely proportional both to γ and to ω .
- 2. Now suppose the investor has CRRA preferences, with the preference parameter $\sigma > 0$, $\sigma \neq 1$. Prove that the fraction of investment allocated to the risky asset (call it α) is independent of ω .
- 3. A risk-averse agent possesses a productive asset (tree, factory, etc...) that generates a risky return distributed according to some $F(\cdot)$ with mean R.
	- (a) If such assets are tradable and there is a continuum of perfectly competitive riskneutral agents (bankers) in the market, what would you expect the price of the productive asset to be?
- (b) Suppose now the economy consists of a continuum of risk-averse agents each possessing one productive asset. These assets generate returns distributed i.i.d. according to some $F(\cdot)$ with mean *R*. Assuming perfect competition and that all assets are tradable, what is the risk-free return in this economy?
- (c) How much risk does each agent face?

7.6 Information (Battaglini)

7.6.1 Battaglini Homework

1. A monopolist can produce goods in different qualities. The cost of producing a good of quality *s* is $5s^2$. Consumers with type θ buy at most one unit and have utility function

$$
u(s | \theta) = \begin{cases} \theta \cdot s & \text{if the consume one unit of quality } s \\ 0 & \text{if they do not consume} \end{cases}
$$

The monopolist decides on the quality (or qualities) *s* it is going to produce and price *T*. Consumers observe qualities and prices and decide which quality to buy if at all.

- (a) Characterize the first-best solution
- (b) Suppose that the seller cannot observe θ , and suppose that

$$
\theta = \begin{cases} \theta_H & \text{with probability } 1 - \beta \\ \theta_L & \text{with probability } \beta \end{cases}
$$

with $\theta_H > \theta_L > 0$. Characterize the second-best solution and consumers' informational rents.

- 2. Consider a government contracts with a monopolist to construct a bridge. The government is interested in choosing a contract that minimize the cost of such construction. The overall cost is $c = \theta - e$, which is observable to both the government and the monopolist. θ is the type of the monopolist; with probability β the monopolist is an efficient type for $\theta = 5$, and with probability $1 - \beta$ the monopolist is an inefficient type for $\theta = 8$. The monopolist can exert effort to reduce costs by paying private cost $\frac{e^2}{2}$. The government pays the monopolist $t + c$ where t is a transfer. The monopolist has reservation utility at \bar{u} .
	- (a) Suppose the government could observe both the type θ and the effort *e* of the monopolist. Characterize the first best effort e^{FB} and transfer t^{FB} .
	- (b) From now on, assume that the government cannot observe the type θ and effort *e* of the monopolist. Write down the optimal contract which minimizes the cost, and is incentive compatible and individually rational.
	- (c) Characterize the second-best effort e^{SB} and transfer t^{SB} under such contract. Show each step clearly. Are first best effort e^{FB} implementable for both types?
- 3. (MWG 13.C.5) Assume a single firm and a single consumer. The firm's product may be of either high or low quality and is of high quality with probability λ . The consumer cannot observe quality before purchase and is risk neutral. The consumer's valuation of a high-quality product is v_H ; her valuation of a low-quality product is v_L . The costs

of production for high (H) and low (L) are c_H and c_L respectively. The consumer desires at most one unit of the product. Finally, the firm's price is regulated and set at *p*. Assume that $v_H > p > v_L > c_H > c_L$.

- (a) Given *p*, under what conditions will the consumer buy the product?
- (b) Suppose that before the consumer decides to buy, the firm (which knows its type) can advertise. Advertising conveys no information directly, but consumers can observe the total amount of money the firm is spending on advertising, denoted by *A*. Can there be a separating perfect Bayesian equilibrium, that is, an equilibrium where the consumer rationally expects firms with different quality levels to pick different levels of advertising?
- 4. (MWG 13.C.6) Consider the market for loans to finance investment projects. All investment projects require an outlay of 1 dollar. There are two types of projects: good and bad. A good project has a probability p_G of yielding profits of $\Pi > 0$ and a probability $(1 - p_G)$ of yielding profits of zero. For a bad project, the relative probabilities are p_B and $(1-p_B)$ respectively, where $p_G > p_B$. The fraction of projects that are good is $\lambda \in (0,1)$.

Entrepreneurs go to banks to borrow cash to make the initial outlay (assume for now they borrow the entire amount). A loan contract specifies an amount *R* that is supposed to be repaid to the bank. Entrepreneurs know the type of project they have, but the banks do not. In an event that a project yields profits of zero, the entrepreneur defaults on her loan and the bank receives nothing. Banks are competitive and risk-neutral. The risk-free rate of interest (the rate the banks pay to borrow funds) is *r*. Assume that

$$
p_G\Pi - (1+r) > 0 > p_B\Pi - (1+r)
$$

- (a) Find the equilibrium level of *R* and the set of projects financed. How does this depend on p_G, p_B, λ, Π , and r?
- (b) Now suppose that the entrepreneur can offer to contribute some fraction *x* of the 1 dollar initial outlay from her own funds $(x \in [0, 1])$. The entrepreneur is liquidity constrained, however, so that the effective cost of doing so is $(1 + \rho)x$, where $\rho > r$.
	- i. What is the entrepreneur's payoff as a function of her project type, her loanrepayment amount *R*, and her contribution *x*?
	- ii. Describe the best (from a welfare perspective) separating perfect Bayesian equilibrium of a game in which the entrepreneur first makes an offer of the amount of *x* she is willing to put into a project, banks then respond by making offers specifying the level of *R* they would require, and finally the entrepreneur accepts a bank's offer or decides not to go forward with the project. How does the amount contributed by entrepreneurs with good projects change

with small changes in p_B , p_G , λ , Π , and r ?

iii. How do the two types of entrepreneurs do in the separating equilibrium of $(b)(ii)$ compared with the equilibrium in (a) ?

Solutions. (Gabe's solutions, not graded, not including Problem 2 (b) and (c) , which we did not learn)

- 1. Monopolists and quality
	- (a) In this case, where there is full information, the monopolist can choose a different quality level for each consumer type θ , and maximize profit for that consumer type. Fix some $\theta > 0$. The consumer's utility from purchasing a good of quality *s* at price *T* is

$$
u(s,T;\theta) = s \cdot \theta - T
$$

and the monopolist's profit is

$$
\pi_{\theta}(s,T) = T - 5s^2
$$

Note that if we were being precise here, these would be defined piecewise, if the consumer purchases the good or not. This is not necessary now, as we will show that the consumer θ will always purchase the good. The monopolist will ensure this by ensuring that $s \cdot \theta - T \geq 0$. In fact, to maximize profit, we will have that $s \cdot \theta - T = 0 \Longrightarrow T = s \cdot \theta$. This implies that profit is

$$
\pi_{\theta}(s,T) = s \cdot \theta - 5s^2
$$

Taking first order conditions, we get that the optimal quality is where

$$
\theta - 10s = 0 \Longrightarrow s^* = \frac{\theta}{10}
$$

Substituting back, we get that the optimal price is

$$
T^* = \theta \cdot \frac{\theta}{10} = \frac{\theta^2}{10}
$$

The monopolist will extract all of the surplus of each consumer, so $u(s^*, T^*; \theta) = 0$ for all θ , and for a certain θ ,

$$
\pi_{\theta}(s^{\star}, t^{\star}) = T^{\star} - 5(s^{\star})^{2} = \frac{\theta^{2}}{10} - \frac{\theta^{2}}{20} = \frac{\theta^{2}}{20}
$$

(b) Now, we suppose that the seller cannot observe θ . We will assume that they produce goods of two qualities, s_H and s_L , designated for each type of θ , and priced at T_H , T_L . We will need the classic two constraints to hold: individual rationality and incentive compatibility. First, for the choice of each type of consumer to purchase to be rational, we need that

$$
\theta_L s_L - T_L \ge 0
$$
 and $\theta_H s_H - T_H \ge 0$

Next, for the consumers to want their designated good rather than the other's, we need that

$$
\theta_L s_L - T_L \ge \theta_L s_H - T_H
$$
 and $\theta_H s_H - T_H \ge \theta_H s_L - T_L$

The monopolist maximizes profit subject to these constraints, where expected profit is

$$
\Pi = \beta (T_L - 5s_L^2) + (1 - \beta)(T_H - 5s_H^2)
$$

We will make the standard assumptions that the individual rationality constraint for the low type and the incentive compatibility constraint for the high type each hold with equality. This implies that

$$
T_L = \theta_L s_L
$$
 and $T_H = \theta_H (s_H - s_L) + \theta_L s_L$

Substituting, the monopolist's profit becomes

$$
\Pi = \beta(\theta_L s_L - 5s_L^2) + (1 - \beta)(\theta_H(s_H - s_L) + \theta_L s_L - 5s_H^2)
$$

To find the optimal choice of *s^L* and *sH*, we take first order conditions, and get that

$$
\frac{\partial \Pi}{\partial s_L} = \beta(\theta_L - 10s_L) + (1 - \beta)(\theta_L - \theta_H) = 0 \Longrightarrow s_L^* = \frac{\theta_L - (1 - \beta)\theta_H}{10\beta}
$$

and

$$
\frac{\partial \Pi}{\partial s_H} = (1 - \beta)\theta_H - (1 - \beta)10s_H = 0 \Longrightarrow s_H^* = \frac{\theta_H}{10}
$$

From the binding constraints, we can calculate the optimal prices. We have that

$$
T_L^* = \theta_L \cdot \frac{\theta_L - (1 - \beta)\theta_H}{10\beta} = \frac{\theta_L^2 - (1 - \beta)\theta_H\theta_L}{10\beta}
$$

and

$$
T_H^* = \theta_H \left(\frac{\theta_H}{10} - \frac{\theta_L - (1 - \beta)\theta_H}{10\beta} \right) + \frac{\theta_L^2 - (1 - \beta)\theta_H \theta_L}{10\beta} = \frac{\theta_H^2 - (2 - \beta)\theta_H \theta_L + \theta_L^2}{10\beta}
$$

Note that these solutions admit a corner. We have that the fully described solution is:

$$
s_L^* = \begin{cases} \frac{\theta_L - (1-\beta)\theta_H}{10\beta} & \theta_L \ge (1-\beta)\theta_H \\ 0 & \text{otherwise} \end{cases}
$$

\n
$$
s_H^* = \begin{cases} \frac{\theta_H}{10} & \theta_H^2 + \theta_L^2 \ge (2-\beta)\theta_H\theta_L \\ 0 & \text{otherwise} \end{cases}
$$

\n
$$
T_L^* = \begin{cases} \frac{\theta_L^2 - (1-\beta)\theta_H\theta_L}{10\beta} & \theta_L \ge (1-\beta)\theta_H \\ 0 & \text{otherwise} \end{cases}
$$

\n
$$
T_H^* = \begin{cases} \frac{\theta_H^2 - (2-\beta)\theta_H\theta_L + \theta_L^2}{10\beta} & \theta_H^2 + \theta_L^2 \ge (2-\beta)\theta_H\theta_L \\ 0 & \text{otherwise} \end{cases}
$$

The informational rents are as follows. Since the low types' individual rationality constraint binds, they will attain no utility in equilibrium, which is the same as in the full information case. The high types, meanwhile, will (when we are not in the corner) attain utility:

$$
u(s_H^{\star} \mid \theta_H) = \theta_H \cdot s_H^{\star} - T_H^{\star} = \frac{\theta_H^2}{10} - \frac{\theta_H^2 - (2 - \beta)\theta_H\theta_L + \theta_L^2}{10\beta} = \frac{\theta_L^2 - (1 - \beta)\theta_H^2 - (2 - \beta)\theta_L\theta_H}{10\beta}
$$

This is the informational rent the monopolist pays.

- 2. Constructing a bridge
	- (a) The government is attempting to minimize the cost, subject to the monopolist attaining their reservation utility. They will ensure that the monopolist's utility is exactly equal to their reservation, which functions as in individual rationality constraint. We need that

$$
\bar{u}=t-\frac{e^2}{2}=t-\frac{e^2}{2} \Longrightarrow t=\bar{u}+\frac{e^2}{2}
$$

The government is minimizing the total cost, which is the cost function $t + c$, subject to the constraint. Recalling that $c = \theta - e$, we get that they minimize

$$
C = \bar{u} + \frac{e^2}{2} + \theta - e
$$

Taking first order conditions to find the ideal induced effort, we get that

$$
\frac{\partial C}{\partial e} = e - 1 = 0 \Longrightarrow e^{FB} = 1
$$

The transfer that induces e^{FB} is $t^{FB} = \bar{u} + \frac{1}{2}$. Note that the costs are different for each type. We have that $C^{FB}(5) = \bar{u} + 4.\bar{5}$, and $C^{FB}(8) = \bar{u} + 7.5$.

- (b) (Not able to figure out)
- 3. MWG 13.C.5
	- (a) Since the consumer is risk-neutral, they will buy the product if and only if its expected valuation is greater than its price. Mathematically, they will buy if and only if

$$
p \leq \lambda v_H + (1 - \lambda)v_L
$$

- (b) There can be no separating equilibrium. To see why, assume that we do have a separating equilibrium, in which high-quality firms spend *A* on advertising and low-quality firms spend 0. Low-quality firms will spend 0 because in a separating equilibrium they will be immediately identified, so it is better to spend nothing than to advertise at all, since because $p > v_L$, nobody will buy their product. For incentive compatibility to hold for the high quality firms, it must be the case that $p - c_H - A > 0$. However, since $c_L < c_H$, in this case it would improve a lowquality firm's outcomes to deviate and spend *A* pretending to be a high-quality firm, since $p - c_L - A > p - c_H - A > 0$. Thus, there will be deviation, so this is not a separating equilibrium.
- 4. MWG 13.C.6
	- (a) Note first that since banks are risk-neutral and competitive, the equilibrium level of *R* will be the actuarily fair level of *R*. The expected payout to the bank for a funded project will be equal to $(1+r)$, the cost to fund a project. For an arbitrary project, funded at rate *R*, the expected payout means that

$$
\lambda (p_G R + (1 - p_G) 0) + (1 - \lambda) (p_B R + (1 - p_B) 0) = 1 + r
$$

which implies that

$$
\lambda p_G R + (1 - \lambda) p_B R = 1 + r \Longrightarrow R = \frac{1 + r}{\lambda p_G + (1 - \lambda) p_B}
$$

A good entrepreneur will pursue a project if

$$
p_G(\Pi - R) \ge 0 \Longrightarrow \Pi \ge \frac{1+r}{\lambda p_G + (1-\lambda)p_B}
$$

and a bad entrepreneur will pursue a project if

$$
p_B(\Pi - R) \ge 0 \Longrightarrow \Pi \ge \frac{1 + r}{\lambda p_G + (1 - \lambda)p_B}
$$

Thus, if R is low enough (meaning if the proportion of good projects is high enough), every entrepreneur's project will be both funded and pursued. If not, nobody's project will go forward.

- (b) Suppose that the entrepreneur can contribute some of their own funds.
	- i. A good entrepreneur's expected payout is

 $p_G(\Pi - (1-x)R) + (1-p_G)0 - x(1+\rho) = p_G(\Pi - R) + x(p_GR - (1+\rho))$ A bad entrepreneur's expected payout is

$$
p_B(\Pi - (1 - x)R) + (1 - p_B)0 - x(1 + \rho) = p_B(\Pi - R) + x(p_B R - (1 + \rho))
$$

ii. Note first that since the rate that entrepreneurs borrow money is higher than banks, the best separating Bayesian equilibrium will be the one with the minimal *x* that separates the good and bad entrepreneurs. In a separating equilibrium, banks will offer good entrepreneurs the actuarily fair rate $R =$ $\frac{1+r}{p_G}$ < Π , and will offer bad entrepreneurs the actuarily fair rate $R = \frac{1+r}{p_B} > \Pi$. In this equilibrium, no bad entrepreneurs will accept this rate. We can find *x* by identifying the level above which a bad entrepreneur will attain negative utility if offered the good entrepreneurs' rate (rather than 0 from offering $x = 0$ and not pursuing the project). This will be the case if

$$
p_B\left(\Pi - \frac{1+r}{p_G}\right) + x\left(p_B \frac{1+r}{p_G} - (1+\rho)\right) = 0
$$

This implies that

$$
x^* = \frac{p_B \Pi - p_B \frac{1+r}{p_G}}{(1+\rho) - p_B \frac{1+r}{p_G}} = \frac{p_G p_B \Pi - p_B (1+r)}{p_G (1+\rho) - p_B (1+r)}
$$

which is less than 1 since $p_B \Pi < 1 + r < 1 + \rho$. Thus, our perfect separating Bayesian equilibrium is:

Bad entrepreneurs will contribute $x = 0$ and accept the bank's offer if $R \leq \Pi$. Good entrepreneurs will contribute $x = \frac{p_G p_B \Pi - p_B(1+r)}{p_G(1+\rho) - p_B(1+r)} = x^*$ and accept the bank's offer if $R \leq \frac{1+r}{p_G}$. The bank will offer $R = \frac{1+r}{p_B}$ if the entrepreneur contributes 0 and $R = \frac{1+r}{pq}$ if the entrepreneur contributes x^* . All good projects will be funded, all bad projects will be abandoned.

iii. Bad entrepreneurs will be (weakly) worse off in the separating equilibrium, since they were sometimes funded previously (depending on λ) and are never funded now. Good entrepreneurs will be better off for small λ , since they now get funded, but worse off for large λ since contributing their own funds is costly.

8 TA Sections

TA Sections written by Feiyu Wang and Yuxuan Ma. Solutions written by Omar Andújar.

ECON 6090 - TA Section 1

Feiyu Wang & Yuxuan Ma[∗]

August 30, 2024

Exercises

Rational Preference Relations

- 1. Suppose ≜ is a rational preference relation on a set *X*. Let *x* and *y* be elements of *X*. We define equivalence, denoted $x \sim y$, by $x \geq y$ and $y \geq x$. Is \sim transitive?
- 2. Are the following preference relations \ge rational?
	- (a) Let \geq be defined on R by: $y \geq x$ iff $y \geq x + \varepsilon$, ε is a positive number.
	- (b) Let \geq be defined on $\mathbb R$ by: $y \geq x$ iff $y \geq x \varepsilon$, ε is a positive number.
	- (c) $X = \{a, b, c\} \cdot C^*(\{a, b\}, \ge) = \{b\} \cdot C^*(\{b, c\}, \ge) = \{c\} \cdot C^*(\{a, b, c\}, \ge) = \{c\}.$
	- (d) Agents 1 and 2 are facing the same choice set X. Agent 1 has a rational preference relation \geq_1 , consumer 2 's preference relation is given by $\geq_2:=\geq_1$. Is consumer 2 's preference rational?
	- (e) Consider the lexicographic preference relation \geq on \mathbb{R}^2 : $(x_1, x_2) \geq (y_1, y_2)$ if and only if *x*₁ > *y*₁ or *x*₁ = *y*₁ and *x*₂ ≥ *y*₂. Is $≥$ a rational preference relation?

- (a) Consider a finite set of alternatives $A = \{a_1, a_2, \ldots, a_N\}$ and a decision maker with rational preferences \geq on *A*. An alternative $a^* \in A$ is said to be a best alternative if $a^* \geq a_i$ for all $a_i \in A$. Show that a best alternative exists for this decision maker and this set of alternatives *A*.
- (b) Consider the set of alternatives $A' = \{a_1, a_2, \ldots, a_{N-1}\}; A$ with the alternative a_N deleted. Let a' be a best alternative in the set A' for the decision maker from part (a) with preferences \geq . Show that $a^* \geq a'$. We can interpret this result as showing that deleting an alternative from a finite set of alternatives cannot make a decision maker with rational preferences better off.

^{3.} (2022 Q)

^{*}We appreciate the efforts of Jaden Chen and Tianli Xia, Deborah Doukas and Yujie Feng, and all the other TAs who contributed to the past section notes.
Choice rules

- 1. (2008 Final) Let the set of alternatives be $X = \{a, b, c, d\}$ and let *B* be the set of all nonempty subsets of *X*. Suppose we have a choice function such that $C({a, b, d}) = {a, b}$ and $C({a, b, c})$ = {*b*}. Is there a rational preference relation \geq on *X* such that $C(\cdot) = C^*(\cdot, \geq)$ for all elements in *B* and $C^*(.,\ge)$ is consistent with the information given about $C(\cdot)$? Explain briefly.
- 2. Suppose instead of the data above, we have a choice function such that $C({a, b, c}) = {a, b}$, $C({b, c}) =$ ${b}$ *, C*({*c, d*}) = {*c*} and *C*({*a, d*}) = {*a, d*}. Is there a rational preference relation \geq on *X* such that $C(\cdot) = C^*(\cdot, z)$ for all elements in *B* and $C^*(\cdot, z)$ is consistent with the information given about $C(\cdot)$? Explain briefly.

Omar Andujar

December 6, 2024

In Section notes

Preference

 $\succsim\,$ rational $\iff\succsim\,$ complete and transitive

Indifference relation

 $x \sim y \iff x \succsim y$ and $y \succsim x$

Strictly preferred relation

$$
x \succ y \iff x \succsim y
$$
 and $\neg[y \succsim x]$

1. From preference we have $C^*(B,\succsim)$

$$
\succsim
$$
 is rational $\iff C^*(B, \succsim)$ satisfies HWARP for $B \in P(x)$

$$
\iff \text{Sen's } \alpha, \beta
$$

2. From choice structure

 $(\mathcal{B}, C(.)$ $\implies \sim^*$ revealed preference

If

(a) $(\mathcal{B}, C(.)$ satisfies WARP

(b) \mathcal{B} is the power set of X^1

Then we have that \succsim^* is rational

Exercises

Rational Preference Relations

1. Yes.

$$
\forall x, y, z \in X
$$

$$
x \sim y, y \sim z
$$

$$
\implies x \succsim y, y \succsim x \text{ and } y \succsim z, z \succsim y
$$

$$
\implies x \succsim y \succsim z \text{ and by transitivity } z \succsim y \succsim x
$$

$$
\implies x \sim z
$$

- 2. (a) Since $x \succeq x \implies x \geq x + \epsilon$, which is a contradiction, it is not complete, therefore not rational. (b) Let $y = x - \epsilon, z = x + \epsilon$
	- $\implies y \succsim x, x \succsim z$

By transitivity,

 $y \gtrsim z$

Which is a contradiction. Therefore, not rational.

¹We can weaken the claim by β only being all subsets of X up to 3 elements

(c) Rational.

$$
\succsim: c \succ b \succ a
$$

(d) We check if reflexivity holds,

$$
x \succsim_2 x \implies x \succ_1 x
$$

Which is a contradiction. Not complete. Not rational.

(e) Let $(x_1, x_2) \succeq (y_1, y_2)$ and $(y_1, y_2) \succeq (z_1, z_2)$. We do an analysis by cases:

i. If $x_1 > y_1$ and $[(y_1 > z_1)$ or $(y_1 = z_1$ and $y_2 \ge z_2)]$ we have $(x_1, x_2) \succsim (z_1, z_2)$

ii. If $x_1 = y_1$ and $x_2 \ge y_2$ and $[(y_1 > z_1)$ or $(y_1 = z_1$ and $y_2 \ge z_2)]$ we have $(x_1, x_2) \succsim (z_1, z_2)$.

So it is transitive.

Now to prove completeness we check if $(x_1, x_2) \succsim (y_1, y_2)$ or $(y_1, y_2) \succsim (x_1, x_2)$ or both hold.

- i. If *x*₁ = *y*₁ either *x*₂ ≥ *y*₂ or *x*₂ ≤ *y*₂
- ii. If $x_1 \neq y_1$ either $x_1 > y_1$ or $x_1 < y_1$

So it is complete.

- 3. (2022 Q)
	- (a) We proceed by induction.
		- i. Let $A^1 = \{a_1\}$. Then a_1 is the best alternative (BA).
		- ii. Let $A^2 = \{a_1, a_2\}$. Then by completeness, either a_1 or a_2 or both are BA.
		- iii. Now assume that for $A^{N-1} = \{a_1, a_2, ..., a_{N-1}\}$ there exist $a^* \in A^{N-1}$ that is BA. Then for $A^N = a_1, a_2, ..., a_N$, we have
			- 1) $a^* \succeq a_N$, and then a^* is BA in A^N
			- 2) $a_N \succeq a^*$, and then by transitivity $a_N \succeq a^* \succeq a_j$ for all $j = 1, ..., N 1$

$$
\implies
$$
 a_N is BA

(b) By definition of BA, $a' \in A' \subseteq A$. Again by definition of BA, $a^* \succeq a \forall a \in A$ which implies that $a^* \succeq a'$.

Choice Rules

1. Observe that

$$
C^*(\{a,b,c\},\gtrsim) = \{a,b\} \implies a \sim b
$$

$$
C^*(\{a,b,c\},\gtrsim) = \{b\} \implies b \succ a
$$

And we get a contradiction. Not rational.

2. There is no rational preference relation consistent with the information given about $C(.)$. Observe that,

$$
C^*(\{a, b, c\}, \succsim) = a, b \implies a \sim b \succ c
$$

$$
C^*(\{b, c\}, \succsim) = \{b\} \implies b \succ c
$$

$$
C^*(\{c, d\}, \succsim) = \{c\} \implies c \succ d
$$

$$
C^*(\{a, d\}, \succsim) = \{a, d\} \implies a \sim d
$$

Combining this information,

$$
\implies a \sim b \succ c \succ d
$$

$$
\implies a \succ d
$$

Which is a contradiction.

ECON 6090 - TA Section 2

Feiyu Wang & Yuxuan Ma

September 6, 2024

Exercises

WARP and Consumer Choice

- 1. (2004 Prelim 1) In year 0, a consumer has wealth $w^0 = 1,000$, prices are $(p_x^0, p_y^0) = (10, 10)$ and the consumer chooses $(x^0, y^0) = (50, 50)$. In year 1, the consumer has wealth $w^1 = 1,250$ and prices are $\left(p_x^1, p_y^1\right) = (15, 9)$. Suppose the consumer's demand satisfies HOD0 and Walras Law. For what range of choices of *y*¹ can you conclude that the consumer's choices are inconsistent with the weak axiom?
- 2. (2016 Prelim 1) A consumer makes choices of the amounts of three goods, $x = (x_1, x_2, x_3)$, to purchase at prices *p* = (*p*1*, p*2*, p*3), using wealth *w*. You observe the choices of good 1 and 2, all prices and wealth. You do not observe the quantity of good 3 that the consumer purchases. You do know that the consumer's demands satisfy homogeneity of degree 0 and Walras Law.
	- (a) In observation a, prices are $p^a = (1, 1, 2)$, wealth is $w^a = 13$ and you observe $(x_1^a, x_2^a) = (2, 3)$. In observation b, prices are $p^b = (2, 1, 1)$, wealth is $w^b = 12$ and you observe $(x_1^b, x_2^b) = (1, 2)$. Are these choices consistent with WARP? Explain.
	- (b) Now, you can no longer observe purchases of good 2. You only observe prices, wealth and purchases of good 1. In observation a, prices are $p^a = (1, 1, 1)$, wealth is $w^a = 20$ and you observe $x_1^a = 10$. In observation b, prices are $p^b = (2, 1, 2)$, wealth is $w^b = 30$ and you observe $x_1^b = 5$. What restrictions on the purchases of goods 2 (in observation a and b) must be satisfied for the information you have to be consistent with WARP?

Omar Andujar

December 6, 2024

In Section notes

Consumer Choice Theory

Model:

- (.) Goods: $x = (x_1, x_2, ..., x_L) \in \mathbb{R}^L_+$
- (.) Price: $p = (p_1, p_2, ..., p_L) \in \mathbb{R}^L_{++}$
- (.) Wealth: $w \in \mathbb{R}_{++}$
- (.) Budget Set: $B_{p,w} = \{x \in \mathbb{R}_+, p \cdot x \leq w\}$
- (.) Choice (Walrasian Demand): $x : \mathbb{R}_{++}^L \times \mathbb{R}_{++} \to \mathbb{R}_{+}^L$

Assumptions:

- 1. $x(p, w)$ is HoD 0 in (p, w)
- 2. Walras Law: $p \cdot x(p, w) = w$

Remark: $(\mathcal{B}, x(.))$ will be the choice structure, where $\mathcal{B} := \{B_{p,w} : (p,w) \in \mathbb{R}^L_{++} \times \mathbb{R}_{++}\}.$

Weak Axiom of Revealed Preference (WARP):

 $\forall (p, w), (p', w'), \text{ if } p \cdot x(p', w') \leq w \text{ and } x(p, w) \neq x(p', w'), \text{ then } p' \cdot x(p, w) > w'.$

This is equivalent, under assumptions 1 and 2, when $w' = p' \cdot x(p, w)$ (Compensated price change), to saying,

$$
(p'-p)(x(p',w') - x(p,w)) \le 0 \ (< 0 \text{ if } x(p,w) \neq x(p',w'))
$$

Exercises

WARP and Consumer Choice

- 1. (2004 Prelim 1)
	- (a) By Walras Law,

$$
p'_x x' + p'_y y' = w'
$$

$$
\implies x' = \frac{1250 - 9y'}{15}
$$

And notice,

$$
p'_x x^0 + p'_y y^0 = 1200 < 1250 = w'
$$

To violate WARP, we must have,

$$
p_x^0 x' + p_y^0 y' = 10y' + \frac{2500 - 18y'}{3} \le w^0 = 1000
$$

$$
y' \le \frac{125}{3}
$$

$$
\implies y' \in [0, \frac{125}{3}]
$$

Since $x' \geq 0, y' \geq 0$,

$$
1 \\
$$

2. (2016 Prelim 1)

(a) By Walras Law,

(b) Now,

 $\implies x_3^b = 10 - \frac{1}{2}x_2^b$

And,

Since $x_a \neq x_b$, we must have at least one of the following two scenarios to hold to satisfy WARP.

1) $p^a \cdot x^b > w^a \implies x_2^b > 10$

2) $p^b \cdot x^a > w^b \implies x_2^a < 10$

Since $x_3^a \ge 0$ and $x_3^b \ge 0$, we also know (3),

$$
0 \le x_2^a \le 10
$$

$$
0 \le x_b^2 \le 20
$$

Finally, putting all the information together,

$$
(x_2^a, x_2^b) \in [0, 10) \times [0, 20] \cup [0, 10] \times (10, 20]
$$

Where $[0, 10) \times [0, 20]$ comes from adding cases (2) and (3), and $[0, 10] \times (10, 20]$ comes from adding cases (1) and $(3).¹$

¹Another way to think about it is: $(1 \cup 2) \cap 3 = (1 \cap 3) \cup (2 \cap 3)$

ECON 6090 - TA Section 3

Feiyu Wang & Yuxuan Ma

September 20, 2024

Exercises

Preference and Utility Representation

1. (2014 Prelim 1) A consumer has preference on \mathbb{R}^2 which can be represented by the utility function $u = x³y²$. Is *u* concave? Is it quasi concave? Is there a concave utility function representing the consumer's preferences?

Optimization and Comparative Statics

- 2. (2007 Prelim 1) There are two goods, $x = (x_1, x_2) \in \mathbb{R}^2_+$. A consumer has the utility function $U(x) = u_1(x_1) + u_2(x_2)$ where each u_i is twice continuously differentiable with $u'_i(x_i) > 0$ and $u_i^{\prime\prime}(x_i) < 0$ for all $x_i \in \mathbb{R}^1_+$. Each u_i also satisfies the condition: $\lim_{x_i \to 0} u_i^{\prime}(x_i) = +\infty$ Assume that prices of both goods are strictly positive, each $p_i > 0$, and wealth is strictly positive, $w > 0$. (The conditions in this problem are sufficient to guarantee that the optimal bundle of goods x^* is interior, i.e. $x^* \gg 0$. So you can ignore inequality constraints of the form $x \ge 0$.)
	- (a) Write the consumer's problem as a constrained optimization problem and display the first order conditions for this optimization problem.
	- (b) Show that if wealth increases, then the demand for good 1 increases.
	- (c) What is the sign of the effect of a change in the price of good 1 on the consumer's demand for good 1? Show your work.

Omar Andujar

December 6, 2024

In Section notes

Review

(Potential) Properties of \succsim :

- 1. Rational + continuous
- 2. Strong monotonicity

 \implies Weak version: local non-satiation (LNS)

3. Convexity

(Potential) Properties of *u*(*.*)

- 1. Continuity
- 2. (Quasi-) Concave

Relationship between properties of \gtrsim and $u(.)$

- 1. Continuous+Rational \succsim \Rightarrow \exists continuous *u*(*.*) representing \succsim .
- 2. Monotonic $\succsim \Rightarrow u(.)$ is nondecreasing¹.
- 3. Convex \succsim (+ LNS) $\implies \forall u(.)$ representing \succsim , $u(.)$ is quasi-concave.

Let the hessian of *u* be $H_u(x)$. We also have,

convex $u(.) \iff H_u(x)$ P.S.D $\forall x$

concave $u(.) \iff H_u(x)$ N.S.D $\forall x$

Properties of indirect utility function

- 1. $V(p, w)$ is continuous in (p, w) .
- 2. Non-increasing in *p*. Strictly increasing in *w*.
- 3. HoD 0.

The Bordered Hessian

The *bordered Hessian* is a determinant-based tool used to verify second-order conditions for constrained optimization problems. Specifically, it applies to problems of the form:

$$
\max_{\text{s.t.}} f(x_1, x_2, \dots, x_n) \n\text{s.t. } g(x_1, x_2, \dots, x_n) = 0,
$$

where *f* is the objective function, and *g* is the constraint. To construct the bordered Hessian, follow these steps:

¹Strong Monotonicity \rightarrow Strictly Increasing

1. Compute the Lagrangian:

$$
\mathcal{L}(x_1,x_2,\ldots,x_n,\lambda)=f(x_1,x_2,\ldots,x_n)+\lambda g(x_1,x_2,\ldots,x_n).
$$

2. Form the bordered Hessian matrix *H*, which has the following structure:

$$
H = \begin{bmatrix} 0 & \nabla g^\top \\ \nabla g & \nabla^2 \mathcal{L} \end{bmatrix},
$$

where:

- ∇g is the gradient of the constraint function g ,
- $\nabla^2 \mathcal{L}$ is the Hessian matrix of the Lagrangian with respect to x_1, x_2, \ldots, x_n .

The bordered Hessian is evaluated at the candidate solution (x^*, λ^*) . For a maximization problem:

• The $(n + 1)$ -th leading principal minor of *H* (the determinant of the upper-left $(n + 1) \times (n + 1)$ submatrix) must alternate in sign:

$$
(-1)^k \det(H_k) > 0
$$
, for $k = 2, 4, ..., n + 1$,

where H_k is the *k*-th leading principal minor of H .

• For minimization problems, all even-order leading principal minors must be positive.

Example

Consider the problem:

$$
\max \quad f(x_1, x_2) = x_1 x_2, \quad \text{s.t.} \quad g(x_1, x_2) = x_1 + x_2 - 1 = 0.
$$

1. Compute the Lagrangian:

$$
\mathcal{L}(x_1, x_2, \lambda) = x_1 x_2 + \lambda (x_1 + x_2 - 1).
$$

2. Compute the gradients:

3. Form the bordered Hessian:

$$
\nabla g = \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \quad \nabla^2 \mathcal{L} = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}
$$

$$
H = \begin{bmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{bmatrix}.
$$

.

4. Check the minors for second-order conditions.

Conditions for Quasiconcavity and Concavity Based on the Bordered Hessian

1. Quasiconcavity

For a differentiable function $f(x_1, x_2, \ldots, x_n)$, quasiconcavity is determined by the signs of the determinants of the bordered Hessian minors:

• Necessary condition: The $(n+1)$ -th bordered Hessian minor, denoted by H_{n+1} , alternates in sign:

$$
(-1)^k \det(H_k) \ge 0
$$
, for $k = 2, 4, ..., n + 1$.

• **Sufficient condition:** The $(n + 1)$ -th bordered Hessian minor alternates in sign strictly:

$$
(-1)^k \det(H_k) > 0
$$
, for $k = 2, 4, ..., n + 1$.

2. Concavity

For a twice-differentiable function $f(x_1, x_2, \ldots, x_n)$, concavity requires that the bordered Hessian determinants satisfy the following conditions:

• Necessary condition: The bordered Hessian determinants for all even *k* must be non-positive:

$$
det(H_k) \le 0
$$
, for $k = 2, 4, ..., n + 1$.

• Sufficient condition: The bordered Hessian determinants for all even k must be strictly negative:

$$
det(H_k) < 0
$$
, for $k = 2, 4, ..., n + 1$.

Exercises

Preference and utility representation

$$
u(x,y) = x^3 y^2
$$

The gradient of $u(x, y)$ is the vector of partial derivatives with respect to x and y. Compute:

$$
\frac{\partial u}{\partial x} = 3x^2y^2, \quad \frac{\partial u}{\partial y} = 2x^3y
$$

Thus, the gradient is:

$$
\nabla u(x,y) = \begin{bmatrix} \frac{\partial u}{\partial x} \\ \frac{\partial u}{\partial y} \end{bmatrix} = \begin{bmatrix} 3x^2y^2 \\ 2x^3y \end{bmatrix}
$$

The Hessian of $u(x, y)$ is the matrix of second-order partial derivatives. Compute:

$$
\frac{\partial^2 u}{\partial x^2} = 6xy^2, \quad \frac{\partial^2 u}{\partial y^2} = 2x^3, \quad \frac{\partial^2 u}{\partial x \partial y} = \frac{\partial^2 u}{\partial y \partial x} = 6x^2y
$$

The Hessian matrix is:

$$
H_u(x,y) = \begin{bmatrix} \frac{\partial^2 u}{\partial x^2} & \frac{\partial^2 u}{\partial x \partial y} \\ \frac{\partial^2 u}{\partial y \partial x} & \frac{\partial^2 u}{\partial y^2} \end{bmatrix} = \begin{bmatrix} 6xy^2 & 6x^2y \\ 6x^2y & 2x^3 \end{bmatrix}
$$

The bordered Hessian is constructed for a two-variable function as:

$$
H_b = \begin{bmatrix} 0 & \frac{\partial u}{\partial x} & \frac{\partial u}{\partial y} \\ \frac{\partial u}{\partial x} & \frac{\partial^2 u}{\partial x^2} & \frac{\partial^2 u}{\partial x \partial y} \\ \frac{\partial u}{\partial y} & \frac{\partial^2 u}{\partial y \partial x} & \frac{\partial^2 u}{\partial y^2} \end{bmatrix} = \begin{bmatrix} 0 & 3x^2y^2 & 2x^3y \\ 3x^2y^2 & 6xy^2 & 6x^2y \\ 2x^3y & 6x^2y & 2x^3 \end{bmatrix}
$$

Compute the principal minors of *Hb*:

• First minor (H_1) :

$$
\det(H_1)=0.
$$

• Second minor
$$
(H_2)
$$
:

$$
\det(H_2) = \begin{vmatrix} 0 & 3x^2y^2 \\ 3x^2y^2 & 6xy^2 \end{vmatrix} = 0
$$

• Third minor (H_3) :

$$
\det(H_3) = \begin{vmatrix} 0 & 3x^2y^2 & 2x^3y \\ 3x^2y^2 & 6xy^2 & 6x^2y \\ 2x^3y & 6x^2y & 2x^3 \end{vmatrix}
$$

Expanding along the first row:

$$
\det(H_3) = -3x^2y^2 \begin{vmatrix} 6xy^2 & 6x^2y \\ 6x^2y & 2x^3 \end{vmatrix}
$$

Compute the determinant of the 2×2 matrix:

$$
\det \begin{bmatrix} 6xy^2 & 6x^2y \\ 6x^2y & 2x^3 \end{bmatrix} = 6xy^2 \cdot 2x^3 - 6x^2y \cdot 6x^2y = 12x^4y^2 - 36x^4y^2 = -24x^4y^2
$$

Substituting back:

$$
\det(H_3) = -3x^2y^2(-24x^4y^2) = 72x^6y^4
$$

For concavity:

- $H_2 \leq 0$: Fails because $\det(H_2) = 0$.
- $H_3 \leq 0$: Fails because $\det(H_3) = 72x^6y^4 > 0$

Therefore, $u(x, y)$ is **not concave**. For quasiconcavity:

- $H_2 \geq 0$: Holds because det(H_2) = 0.
- $H_3 \geq 0$: Holds because $\det(H_3) = 72x^6y^4 > 0$

Thus, $u(x, y)$ is **quasiconcave**.

Optimization and Comparative Statics

(a)

$$
\max_{x_1, x_2} u_1(x_1) + u_2(x_2) \quad \text{subject to:} \quad p_1 x_1 + p_2 x_2 \leq w.
$$

The Lagrangian for this problem is:

$$
\mathcal{L} = u_1(x_1) + u_2(x_2) - \lambda (p_1x_1 + p_2x_2 - w).
$$

The first-order conditions are:

$$
\frac{\partial \mathcal{L}}{\partial x_1} : u_1'(x_1^*) - \lambda^* p_1 = 0,\tag{1}
$$

$$
\frac{\partial \mathcal{L}}{\partial x_2} : u_2'(x_2^*) - \lambda^* p_2 = 0,\tag{2}
$$

$$
\frac{\partial \mathcal{L}}{\partial \lambda} : p_1 x_1^* + p_2 x_2^* = w \tag{3}
$$

(b) We are interested in $\frac{dx_1^*}{dw}$. Differentiating the FOCs with respect to *w*, we get,

$$
u''(x_1^*)\frac{dx_1^*}{dw} - \frac{d\lambda^*}{dw}p_1 = 0
$$

$$
u''(x_2^*)\frac{dx_2^*}{dw} - \frac{d\lambda^*}{dw}p_2 = 0
$$

$$
p_1\frac{dx_1^*}{dw} + p_2\frac{dx_2^*}{dw} = 1
$$

In matrix form,

$$
\begin{bmatrix} -p_1&u_1''&0\\-p_2&0&u_2''\\0&p_1&p_2 \end{bmatrix} \begin{bmatrix} \frac{\partial \lambda^*}{\partial u_1}\\ \frac{\partial x_1}{\partial u_2}\\ \frac{\partial x_2}{\partial w} \end{bmatrix}=\begin{bmatrix} 0\\0\\1 \end{bmatrix}
$$

Solving the system we get,

$$
\frac{dx_1^*}{dw} = \frac{p_1 u_2''}{p_1^2 u_2'' + p_2^2 u_1''} > 0
$$

Because,

$$
p_1u_2'' < 0
$$
 and $p_1^2u_2'' + p_2^2u_1'' < 0$

(c) We are interested in $\frac{dx_1^*}{dp_1}$. We use a similar approach as before, and take derivative of the FOCs with respect to *p*1.

$$
u''(x_1^*)\frac{dx_1^*}{dp_1} - \frac{d\lambda^*}{dp_1}p_1 - \lambda^* = 0
$$

$$
u''(x_2^*)\frac{dx_2^*}{dp_1} - \frac{d\lambda^*}{dp_1}p_2 = 0
$$

$$
p_1\frac{dx_1^*}{dp_1} + x_1^* + p_2\frac{dx_2^*}{dp_1} = 1
$$

In matrix form,

$$
\begin{bmatrix} -p_1 & u_1'' & 0 \ -p_2 & 0 & u_2'' \ 0 & p_1 & p_2 \end{bmatrix} \begin{bmatrix} \frac{\partial \lambda^*}{\partial p_1} \\ \frac{\partial x_1^*}{\partial p_1} \\ \frac{\partial x_2^*}{\partial p_2} \end{bmatrix} = \begin{bmatrix} \lambda^* \\ 0 \\ -x_1^* \end{bmatrix}
$$

Solving the system we get,

$$
\frac{dx_1^*}{dp_1}=\frac{-u_2''x_1^*p_1+\lambda^*p_2^2}{p_1^2u_2''+u_1''p_2^2}<0
$$

Because,

$$
p_1^2u_2''+u_1''p_2^2<0\ {\rm and}\ -u_2''x_1^*p_1+\lambda^*p_2^2>0
$$

ECON 6090 - TA Section 4

Feiyu Wang & Yuxuan Ma

September 27, 2024

Exercises

Consumer Theory

- 1. (2009 Prelim 1) There are three goods with quantities denoted by $x = (x_1, x_2, x_3) \in \mathbb{R}^3_+$. A consumer's preferences can be represented by the utility function $u(x) = x_1 x_2^{1/2} x_3^{1/2}$. The prices of the goods are represented by $p \in \mathbb{R}^3_{++}$ and the consumer has wealth $w > 0$.
	- (a) Write the consumer's decision problem as a constrained optimization problem.
	- (b) Find the consumer's demand functions for the three goods.

Now suppose that in addition to using money to purchase goods the consumer also has to provide coupons in order to make a purchase. The purchase of $y \ge 0$ units of any good requires *y* coupons. The consumer has an endowment of *c* > 0 coupons.

- (c) Write the consumer's new decision problem as a constrained optimization problem.
- (d) Is it possible that at a solution to the consumer's problem he has some left-over coupons? That is, can the coupon constraint ever be non-binding?
- (e) Suppose that $p = (1, 1, 1)$. Find the consumer's demands for the three goods.
- 2. (2023 Prelim 1) A NGO (non-government organization) has a budget (amount of money that it can spend) $T > 0$ that it must allocate across *n* activities such that $\sum_{i=1}^{n} e_i = T$, where $e_i \ge 0$ is the expenditure on activity *i*. Let $B(e)$, where $e = (e_1, ..., e_n)$, be the benefit from expenditure e on activities. Assume that $B: R_{+}^{n} \to R_{-}^{1}$ is strictly increasing, strictly concave and smooth. The NGO's objective is to chose e to maximize the benefit obtained from e . Let $V(T)$ be the value of the NGO's decision problem; that is, $V(T)$ is the maximum benefit that can obtained from a budget of *T*.
	- (a) Show that the value of the decision problem is strictly increasing in *T* . For this part of the problem do not assume that $V(T)$ is differentiable.
	- (b) Let $e^*(T)$ be the solution to the decision problem. Assume that the value of the decision problem and the solution are differentiable, and that $e^*(T) \geq 0$ for any $T > 0$. We are interested in how the value of the decision problem changes as the budget changes. Compute $\frac{dV(T)}{dT}$. Is this derivative equal to $\frac{\partial B(e^*(T))}{\partial e_i}$? Explain carefully.
	- (c) Now suppose that that there are only two activities and that $B(e) = \sum_{i=1}^{n} b_i(e_i)$ where each $b(e_i)$ is strictly increasing, strictly concave and smooth. Suppose that because of some new inefficiency in activity one that the benefit from spending e1 on activity one changes to $b(\alpha e_1)$, where $0 < \alpha < 1$. The benefit functions for the other activities are unchanged. What happens to the optimal choice of *e*1? Explain carefully.

Omar Andujar

December 2, 2024

In Section notes

Assumptions

- 1. $u(.)$ represents \succsim and is continuous.
- 2. \gtrsim satisfies local non satiation. (LNS)
- 3. \gtrsim is strictly convex.

Expenditure minimization problem (EMP)

 $\min_x p \cdot x$ such that $u(x) \geq \bar{u}$

Hicksian demand: $h(p, \bar{u})$

- 1. If inf $u(x) \leq \bar{u} \leq \sup u(x)$ then there exist h^* that solves the EMP. (Extreme Value Theorem)
- 2. $h(p, \bar{u})$ is homogeneous of degree 0 (HoD0) in price (p).
- 3. $u(h(p, \bar{u})) = \bar{u}$. (LNS)

4. $h(p, \bar{u})$ is a well-defined function and it is continuous. (\gtrsim strictly convex + Berge's Theorem of the Maximum)

Expenditure function: $e(p, \bar{u})$

- 1. Continuous in (p, \bar{u}) .
- 2. Nondecreasing in p and strinctly increasing in \bar{u} .
- 3. HoD 1 in p.
- 4. Concave in p.

Roadmap

Figure 3.G.3 Relationships between the UMP and the EMP.

Figure 1: MWG chapter 3. Roadmap.

Exercises

(2009 Prelim 1)

(a)

$$
\max_{x_1, x_2, x_3} x_1 x_2^{\frac{1}{2}} x_3^{\frac{1}{2}}
$$

Subject to

$$
p_1x_1 + p_2x_2 + p_3x_3 \le w
$$

(b) To find the consumer's demand functions we first notice that *u*(*.*) is increasing in each good, so it satisfies LNS and therefore the constraint must be binding. Since all monotonic transformations preserve the order of \gtrsim , solving the problem in (*a*) is equivalent to,

$$
\max_{x_1, x_2, x_3} log(x_1) + \frac{1}{2} log(x_2) + \frac{1}{2} log(x_3)
$$

$$
p_1x_1 + p_2x_2 + p_3x_3 = w
$$

Our Lagrangian is,

$$
\mathcal{L}(x,\lambda) = \log(x_1) + \frac{1}{2}\log(x_2) + \frac{1}{2}\log(x_3) + \lambda(w - p_1x_1 - p_2x_2 - p_3x_3)
$$

And our first order conditions give,

$$
\frac{\partial \mathcal{L}(x,\lambda)}{\partial x_1} = \frac{1}{x_1} - \lambda p_1 = 0
$$

$$
\frac{\partial \mathcal{L}(x,\lambda)}{\partial x_2} = \frac{1}{2x_2} - \lambda p_2 = 0
$$

$$
\frac{\partial \mathcal{L}(x,\lambda)}{\partial x_3} = \frac{1}{2x_3} - \lambda p_3 = 0
$$

$$
\frac{\partial \mathcal{L}(x,\lambda)}{\partial \lambda} = w - p_1 x_1 - p_2 x_2 - p_3 x_3 = 0
$$

From here we obtain,

$$
x_2 = \frac{p_1}{p_2} \frac{x_1}{2}
$$

$$
x_3 = \frac{p_1}{p_3} \frac{x_1}{2}
$$

Substituting in the budget constraint,

$$
w = p_1 x_1 + \frac{p_1 x_1}{2} + \frac{p_1 x_1}{2}
$$

Solving the system of equations we get,

$$
\implies x_1(p, w) = \frac{w}{2p_1}
$$

$$
\implies x_2(p, w) = \frac{w}{4p_2}
$$

$$
\implies x_1(p, w) = \frac{w}{4p_3}
$$

To confirm that these are indeed our walrasian demand functions, we can check the corner solution or compute the Hessian of $u(x)$ and see if it is negative semidefinite.

Since neither of x_1, x_2, x_3 equals 0, then the answer above is the Walrasian Demand.

Subject to

(c) With the addition of the coupon component, the problem becomes,

$$
\max_{x_1, x_2, x_3} x_1 x_2^{\frac{1}{2}} x_3^{\frac{1}{2}}
$$

Subject to

 $p_1x_1 + p_2x_2 + p_3x_3 \leq w$ (Budget constraint)

$$
x_1 + x_2 + x_3 \le c
$$
 (Coupon constraint)

(d) Yes, for c big enough. Assume $p = (1, 1, 1)$, and $c > w$, then the problem becomes

$$
\max_{x_1, x_2, x_3} x_1 x_2^{\frac{1}{2}} x_3^{\frac{1}{2}}
$$

Subject to

 $x_1 + x_2 + x_3 \leq w$ (Budget constraint) $x_1 + x_2 + x_3 < c$ (Coupon constraint)

The leftover coupons will be $c - w$.

(e) Since the budget constraint and coupon constraint are "parallel", if $c > w$, then we only need to use the budget constraint. Otherwise, if $c \leq w$, we use the coupon constraint. For example, if $c > w$, we just need to replace $p = (1, 1, 1)$ in the Walrasian demand we found in (a) .

(2023 Prelim 1)

(a) The problem is

$$
V(T) = \max_{e} B(e) \text{ subject to } \sum_{i=1}^{n} e_i = T
$$

Let $T_2 > T_1$. Denote $e(T_1)$ as the maximizer under T_1 . Then there exist $0 < \epsilon < \frac{T_2 - T_1}{n}$ such that $\sum_{i=1}^{n} f(x_i, t_i) = T_1 + n\epsilon < T_2$. Since *P* is strictly increasing $\sum_{i=1}^{n} (e_i + \epsilon) = T_1 + n\epsilon < T_2$. Since B is strictly increasing,

$$
B(e+\epsilon) > B(e(T_1))
$$

Also since $\sum_{i=1}^{n} (e_i + \epsilon) < T_2$,

$$
V(T_2) \ge B(e+\epsilon) > B(e(T_1)) = V(T_1)
$$

(b) The problem is

$$
V(T) = \max_{e} B(e) \text{ subject to } \sum_{i=1}^{n} e_i = T
$$

Since all the conditions are met, we can use the lagrangian method to solve this problem. The lagrangian is,

$$
\mathcal{L} = B(e) + \lambda (T - \sum_{i=1}^{n} e_i)
$$

And the first order condition is,

$$
\frac{\partial \mathcal{L}}{\partial e_i} = \frac{\partial B(e)}{\partial e_i} - \lambda = 0 \implies \frac{\partial B(e)}{\partial e_i} = \lambda^*
$$

In optimal, by the Envelope Theorem,

$$
\frac{dV(T)}{dT} = \frac{d\mathcal{L}(e^*(T))}{dT} = \lambda^* = \frac{\partial B(e)}{\partial e_i}
$$

(c) The problem is

$$
V(T) = \max_{e} b_1(\alpha e_1) + b_2(e_2)
$$
 subject to $e_1 + e_2 = T$

$$
\implies \max_{e_1 \ge 0} b_1(\alpha e_1) + b_2(T - e_1)
$$

The first order condition gives,

$$
\alpha b_1'(\alpha e_1^*(\alpha)) - b_2'(T - e_1^*(\alpha)) = 0
$$

We want to know how does e_1^* changes when a decrease from 1 to α happens. For this we compute the derivative with respect to α on the FOC,

$$
b'_1(\alpha e_1^*(\alpha)) + \alpha b''_1(\alpha e_1^*(\alpha)) (e_1^*(\alpha) + \alpha e_1^{*'}(\alpha)) + b''_2(T - e_1^*(\alpha)) e_1^{*'}(\alpha) = 0
$$

We group terms and get,

$$
\frac{\partial e_1^*(\alpha)}{\partial \alpha} = -\frac{b_1'(\alpha e_1^*(\alpha)) + \alpha b_1''(\alpha e_1^*(\alpha))e_1^*(\alpha)}{\alpha^2 b_1''(\alpha e_1^*(\alpha)) + b_2''(T - e_1^*(\alpha))}
$$

Since each b_i is strictly increasing and strictly concave, we know $b'(.) > 0$ and $b''(.) < 0$. From here we obtain that the denominator of $\frac{\partial e_1^*(\alpha)}{\partial \alpha}$ must be negative, but the sign of the numerator, $b'_1(\alpha e_1^*(\alpha)) + \alpha b''_1(\alpha e_1^*(\alpha))e_1^*(\alpha)$, remains undetermined. Therefore the sign of $\frac{\partial e_1^*(\alpha)}{\partial \alpha}$ is undetermined.

Welfore:										
Soy we have	pri'α	ord	weibh	chonga	from	(p°, w°)	to	(p', w')		
$CV = e(p', u') - e(p', u^o)$	u^e = V(p^o, w^o)									
$EV = e(p^o, u') - e(p^o, u^o)$	u' = v(p', w')									
Special	case	:	Only	pri'α	of	chorges	while	other	printas	omel
$CV = e(p^o, u^o) - e(p', u^o)$	since	e(p', u') = e(p^o, u^o) = W								
$= e(p^o, n^o) - e(p', n^o)$	since	e(p', u') = e(p^o, u^o) = W								
$= \int_{P_1}^{P_1} h_1(t, P_{-1}, u^o) dt$										
$EV = \int_{P_1}^{P_1} h_1(t, P_{-1}, u^o) dt$										
$(P_2, R_3 - P_n)$										

Kerrowk: When portu or wentth change makes you worse off, both CV and $EV \Leftrightarrow$

Proposition: If
$$
x_1
$$
 is normal good, i.e. $\frac{\partial x_1}{\partial w} \gg 0$ then if only P. changes
 $EV \gg CV$.

Proof: Suppose WLOG $P_1' > P_1$.
It suffices to show that $h_1(t_1, P_1, u') > h_1(t_1, P_1, u^{\circ})$ for all t. Since we have $P_1' > P_1'$, $U^{\circ} \geq U'$
Since $h_1(p_1w) = x_1(p_2, e(p_1w))$ $Sint M(P,W) = X_1(P', P(P,W))$ $\frac{\partial n_1(P, N)}{\partial N} = \frac{\partial n_1(P, \text{exp}(N))}{\partial N} = \frac{\partial n_1(P, N)}{\partial N}$ 70.20 $h_i(t, P_{-1}, W) \in h_i(t, P_{-1}, W)$ for all t , since $u \geq 0$ $\int_{P^{\circ}}^{P_1'} h_1(t, p_1, u') dt \in \int_{P^{\circ}}^{P_1'} h_1(t, p_1, u^*) dt$

$$
EV = -\int_{P_1}^{P_1'} h_1(t, P_{-1}, u') dt = -\int_{P_1}^{P_1'} h_1(t, P_{-1}, u') dt = CV
$$

Remark: It $\frac{\partial x}{\partial w} = 0$, then $CV = EV$ when Y_i changes e.g. grest-linear voltory $N(x_i, x_j) = x_i + f(x_i)$

Omar Andujar

December 2, 2024

In Section notes

Welfare: Say we have a price and wealth change from (p, w) to (p', w') . The compensating variation (CV) and equivalent variation (EV) are defined as follows,

$$
CV = e(p', u') - e(p'', u)
$$

$$
EV = e(p, u') - e(p, u)
$$

Where $u = v(p, w)$ and $u' = v(p', w')$.

The equivalent variation can be thought of as the dollar amount that the consumer would be indifferent about accepting in lieu of the price change, that is, it is the change in her wealth that would be equivalent to the price change in terms of its welfare impact (so it is negative if the price change would make the consumer worse off).

The compensating variation, on the other hand, measures the net revenue of a planner who must compensate the consumer for the price change after it occurs, bringing her back to her original utility level *u*. (Hence, the compensatating variation is negative if the planner would have to pay the consumer a positive level of compensation because the price change makes her worse off.)

Special case: Only price of good 1 changes (by *t*) while other prices and wealth remain unchanged.

$$
CV = e(p', u') - e(p', u)
$$

Since $e(p', u') = e(p, u) = w$ and $h_1(p, u) = \frac{\partial e(p, u)}{\partial p_1}$,

$$
CV = e(p, u) - e(p', u)
$$

$$
= \int_{p'_1}^{p_1} h_1(t, p_{-1}, u) dt
$$

Where $p_{-1} = (p_2, p_3, ..., p_n)$ ahd h_1 is the hicksian demand for good 1. Following the same logic we get,

$$
EV = \int_{p'_1}^{p_1} h_1(t, p_{-1}, u')dt
$$

Proposition

Let x_1 be a normal good, i.e. $\frac{\partial x_1}{\partial w} \ge 0$, if only p_1 changes, then $EV \ge CV$.

Proof

Assume without loss of generality (WLOG) that $p'_1 > p_1$. To show $EV \ge CV$, it suffices to prove:

$$
h_1(t, p_{-1}, u') \leq h_1(t, p_{-1}, u)
$$
 for all t .

Recall that $u = v(p, w) \ge u' = v(p', w')$. By the properties of the Hicksian demand function:

$$
h_1(p, u) = x_1(p, e(p, u)).
$$

Differentiating $h_1(p, u)$ with respect to u :

$$
\frac{\partial h_1(p, u)}{\partial u} = \frac{\partial x_1(p, e(p, u))}{\partial w} \cdot \frac{\partial e(p, u)}{\partial u}.
$$

Since:

- 1. $\frac{\partial x_1(p,e(p,u))}{\partial w} \ge 0$ (normal good assumption)
- 2. $\frac{\partial e(p,u)}{\partial u} > 0$ (monotonicity of expenditure with respect to utility)

$$
\frac{\partial h_1(p, u)}{\partial u} \ge 0.
$$

Thus, $h_1(p, u)$ is increasing in *u*. Since $u \geq u'$, it follows that:

$$
h_1(t, p_{-1}, u') \leq h_1(t, p_{-1}, u)
$$
 for all t .

Therefore, integrating over $[p_1, p'_1]$:

$$
\int_{p_1}^{p'_1} h_1(t, p_{-1}, u') dt \le \int_{p_1}^{p'_1} h_1(t, p_{-1}, u) dt
$$

$$
- \int_{p'_1}^{p_1} h_1(t, p_{-1}, u') dt \le - \int_{p'_1}^{p_1} h_1(t, p_{-1}, u) dt
$$

$$
\int_{p'_1}^{p_1} h_1(t, p_{-1}, u') dt \ge \int_{p'_1}^{p_1} h_1(t, p_{-1}, u) dt
$$

which implies:

 $EV \geq CV$.

Remark

If $\frac{\partial x_i}{\partial w} = 0$, then CV=EV when p_i changes. Example: Quasi-linear utility, $u(x_1, x_2) = x_1 + f(x_2)$.

ECON 6090 - TA Section 6

Feiyu Wang & Yuxuan Ma

October 11 , 2024

1. Solving problems with continuum of inputs

Suppose a single-output firm takes as input a continuum of commodities $j \in [0, 1]$. The production function is

$$
f(z) = \int_0^1 z(j)^{\alpha} dj
$$

where $\alpha \in (0,1)$. Find the unconditional input demand function $x(j, p, w)$ where $w : [0,1] \to \mathbb{R}^+$ is a continuous function integrable on [0*,* 1].

2. A question from a past Q exam

A firm produces output *y* using the production function $y = x_1^{\alpha} x_2^{\beta}$ where $x_1, x_2 \ge 0$ are inputs and $\alpha, \beta > 0$, $\alpha + \beta < 1$. Input prices are $w_i > 0$ for input *i*. The output price will be either $p_1 > 0$ or $p_2 > 0$. The probability of output price p_1 is δ where $0 < \delta < 1$, and of course the probability of output price p_2 is $1 - \delta$. This firm chooses output to maximize expected profit and it knows the production function, input prices, and distribution of output prices.

- (a) Suppose that the firm has to choose how much to produce before knowing the realization of the output price. What is the optimal output?
- (b) Suppose that the firm first observes the realization of the output price and then decides how much to produce. How much will it produce if the price is *p*1; how much will it produce if the price is p_2 ?
- (c) Is the following conjecture true or false: If $\alpha + \beta = \frac{1}{2}$, then the expectation of the outputs in part (b) equals the output in part (a). Explain briefly.
- (d) Generally, is the expectation of the profits in part (b) greater than, equal to, or less than the profit in part (a)? Explain briefly. [Do not assume that $\alpha + \beta = \frac{1}{2}$.]

3. The cost function

Suppose a firm has constant marginal cost and $C(w, 0) = 0$. What do we know about the firm's production function? Give examples of at least three widely-used classes of production functions that could generate such a cost function.

Omar Andujar

December 2, 2024

In Section notes

Cost Minimization Problem (CMP)

cost function $c(w, q) = \min_{z} w \cdot z$ subject to $f(z) = q$

Conditional input demand: *z*(*w, q*)

Properties of the cost function:

1. $c(w,q)$ is HoD1 in w.

2. $c(w,q)$ is nondecreasing in q if we assume free disposal.

3. c(w,q) is concave in w.

4. If $f(z)$ is HoD k, then $c(w,q)$ is HoD $\frac{1}{k}$ in q .

Profit Maximization Problem (PMP)

 $\pi(p, w) = \max_{x} pf(x) - wx$

Where $x(p, w)$ is the input demand and $y(p, w)$ is the output supply.

Properties:

- 1. Nondecreasing in p and nonincreasing in w_i for all i.
- 2. HoD 1 in (*p, w*).
- 3. Convex in (*p, w*).
- 4. Continuous on $\mathbb{R}^1_{++} \times \mathbb{R}^n_{++}$

Derivatives

- 1. $\frac{\partial \pi(p,w)}{\partial p} = f(x(p,w)) = y(p,w)$ 2. $\frac{\partial \pi(p,w)}{\partial w_i} = -x_i(p,w)$ 3. $\frac{\partial c(w,q)}{\partial w_i} = z_i(w,q)$
- 4. $\frac{\partial c(w,q)}{\partial q} = MC(\text{Marginal Cost})$

Exercises

Solving problems with continuum of inputs

The problem is,

$$
\pi(p, w) = \max_{z(j)} pf(z) - \int_0^1 w(j)z(j)dj
$$

Given the production function $f(z) = \int_0^1 z(j)^\alpha dj$, the profit maximization problem becomes

$$
\pi(p, w) = \max_{z(j)} \left[p \int_0^1 z(j)^\alpha \, dj - \int_0^1 w(j) z(j) \, dj \right].
$$

Simplifying,

$$
\pi(p, w) = \max_{z(j)} \int_0^1 \left[pz(j)^\alpha - w(j)z(j) \right] \, dj.
$$

The problem is separable¹, so the maximization for each $z(j)$ can be solved independently,

$$
\max_{z(j)} \left[pz(j)^\alpha - w(j)z(j) \right].
$$

Taking the derivative with respect to $z(j)$ and setting it to zero (FOC),

$$
\frac{\partial}{\partial z(j)} [pz(j)^{\alpha} - w(j)z(j)] = 0,
$$

$$
p\alpha z(j)^{\alpha - 1} - w(j) = 0.
$$

Solving for $z(j)$:

$$
z(j) = \left(\frac{w(j)}{p\alpha}\right)^{\frac{1}{\alpha-1}} = x(j, p, w).
$$

To confirm a maximum, check the second derivative:

$$
\frac{\partial^2}{\partial z(j)^2} \left[pz(j)^\alpha - w(j)z(j) \right] = p\alpha(\alpha - 1)z(j)^{\alpha - 2}.
$$

Since $\alpha \in (0, 1)$, the term $(\alpha - 1) < 0$, so the second derivative is negative, confirming a maximum.

Extra (not required): The optimal allocation is:

$$
z^*(j) = \left(\frac{w(j)}{p\alpha}\right)^{\frac{1}{\alpha-1}}.
$$

Substitute $z^*(j)$ into the profit function:

$$
\pi(p, w) = \int_0^1 [p(z^*(j))^{\alpha} - w(j)z^*(j)] \, dj.
$$

Substitute $z^*(j)$ explicitly. First, compute $(z^*(j))^{\alpha}$:

$$
(z^*(j))^{\alpha} = \left(\frac{w(j)}{p\alpha}\right)^{\frac{\alpha}{\alpha-1}}.
$$

And:

¹For an optimization problem, separability means that the objective function can be expressed as a sum (or integral) of terms, each depending only on a single variable (or a small subset of variables). This property allows the optimization over all variables to be broken down into independent subproblems that can be solved separately for each variable.

The objective function is separable because: The term $pz(j)^{\alpha} - w(j)z(j)$ depends only on $z(j)$ for a fixed *j*. There is no interaction between $z(j)$ and $z(k)$ for $j \neq k$.

$$
w(j)z^*(j) = w(j) \left(\frac{w(j)}{p\alpha}\right)^{\frac{1}{\alpha-1}}
$$

.

Thus:

$$
\pi(p, w) = \int_0^1 \left[p \left(\frac{w(j)}{p\alpha} \right)^{\frac{\alpha}{\alpha - 1}} - w(j) \left(\frac{w(j)}{p\alpha} \right)^{\frac{1}{\alpha - 1}} \right] dj.
$$

Simplify further to compute the explicit profit if $w(j)$ is specified.

A question from a past Q exam

(a) The problem is

$$
E_p[\pi(p, w)] = \max_x E_p[px_1^{\alpha}x_2^{\beta} - w_1x_1 - w_2x_2]
$$

$$
= \max_x E_p[p]x_1^{\alpha}x_2^{\beta} - w_1x_1 - w_2x_2
$$

Where $E[p] = \delta p_1 + (1 - \delta) p_2$.

The FOCs are,

$$
x_1: \alpha E(p)x_1^{\alpha-1}x_2^{\beta} = w_1
$$

$$
x_2: \beta E(p)x_1^{\alpha}x_2^{\beta-1} = w_2
$$

Then,

 (c)

$$
x_1^* = E(p)^{\frac{1}{1-\alpha-\beta}} \alpha^{\frac{1-\beta}{1-\alpha-\beta}} \beta^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{\beta-1}{1-\alpha-\beta}} w_2^{\frac{-\beta}{1-\alpha-\beta}}
$$

$$
x_2^* = E(p)^{\frac{1}{1-\alpha-\beta}} \alpha^{\frac{\alpha}{1-\alpha-\beta}} \beta^{\frac{1-\alpha}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}} w_2^{\frac{\alpha-1}{1-\alpha-\beta}}
$$

And the optimal output is,

$$
q(E(p), w) = f(x^*) = E(p)^{\frac{\alpha + \beta}{1 - \alpha - \beta}} \alpha^{\frac{\alpha}{1 - \alpha - \beta}} \beta^{\frac{\beta}{1 - \alpha - \beta}} w_1^{\frac{-\alpha}{1 - \alpha - \beta}} w_2^{\frac{\beta}{1 - \alpha - \beta}}
$$

(b) In this case we replace $E(p) = p_1$ and $E(p) = p_2$ respectively, and get,

$$
q(p_1, w) = f(x^*) = p_1^{\frac{\alpha+\beta}{1-\alpha-\beta}} \alpha^{\frac{\alpha}{1-\alpha-\beta}} \beta^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}} w_2^{\frac{\beta}{1-\alpha-\beta}}
$$

$$
q(p_2, w) = f(x^*) = p_2^{\frac{\alpha+\beta}{1-\alpha-\beta}} \alpha^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}} w_2^{\frac{-\alpha}{1-\alpha-\beta}}
$$

Let $g(w) = \alpha^{\frac{\alpha}{1-\alpha-\beta}} \beta^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}}$, and $\alpha + \beta = \frac{1}{2}$, then,

$$
\implies \frac{\alpha+\beta}{1-\alpha-\beta} = 1
$$

$$
\implies q(E(p), w) = E(p) \alpha^{\frac{\alpha}{1-\alpha-\beta}} \beta^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}} w_2^{\frac{\beta}{1-\alpha-\beta}}
$$

$$
= (\delta p_1 + (1-\delta)p_2) \alpha^{\frac{\alpha}{1-\alpha-\beta}} \beta^{\frac{\beta}{1-\alpha-\beta}} w_1^{\frac{-\alpha}{1-\alpha-\beta}} w_2^{\frac{\beta}{1-\alpha-\beta}}
$$

$$
= \delta q(p_1, w) + (1-\delta) q(p_2, w)
$$

Therefore, the expectation of the outputs in part (b) equals the output in part (a).

(d) By a) we have $E_p[\pi(p, w)] = \pi(\delta p_1 + (1 - \delta)p_2, w)$. By expected b) we have $\delta q(p_1, w) + (1 - \delta)q(p_2, w)$ Since the profit function is convex in (p, w) , it is convex in p , and we can apply Jensen's inequality to conclude,

$$
(a) \leq \text{expected } (b)
$$

The Cost Function

We are given $C(w, q)|_{q=0} = C(w, 0) = 0$ and Marginal Cost $= \frac{\partial C(w, q)}{\partial q} = k$. Now we take integral back on *q*,

$$
\implies C(w, q) = kq + T(w)
$$

Given our initial condition $C(w, 0) = T(w) = 0$,

 \implies $C(w, q)kq$

Which means that it is HoD1 in *q*. Therefore, the production function is HoD1 in (*p, w*). Some examples are:

1. Cobb-Douglas

$$
f(x_1, ..., x_n) = \Pi_{i=1}^n x_i^{\beta_i}
$$
 where $\sum_{i=1}^n \beta_i = 1$

2. Leontief

$$
f(x_1, ..., x_n) = \min\{\beta_1 x_1, ..., \beta_n x_n\}
$$

3. Constant Elasticity of Substitution (CES)

$$
f(x_1, ..., x_n) = \left(\sum_{i=1}^n \beta_i x_i^r\right)^{\frac{1}{r}}
$$

ECON 6090 - TA Section 7

Feiyu Wang & Yuxuan Ma

October 18 , 2024

Exercises

Output market power

A monopolist can produce different versions of a good with different quality levels. The constant marginal cost of producing quality *v* goods is cv^2 with $c<1$. The monopolist is selling to a continuum of consumers with types θ distributed uniformly on [0,1]. The types reflect vertical heterogeneity in tastes: a type θ consumer gets utility $\theta v - p$ if she buys one unit of a quality *v* good at price *p* and zero utility if she does not buy. (Assume that consumers always buy at most one unit.)

- (a) Suppose first that the monopolist's quality level *v* is fixed. Solve for the monopolist's price and its profits as a function of *c* and *v*.
- (b) What quality level would the firm choose in the model of part (a) if *v* were a choice variable?
- (c) What quality level would a social planner choose if the social planner had the ability to choose both v and p ? Discuss how this compares with the outcome of part (b) and how we can think about this outcome in light of standard results on a monopolist's choice of product quality.

Input market power

A firm can produce a good with production function $f(x_1, x_2) = log x_1 + log x_2$. The output price is *p* and input prices are w_1 and w_2 , where all prices are fixed to the firm.

- (a) Find the input demand function of the producer.
- (b) Now suppose the firm has market power in input market, and the price vector of inputs is now $(w_1 + x_1^2, w_2 + 2x_2)$ (assume w_1 and w_2 are the same fixed number in part (a)). Write out the equations that input demand must satisfy and compare it with the answer in part (a).

Omar Andujar

December 6, 2024

In Section notes

Profit Maximization without market power

$$
\pi(p, w) = \max_{z} pf(z) - w \cdot z
$$

First order condition gives,

(MRS)
$$
\frac{f_i(z)}{f_j(z)} = \frac{w_i}{w_j}
$$

Also,

$$
\pi(p, w) = \max_{z} p \cdot f(z) - w \cdot z
$$

$$
= \max_{q,z} p \cdot q - w \cdot z \text{ s.t. } q = f(z)
$$

$$
= \max_{q} p \cdot q - \min_{z} w \cdot z \text{ s.t. } q = f(z)
$$

Where CMP: $\min_z w \cdot z$ s.t. $q = f(z)$. So the profit maximization problem can be defined in two steps:

- 1. Find the cheapest way to produce *q*
- 2. Choose optimal *q* to maximize profit

Profit Maximization with market power

Your output affects the price, $p'(q) \leq 0$.

$$
\max_{q} p(q)q - c(w, q)
$$

First order condition gives,

$$
MR = p(q) + p'(q)q = \frac{d}{dq}c(w, q) = MC
$$

In optimal, $p^* > MC$

We want to choose less q since $p(q)$ is decreasing in q .

Profit Maximization with input market power

$$
\max_{z} p \cdot f(z) - w(z) \cdot z
$$

First order condition gives,

$$
pf'(z) = w(z) + w'(z) \cdot z
$$

Since $w'(z) \geq 0$

$$
pf'(z) > w(z)
$$

(Notice that $pf'(z) = w(z)$ in competitive markets) In this scenario, choose less *z* and produce less.

Exercises

Output market power

(a) First we find the demand function. For a fixed p, v consumer will buy if and only if its utility from buying is positive. This means that,

$$
Consumer will buy \iff \theta v - p \ge 0
$$

Since we need $\theta \geq \frac{p}{v}$ and we know $\theta \in [0, 1]$, our demand function becomes $D(p, v) = 1 - \frac{p}{v}$. Our maximization problem becomes,

$$
\pi(p, w) = \max_{p} p \cdot D(p) - cv^2 D(p)
$$

$$
= \max_{p} (p - cv^2)(1 - \frac{p}{v})
$$

And our first order condition is,

$$
1 - \frac{2p}{v} + cv = 0
$$

Since $\frac{\partial \pi^2(p)}{\partial p} < 0$, the FOC give us the optimal value for p. That is,

$$
p^* = \frac{1}{2}(v + cv^2)
$$

Notice that if $p^* \geq v$ no one will buy and $\pi^* = 0$. On the other hand, if $p^* < v$, $\pi^* = \frac{1}{4}v(1+cv)^2 - cv^2$ (b) If v is a choice variable, we have the following problem,

$$
\pi(p, w) = \max_{p, v} p \cdot D(p) - cv^2 D(p)
$$

$$
= \max_{p, v} (p - cv^2)(1 - \frac{p}{v})
$$

Our first order conditions are,

$$
\frac{\partial \pi}{\partial p} = 1 - \frac{2p}{v} + cv = 0
$$

$$
\frac{\partial \pi}{\partial v} = cp + \frac{p^2}{v^2} - 2cv = 0
$$

Replacing p^* from (a) in our FOC for v , we get,

$$
3c2v2 - 4cv + 1 = 0
$$

$$
(cv - 1)(3cv - 1) = 0
$$

$$
\implies v = \frac{1}{c} \text{ or } v = \frac{1}{3c}
$$

Since the profit for each unit has to be positive, that is, $p - cv^2 = \frac{v - cv^2}{2} > 0$,

$$
\implies v^* = \frac{1}{3c}
$$

(c) Social Planner's Problem

$$
\max_{p,v} TS(p,v) = \max_{p,v} \int_{\frac{p}{v}}^{1} (\theta v - cv^2) d\theta
$$

Where the consumer buys the good only if $\theta \geq \frac{p}{v}$, the utility is θv , the marginal cost of the producer is cv^2 and $\theta v - cv^2$ is the surplus of selling to type θ . Then,

$$
TS(p, v) = \frac{1}{2}v\theta^2 - cv^2\theta\vert_{\frac{p}{v}}^1
$$

$$
= \frac{1}{2}v - \frac{1}{2}\frac{p^2}{v} - cv^2 + cvp
$$

$$
\frac{\partial TS}{\partial p} = -\frac{p}{v} + cv = 0
$$

The first order conditions give,

$$
\frac{\partial TS}{\partial p} = -\frac{p}{v} + cv = 0
$$

$$
\frac{\partial TS}{\partial v} = \frac{1}{2} + \frac{1}{2} \frac{p^2}{v^2} - 2cv + cp = 0
$$

We solve for p^* and get the following equation in terms of v ,

$$
3c2v2 - 4cv + 1 = 0
$$

$$
\implies v^* = \frac{1}{3c} \text{ or } v^* = \frac{1}{c}
$$

$$
\implies p^* = \frac{1}{9c} \text{ or } p^* = \frac{1}{c}
$$

$$
\implies TS^* = \frac{2}{27}c \text{ or } TS^* = 0
$$

Since $\frac{2}{27}c > 0$, we choose $v^* = \frac{1}{3c}$ and there is no distortion in quality.

Input market power

(a) The profit maximization problem can be written as,

$$
\pi(p, w) = \max_{x_1, x_2} p(log(x_1) + log(x_2)) - w_1 x_1 - w_2 x_2
$$

The first order conditions give,

$$
\frac{p}{x_1} - w_1 = 0 \implies x_1^* = \frac{p}{w_1}
$$

$$
\frac{p}{x_2} - w_2 = 0 \implies x_2^* = \frac{p}{w_2}
$$

(b) The problem becomes,

$$
\pi(p, w) = \max_{x_1, x_2} p(log(x_1) + log(x_2)) - (w_1 + x_1^2)x_1 - (w_2 + 2x_2)x_2
$$

The first order conditions give,

$$
\frac{p}{x_1} - (w_1 + x_1^2) - x_1(2x_1) = 0
$$

$$
\frac{p}{x_2} - (w_2 + 2x_2) - 2 = 0
$$

$$
\frac{p}{x_1} = w_1 + x_1^2 + 2x_1^2 > w_1
$$

$$
\frac{p}{x_2} = w_2 + 4x_2 > w_2
$$

Therefore, both x_1^*, x_2^* decrease.

From here we conclude that,

ECON 6090 - TA Section 8

Feiyu Wang & Yuxuan Ma

October 25, 2024

Exercises

- 1. [2016 Prelim 2] The set of prizes is $X = \{-1, 0, +1\}$ and a probability on these prizes is denoted by $p = (p_1, p_2, p_3)$. An individual strictly prefers a "small gamble", $p = (1/8, 3/4, 1/8)$, to certainty, $p = (0, 1, 0)$. However, the individual strictly prefers certainty to the "large gamble", $p = (1/2, 0, 1/2)$. Do this person's preferences have an objective expected utility representation? Explain.
- 2. [2014 June Q] An individual has to decide how much of her wealth *w* > 0 to invest in a risky asset. This asset will have positive rate of return *r* with probability *p*, or a negative rate of return *l* with probability $1 - p$. So if the individual invests x dollars in the risk asset, the with probability *p* her wealth will be $w - x + (1 + r)x$ and with probability $1 - p$ her wealth will be $w - x + (1 + i)x$. Assume that the asset has a strictly positive expected rate of return $pr + (1 - p)l > 0$. Feasible investments in the risky asset are $x \ge 0$. Assume that this individual is an expected utility maximizer with Bernoulli payoff function $u(w)$ with $u' > 0$ and $u'' < 0$ for all non-negative wealths.
	- a. Show that the individual will invest a positive amount of wealth *x* > 0 in the risky asset.
	- b. It seems reasonable to suppose that as an individual's wealth increases he would invest more in the risk asset. Whether this is true or not depends on how the individual's risk aversion changes as their wealth changes. What is this relationship? This is, under what conditions on risk aversion does investment in the risky asset increase as wealth increases? [Hint: Absolute Risk Aversion of utility function $u(\cdot)$ at *X* is equal to $-u''(x)/u'(x)$]
- 3. [2022 Prelim 2] An individual has initial wealth w^* and Bernoulli utility function $ln(w)$, where *w* is wealth. The individual can invest initial wealth in any fractions in two projects: A and B. Any initial wealth not invested in A or B disappears. Let β be the fraction of initial wealth invested in project A and $1 - \beta$ be the fraction of initial wealth invested in project B. Exactly one of these projects will succeed; the other project fails and has payoff 0. With probability α project B fails and project A succeeds and pays of $p_A > 0$ dollars for every dollar invested in it. With probability $1 - \alpha$, project A fails and project B succeeds and pays of $p_B > 0$ dollars for

every dollar invested in it. [For example, if project *A* succeeds then an individual who invested βw^* in project A will have wealth $w = \beta w^* p_A$.]

- a. Find the optimal value of $\beta.$
- b. How does increasing p_A affect the amount invested in project A? Why?
- c. Another individual is offered the same projects as above. This individual has Bernoulli utility for wealth $ln(w^{1/2})$. Is this individual more risk averse than the one above? How does this individual's optimal investment rule compare to the one in (1)?

Omar Andujar

December 6, 2024

In Section notes

Uncertainty and Objective Expected Utility

Define \gtrsim on P probability distribution

- 1. Suppose \succeq on X. Then there will be limitations. It is not possible to incorporate risk preferences.
- 2. Incorporate \succsim on X

(a) $p_1 = (1, 0, 0) \succ z p_2 = (0, 1, 0) \implies x_1 \succ z_2$

If \succsim are rational and continuous, then there exists $V : \mathcal{P} \to \mathbb{R}$ such that $V(p)$ represents \succsim .

If \geq are rational, continuous and independent, then there exists $U: X \to \mathbb{R}$ such that $V(p) = \sum_x p(x)u(x)$. Here $u(x)$ is often called a Bernoulli utility function and $V(p)$ a Von Neumann-Morgenstern Objective Expected Utility.

Note that independence means: $\forall p, q \in \mathcal{P}$ $\forall \alpha \in [0,1], p \succsim q \iff \alpha p + (1-\alpha)r \succsim q + (1-\alpha)r$.

Remark: If $V(.)$ and $U(.)$ both represent \succsim , then there exists a positive affine transformation between V and U. This also holds for their associated Bernoulli utility functions.

Exercises

2016 Prelim 2

We are given,

$$
(\frac{1}{8}, \frac{3}{4}, \frac{1}{8}) \succsim (0, 1, 0)
$$

$$
(0, 1, 0) \succsim (\frac{1}{2}, 0, \frac{1}{2})
$$

Assuming we have an objective utility representation,

$$
\frac{1}{8}u(x_1) + \frac{3}{4}u(x_2) + \frac{1}{8}u(x_3) > u(x_2)
$$

$$
u(x_2) > \frac{1}{2}u(x_1) + \frac{1}{2}u(x_3)
$$

Since $2u(x_2) > u(x_1) + U(x_3)$,

$$
\frac{1}{8}(u(x_1) + u(x_3)) + \frac{3}{4}u(x_2) > u(x_2)
$$

$$
\implies \frac{1}{4}u(x_2) + \frac{3}{4}u(x_2) > u(x_2)
$$

But this is a contradiction. Therefore, we cannot have an objective utility representation with these preferences.

2014 June Q

(a) The problem is,

$$
EU(x) = \max_{x} pu(w - x + (1+r)x) + (1-p)u(w - x + (1+l)x)
$$

To show that the individual will invest a positive amount of wealth $x > 0$ in the risky asset, it suffices to show that $\frac{\partial EU(x)}{\partial x}|_{x=0}$ > 0. We observe that,

$$
\frac{\partial EU(x)}{\partial x} = pu'(w - x + (1+r)x)(r) + (1-p)u'(w - x + (1+l)x)(l)
$$

Then,

$$
\frac{\partial EU(x)}{\partial x}|_{x=0} = u'(w)[pr + (1-p)l]
$$

By assumption, $pr + (1 - p)l > 0$ (actuarially favorable) and $u'(w) > 0$, so $\frac{\partial EU(x)}{\partial x}|_{x=0} > 0$. Takeaway: A risk-averse agent always wants to invest a positive amount in actuarially favorable assets.

(b) When does $\frac{\partial x^*}{\partial w} > 0$? Firstly, characterize *x*↑,

$$
x^* = argmax EU(x)
$$

The first-order condition of the maximization problem in (a) gives,

$$
\frac{\partial EU(x^*)}{\partial x} = pu'(w - x^* + (1+r)x^*)(r) + (1-p)u'(w - x^* + (1+l)x^*)(l) = 0
$$

Now we take derivative with respect to *w* in the FOC,

$$
pu''(w + rx^*)(r)(1 + r\frac{\partial x^*}{\partial w}) + (1 - p)u''(w + lx^*)(l)(1 + l\frac{\partial x^*}{\partial w}) = 0
$$

$$
\implies \frac{\partial x^*}{\partial w} = -\frac{pu''(w + rx^*)r + (1 - p)u''(w + lx^*)l}{pu''(w + rx^*)r^2 + (1 - p)u''(w + lx^*)l^2}
$$

Since $p > 0$, $u''(.) < 0$, we have that $pu''(w + rx^*)r^2 + (1 - p)u''(w + lx^*)l^2 < 0$. So,

$$
\frac{\partial x^*}{\partial w} \iff pu''(w + rx^*)r + (1 - p)u''(w + lx^*)l > 0
$$
\n
$$
\iff \frac{u''(w + rx^*)}{u''(w + lx^*)} < -\frac{(1 - p)l}{pr}
$$
\n
$$
\iff \frac{u''(w + rx^*)}{u''(w + lx^*)} \frac{u'(w + lx^*)}{u'(w + rx^*)} < -\frac{(1 - p)l}{pr} \frac{u'(w + lx^*)}{u'(w + rx^*)}
$$
\n
$$
\iff \frac{A(w + rx^*)}{A(w + lx^*)} < -\frac{(1 - p)l}{pr} \frac{u'(w + lx^*)}{u'(w + rx^*)}
$$

Where $A(.)$ is the coefficient of absolute risk aversion. Since by the FOC $-\frac{(1-p)l}{pr}$ $\frac{u'(w+lx^*)}{u'(w+rx^*)}=1,$

$$
\implies A(w + rx^*) < A(w + lx^*)
$$

Where $r \geq 0$, $l \leq 0$ and $A(.)$ is decreasing.

2022 Prelim 2

(a) The problem is,

$$
EU(x) = \max_{\beta} \alpha ln(w\beta p_A) + (1 - \alpha)ln(w(1 - \beta)p_B)
$$

The first order condition gives,

$$
\frac{\partial EU(x)}{\partial \beta} = \frac{\alpha}{\beta} - \frac{1 - \alpha}{1 - \beta} = 0
$$

Since for the second order condition we have $\frac{\partial^2 EU(x)}{\partial \beta^2} \leq 0$,

$$
\implies \beta^* = \alpha
$$

- (b) Increasing p_A does not affect the amount invested in project A, since the optimal amount β^* only depends on α .
- (c) Since $ln(w^{\frac{1}{2}}) = \frac{1}{2}ln(w)$ is just a monotonic transformation of our original Bernoulli utility function, we stay with the same preferences as before.
ECON 6090 - TA Section 9

Feiyu Wang & Yuxuan Ma

November 1, 2024

Exercises

Subjective Expected Utility

1. (2014 Final) An individual who has initial wealth $w > 0$ is offered an opportunity to invest in a project with an uncertain return. If the project is successful, which occurs if state *S* happens, then each dollar invested in the project pays a total return of $R > 0$. If the project is a failure, which occurs if state F happens, then the payoff on the project is 0. Exactly one of the two states S and F will occur. The individual can buy as many or as few shares of the project that he wants at price $p > 0$ per share. Let *x* be the number of shares purchased. We will also assume that the individual can "go short" in the project; that is, he can choose a negative value for x. If he goes short, then for every share he is short he receives *p* now and must pay *R* if state *S* occurs and 0 if state *F* occurs. The individual is a subjective expected utility maximizer who likes money and who is risk averse.

- (a) Write the individual's decision problem as a maximization problem.
- (b) Suppose that the individual chooses $x = 0$. What can you say about his subjective probabilities of states *S* and *F* relative to *p* and *R* ?
- (c) Suppose now that "going short" is prohibited. That is, the individual's choice must satisfy $x \ge 0$. Suppose that some new individual chooses $x = 0$; we are not looking at a choice made by the individual who chose 0 even when "going short" was allowed, this is the choice made by a new risk averse, subjective expected utility maximizer who likes money. What can you say about this new individual's subjective probabilities of states *S* and *F* relative to *p* and *R* ?

ECON 6090-Microeconomic Theory. TA Section 9

Omar Andujar

December 6, 2024

In Section notes

Savage's Subjective Expected Utility

(.) X: set of outcomes

- (.) S: set of states
- (.) F: set of acts $\{f | f : S \to X\}$
- (.) *P*: Distribution over states (prior)
- (.) \succsim : preference relation over F
- (.) $u: X \to \mathbb{R}$. Utility function.
- (.) $A = 2^S$. Set of all possible subsets of *S*.

Example:

S = *{*1*,* 2*,* 3*}* $A = \{\{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\}, \emptyset\}$

Where $1 \in S$ is a sample, and $\{1,2\} \in A$ is an event.

Some definitions

1. $\forall h, f \in F$,

$$
f|_A h(s) = \begin{cases} f(s) & s \in A \\ h(s) & s \notin A \end{cases}
$$

2. $\forall x, y \in X$,

$$
xAy = \begin{cases} x & s \in A \\ y & s \notin A \end{cases}
$$

- 3. $\forall f, g \in F, f \succsim_A g$, if for some $k, f|_{A} k \succsim_A g|_{A} k$.
- 4. Event *A* is null if $\forall f, g \in F, f \succsim_A g$.

5. Sets are ordered $A \succeq B$ if and only if there exist an outcome $x \succ y$ such that $xAy \succsim xBy$.

Savage Axioms:

P1 The preference relation \succsim on F is rational (complete and transitive).

P2 If $f|_A h \succ g|_A h$, then $f|_A k \succ g|_A k$ $\forall k \in F$.

(.) Preferences on acts only depend on where they differ. Example:

 $S = \{sunny(w_1), rainy(w_2)\}$ *X* = *{hiking, sleeping, working}* $f =$! *hiking w*¹ *sleeping w*² $g =$! *working w*¹ *hiking w*² $q =$! *sleeping w*¹ *sleeping w*² If $A = \{w_1\}, f|_{A}g \succ g|_{A}g \implies f|_{A}g \succ g|_{A}g$

P3 ∀*x*, *y* ∈ *X*, A non-null, *x* $\succsim A$ *y* \Leftrightarrow *x* $\succsim y$

P4 For outcomes $x \succ y$, $x' \succ y'$ and sets A,B:

$$
xAy \succsim xBy \iff x'Ay' \succsim x'By'
$$

Note that $xAy \succeq xBy \implies A \succeq B$.

- **P**5 There exist outcomes $x \succ y$.
- **P**6 (Small-event continuity) If $f \succeq g$ then for any consequence x there is a partition of S such that on each S_i , $f|_{S_i} h \succsim g$ and $f \succsim g|_{S_i} h$.
- P7 If *f* and *g* are acts and A is an event such that $f(s) \succsim A$ *g* for every $s \in A$, then $f \succsim A$ *g*; and if $f \succsim A$ *g*(*s*) for every $s \in A$, then $f \succeq_B g$.
- If \succeq satisfies axioms P1-P5, we get the theorem that establishes the existence of a SEU,

$$
f \gtrsim g \iff \int u(f(s))dp \ge \int u(g(s))dp
$$

Exercises

Subjective Expected Utility

2014 Final

(a) The individual's decision problem is,

$$
SEU(x) = \max_{x \in \mathbb{R}} \pi(S)u(w - px + Rx) + (1 - \pi(S))u(w - px)
$$

Notice that SEU(X) is concave in *x*. Since ris averse $\iff u(.)$ is concave. That also means that $E(U(x)) \le U(E(X))$ (Jensen's Inequality).

(b) From the problem we can infer that $x = 0$ is optimal.

$$
\implies \frac{\partial SEU(x)}{\partial x}|_{x=0} = 0
$$

$$
u'(w - px + Rx)\pi(S)(R - p) - u'(w - px)(1 - \pi(S))p|_{x=0} = 0
$$

$$
\implies \frac{u'(w)}{u'(w)} = \frac{(1 - \pi(S))p}{\pi(S)(R - p)}
$$

$$
\implies \pi(S) = \frac{p}{R}
$$

(c) Assuming that "going short" is prohibited. That is, $x \ge 0$, a new individual that chooses 0 means,

$$
\frac{\partial SEU(x)}{\partial x}|_{x=0} \le 0
$$

$$
\implies \pi(S) \le \frac{p}{R}
$$

Otherwise, if $\frac{\partial SEU(x)}{\partial x}|_{x=0}$ > 0, we can choose $x > 0$ and increase our subjective expected utility. Meaning that $x = 0$ is not the maximizer.

ECON 6090 - TA Section 10

Feiyu Wang & Yuxuan Ma

November 8, 2024

Exercises

- 1. (Qualifying 2022). An individual is offered an opportunity to bet on the toss of a coin. The individual begins with wealth $\bar{w} > 0$. If she guesses correctly (the coin lands heads and she guessed heads or the coin lands tails and she guessed tails), her wealth increases to $\beta \bar{w}$ and if she guesses wrong her wealth declines to $\alpha \bar{w}$, where $0 < \alpha < 1 < \beta$. Her payoff function for any amount of wealth, w , is $u(w) = \ln(w)$. The individual does not know the probability of heads (or tails). It could be either $1/3$ or $2/3$. Lets call the state in which probability of heads is $2/3$ state *H* and the state in which the probability of heads is 1/3 state *T*. [Note that *H* and *T* do not refer to outcomes of a coin toss. They are states of the world in which heads is more likely (state *H*) or heads is less likely (state *T*).]
	- a. Suppose that this person is a subjective expected utility maximizer and that she believes that the probability of state H is $1/2$. The probability of state T is also $1/2$. For what values of α and β would she be just indifferent between accepting and rejecting the bet?
	- b. Suppose now that this person does not know the probability of states *H* or *T*. She does not have a probability on these states. Instead, this individual is an ambiguity averse decision maker (of the Gilboa-Schmeidler type). For what values of α and β would she be just indifferent between accepting and rejecting the bet?
	- c. One of your colleagues states that: In part (a) your answer would have been unaffected by changing the probability of heads in state *H* to 9/10 and probability of heads in state *T* to 1/10. (And of course keeping the subjective probability of state *H* at 1/2.) But for the ambiguity averse agent in part (b) this change would change the answer to question (b). That is, changing the probability of heads in state *H* to 9/10 and probability of heads in state *T* to 1/10 would change the answers for an ambiguity averse agent.

Is your colleague's claim correct? Explain. It is not enough to just repeat the equations as an explanation. You need to provide an explanation in words of why your colleague's observation is correct or incorrect.

2. (Final 2021)

- a. An individual is offered an opportunity to bet on the flip of a coin. The outcome of the flip will be Heads or Tails. If the individual bets on H and H occurs or T and T occurs the individual wins \$1, if the bet is on H and T occurs or if it is on T and H occurs the individual loses \$1. So a correct bet wins \$1 and an incorrect bet loses \$1. If the individual does not bet there is no change in wealth. The probability of H occurring is 1/3 in state A and 3/4 in state B. The individual does not know the true state. This individual is a subjective expected utility maximizer with probability of 1/2 on each of the states, A and B. The individual is risk neutral, i.e., the utility function defined on wealth, w , is $u(w) = w$. Will the individual bet and if so will the bet be on H or on T? Explain or prove your answer.
- b. In the setup of the problem above suppose that the individual is Gilboa-Schmeidler ambiguity averse person. Everything is the same as the setup above except that the individual does not have a prior on states and is ambiguity averse rather than being a SEU maximizer. The range of probabilities on state A that the individual consider to be possible is [1/3*,* 2/3]. Will this individual bet? Explain or prove your answer.

ECON 6090-Microeconomic Theory. TA Section 10

Omar Andujar

December 6, 2024

In Section notes

Subjective Expected Utility: Anscombe-Aumann

- 1. S: States.
- 2. X: Outcomes.
- 3. *P*: All possible distributions over X.
- 4. H: $\text{acts}^1 = \{h | h : S \to P\}.$
- 5. π : prior/belief over states.

SEU: one belief $\pi \in \Delta(S) = \mathcal{P}$

$$
SEU(h) = \sum_{s \in S} \pi(s) \sum_{x \in X} h(x|s)u(x)
$$

Objective: max*^h SEU*(*h*).

Beyond SEU (Gilboa-Schmeidler type)

We only have a set of beliefs Q. We want to max-min the utility.

$$
\max_{h} \{ \min_{\pi \in Q} [\sum_{s \in S} \pi(s) \sum_{x \in X} h(x|s)u(x)] \}
$$

Exercises

(Qualifying 2022)

We know

- h: bet on head
- t: bet on tail
- n: do not bet

We define our states as $S = \{H, T\}$, and our acts as, $Acts = \{h, t, n\}$. Then,

$$
P(head|H) = \frac{2}{3}
$$

$$
P(tail|T) = \frac{2}{3}
$$

(a) If $\pi(T) = \pi(H) = \frac{1}{2}$, we have the following scenarios,

¹Reminder that in in the Savage famework, $h: S \to X$

1) Accept bet on head:

$$
SEU(h) = \pi(H)[P(head|H)u(\beta w) + P(tail|H)u(\alpha w)] + \pi(T)[P(head|T)u(\beta w) + P(tail|T)u(\alpha w)]
$$

$$
SEU(h) = \frac{1}{2}[\frac{2}{3}ln(\beta w) + \frac{1}{3}ln(\alpha w)] + \frac{1}{2}[\frac{1}{3}ln(\beta w) + \frac{2}{3}ln(\alpha w)]
$$

$$
= \frac{1}{2}ln(\beta \alpha w^2)
$$

2) Accept bet on tail:

$$
SEU(t) = \frac{1}{2} \left[\frac{1}{3} ln(\beta w) + \frac{2}{3} ln(\alpha w) \right] + \frac{1}{2} \left[\frac{2}{3} ln(\beta w) + \frac{1}{3} ln(\alpha w) \right]
$$

$$
= \frac{1}{2} ln(\beta \alpha w^2)
$$

3) Do not bet:

$$
SEU(n) = u(w) = ln(w)
$$

Therefore, the person would be indifferent between accepting and rejecting the bet when,

$$
SEU(n) = \max\{SEU(t), SEU(h)\}
$$

Which means,

$$
ln(w) = \frac{1}{2}ln(\beta \alpha w^2)
$$

$$
\implies \alpha \beta = 1
$$

(b) Now the individual is an ambiguity averse decision maker (Gilboa-Schmeidler type). This means that the individual wants to minimize uncertainty by analizing the worst case scenario. The problem becomes,

$$
SEU(h) = \min_{\pi(H) \in [0,1]} \pi(H) \left[\frac{2}{3} ln(\beta w) + \frac{1}{3} ln(\alpha w) \right] + (1 - \pi(H)) \left[\frac{1}{3} ln(\beta w) + \frac{2}{3} ln(\alpha w) \right]
$$

$$
= \frac{1}{3} ln(\beta w) + \frac{2}{3} ln(\alpha w)
$$

That is the case when $\pi(H) = 0$. Similarly,

$$
SEU(t) = \frac{1}{3}ln(\beta w) + \frac{2}{3}ln(\alpha w)
$$

And,

$$
SEU(n) = ln(w)
$$

Therefore, the person would be indifferent between accepting and rejecting the bet when,

$$
SEU(n) = \max\{SEU(t), SEU(h)\}
$$

Which means,

$$
ln(w) = \frac{1}{3}ln(\beta w) + \frac{2}{3}ln(\alpha w)
$$

$$
\implies (\alpha^2 \beta)^{\frac{1}{3}} = 1
$$

$$
\implies \alpha^2 \beta = 1
$$

(c) If we change $\pi(H)$ from $\frac{1}{2}$ to $\frac{1}{9}$ in part (a), we get,

$$
SEU(h) = \frac{1}{2} \left[\frac{9}{10} ln(\beta w) + \frac{1}{10} ln(\alpha w) \right] + \frac{1}{2} \left[\frac{1}{10} ln(\beta w) + \frac{9}{10} ln(\alpha w) \right]
$$

$$
= \frac{1}{2} ln(\beta \alpha w^2)
$$

And indifference between betting and not betting implies,

 $\alpha\beta=1$

Which is the same result as we got in part (a). Now, if we change $\pi(H)$ from $\frac{1}{2}$ to $\frac{1}{9}$ in part (b), we get,

$$
SEU(h) = \frac{1}{10}ln(\beta w) + \frac{9}{10}ln(\alpha w)
$$

And indifference implies,

 $\alpha^9 \beta = 1$

Which is larger than the result we got in part (b). This happens because now the worst case scenario "becomes worst" in the sense that it is more likely to happen.

(Final 2021)

(a) If $\pi(A) = \pi(B) = \frac{1}{2}$, we have the following scenarios,

1) Accept bet on head:

$$
SEU(H) = \pi(A)[P(head|A)u(w+1) + P(tail|A)u(w-1)] + \pi(B)[P(head|B)u(w+1) + P(tail|B)u(w-1)]
$$

$$
SEU(H) = \frac{1}{2}[\frac{1}{3}(w+1) + \frac{2}{3}(w-1)] + \frac{1}{2}[\frac{3}{4}(w+1) + \frac{1}{4}(w-1)]
$$

$$
SEU(H) = w + \frac{1}{12}
$$

2) Accept bet on tail:

$$
SEU(T) = \pi(A)[P(head|A)u(w-1) + P(tail|A)u(w+1)] + \pi(B)[P(head|B)u(w-1) + P(tail|B)u(w+1)]
$$

$$
SEU(T) = \frac{1}{2}[\frac{1}{3}(w-1) + \frac{2}{3}(w+1)] + \frac{1}{2}[\frac{3}{4}(w-1) + \frac{1}{4}(w+1)]
$$

$$
SEU(T) = w - \frac{1}{12}
$$

3) Do not bet:

$$
SEU(n) = u(w) = w
$$

Since,

$$
SEU(n) = w < w + \frac{1}{12} = \max\{SEU(H), SEU(T)\}
$$

The individual will bet. Specifically, on *H*.

(b) Now that the individual is a Gilboa-Schmeidler ambiguity averse person², the problem becomes,

$$
SEU(H) = \min_{\pi(A) \in [1/3, 2/3]} \pi(A) \left[\frac{1}{3}(w+1) + \frac{2}{3}(w-1) \right] + (1 - \pi(A)) \left[\frac{3}{4}(w+1) + \frac{1}{4}(w-1) \right]
$$

The expression is minimized when $\pi(A)=2/3$,

$$
SEU(H) = \frac{2}{3} \left[\frac{1}{3}(w+1) + \frac{2}{3}(w-1) \right] + \frac{1}{3} \left[\frac{3}{4}(w+1) + \frac{1}{4}(w-1) \right]
$$

$$
= w - \frac{1}{18}
$$

And,

$$
SEU(T) = \min_{\pi(A) \in [1/3, 2/3]} \pi(A) \left[\frac{1}{3}(w-1) + \frac{2}{3}(w+1) \right] + (1 - \pi(A)) \left[\frac{3}{4}(w-1) + \frac{1}{4}(w+1) \right]
$$

= $w - \frac{2}{9}$

Since,

$$
SEU(n) = w > w - \frac{1}{18} = \max\{SEU(H), SEU(T)\}\
$$

The individual will not bet.

 $\rm{^2The}$ person analyzes worst case scenario.

ECON 6090 - TA Section 11

Feiyu Wang & Yuxuan Ma

November 15, 2024

Exercise - MWG 6.C.15

Assume that, in a world with uncertainty, there are two assets. The first is a riskless asset that pays 1 dollar. The second pays amounts *a* and *b* with probabilities of π and $1 - \pi$, respectively. Denote the demand for the two assets by (x_1, x_2) .

Suppose that a decision maker's preferences satisfy the axioms of expected utility theory and that he is a risk averter. The decision maker's wealth is 1, and so are the prices of the assets. Therefore, the decision maker's budget constraint is given by

$$
x_1 + x_2 = 1, \quad x_1, x_2 \in [0, 1]
$$

- a. Give a simple necessary condition (involving *a* and *b* only) for the demand for the riskless asset to be strictly positive.
- b. Give a simple necessary condition (involving a, b and π only) for the demand for the risky asset to be strictly positive.
- c. From now on assume the conditions in (a) and (b) are satisfied. Write down the first order conditions for utility maximization in this asset demand problem.
- d. Assume that $a < 1$. Show by analyzing the first order conditions that $\frac{dx_1}{da} \leq 0$.
- e. Which sign do you conjecture for $\frac{dx_1}{d\pi}$? Give an economic interpretation.
- f. Can you prove your conjecture in (e) by analyzing the first order condition?

ECON 6090-Microeconomic Theory. TA Section 11

Omar Andujar

December 6, 2024

Exercise

MWG 6.C.15

The problem can be written as,

$$
\max_{x_1, x_2} EU(x_1, x_2) = max_{x_1, x_2} \pi u(x_1 + ax_2) + (1 - \pi)u(x_1 + bx_2)
$$

Subject to

$$
x_1 + x_2 = 1
$$

$$
x_1, x_2 \in [0, 1]
$$

If we substitute $x_1 = 1 - x_2$, we get,

$$
\max_{x_2 \in [0,1]} EU(x_1, x_2) = max_{x_2 \in [0,1]} \pi u (1 - x_2 + ax_2) + (1 - \pi) u (1 - x_2 + bx_2)
$$

(a) Since the decision maker is a risk averter, $u''(.) \leq 0$.

$$
\frac{\partial EU(x_2)}{\partial x_2} = \pi u'(1 - x_2 + ax_2)(a - 1) + (1 - \pi)u'(1 - x_2 + bx_2)(b - 1)
$$

$$
\frac{\partial^2 EU(x_2)}{\partial x_2^2} = \pi u''(1 - x_2 + ax_2)(a - 1)^2 + (1 - \pi)u''(1 - x_2 + bx_2)(b - 1)^2 \le 0
$$

One necessary condition for the demand for the riskless asset to be strictly positive is,

$$
\frac{\partial EU(x_2)}{\partial x_2}|_{x_2=1} < 0
$$

Therefore,

$$
\frac{\partial EU(x_2)}{\partial x_2}|_{x_2=1} = \pi u'(1 - x_2 + ax_2)(a - 1) + (1 - \pi)u'(1 - x_2 + bx_2)(b - 1)|_{x_2=1} < 0
$$

$$
\implies \pi u'(a)(a - 1) + (1 - \pi)u'(b)(b - 1) < 0
$$

Being a sufficient and necessary condition due to concavity. Alternatively, a simple necessary condition is $\min\{a, b\} < 1$.

(b) One necessary condition for the demand of the risky asset to be strictly positive is,

$$
\frac{\partial EU(x_2)}{\partial x_2}|_{x_2=0} > 0
$$

\n
$$
\implies \pi(a-1) + (1-\pi)(b-1) > 0
$$

(c) First order condition for the utility maximization,

$$
\frac{\partial EU(x_2)}{\partial x_2} = \pi u'(1 - x_2 + ax_2)(a - 1) + (1 - \pi)u'(1 - x_2 + bx_2)(b - 1) = 0
$$

(d) Notice that $x_1 = 1 - x_2 \implies dx_1 = -dx_2$, so,

$$
\frac{dx_1}{da} \le 0 \iff \frac{dx_2}{da} \ge 0
$$

Then,

$$
\frac{d}{da} \left(\pi u'(1 - x_2 + ax_2)(a - 1) + (1 - \pi)u'(1 - x_2 + bx_2)(b - 1) \right) = 0
$$
\n
$$
\pi(a - 1)u''(1 - x_2 + ax_2)(-\frac{dx_2}{da} + x_2 + a\frac{dx_2}{da}) + \pi u'(1 - x_2 + ax_2) + (1 - \pi)u''(1 - x_2 + bx_2)(b - 1)^2 \frac{dx_2}{da} = 0
$$
\n
$$
\implies \frac{dx_2}{da} = -\frac{\pi(a - 1)u''(1 - x_2 + ax_2)x_2 + \pi u'(1 - x_2 + ax_2)}{\pi(a - 1)^2 u''(1 - x_2 + ax_2) + (1 - \pi)u''(1 - x_2 + bx_2)(b - 1)^2}
$$

A particular analysis of the signs of the ratio above taking into account that $u''(.) \leq 0$ and $a < 1$, gives,

$$
\frac{dx_2}{da} \ge 0
$$

- (e) Since π is the probability of getting a payment of *a* on the risky asset, and we know $a < 1$, the larger *pi* gets, the more we will invest in the riskless asset instead, therefore $\frac{dx_1}{d\pi} > 0$.
- (f) In this case we take derivative of π on FOC.

$$
u'(1 - x_2 + ax_2)(a - 1) + \pi(a - 1)u''(1 - x_2 + ax_2)(-\frac{dx_2}{d\pi} + a\frac{dx_2}{d\pi}) - (b - 1)u'(1 - x_2 + bx_2)
$$

+
$$
(1 - \pi)(b - 1)u''(1 - x_2 + bx_2)(-\frac{dx_2}{d\pi} + b\frac{dx_2}{d\pi}) = 0
$$

$$
u'(1 - x_2 + ax_2)(a - 1) - (b - 1)u'(1 - x_2 + bx_2) + \pi(a - 1)^2u''(1 - x_2 + ax_2)\frac{dx_2}{d\pi}
$$

+
$$
(1 - \pi)(b - 1)^2u''(1 - x_2 + bx_2)\frac{dx_2}{d\pi} = 0
$$

$$
\left[(1 - \pi)(b - 1)^2u''(1 - x_2 + bx_2) + \pi(a - 1)^2u''(1 - x_2 + ax_2)\right]\frac{dx_2}{d\pi} = (b - 1)u'(1 - x_2 + bx_2) - u'(1 - x_2 + ax_2)(a - 1)
$$

$$
\implies \frac{dx_2}{d\pi} = \frac{(b - 1)u'(1 - x_2 + bx_2) - u'(1 - x_2 + ax_2)(a - 1)}{(1 - \pi)(b - 1)^2u''(1 - x_2 + bx_2) + \pi(a - 1)^2u''(1 - x_2 + ax_2)}
$$

$$
\implies \frac{dx_2}{d\pi} \le 0
$$

$$
\implies \frac{dx_2}{d\pi} > 0
$$